

Safety Instructions

Always read the safety instructions carefully.

Keep this Quick Start Guide for future reference.

Keep this equipment away from humidity.

If any of the following situation arises, get the equipment checked by a service technician:

- The equipment has been exposed to moisture.
- The equipment has been dropped and damaged.
- The equipment has obvious sign of breakage.
- The equipment has not been working well or you cannot get it work according to Quick Start Guide.

Copyright Statement

No part of this publication may be reproduced in any form by any means without the prior written permission.

Other trademarks or brand names mentioned herein are trademarks or registered trademarks of their respective companies.

Disclaimer

Information in this document is subject to change without notice.

The manufacturer does not make any representations or warranties (implied or otherwise) regarding the accuracy and completeness of this document and shall in no event be liable for any loss of profit or any commercial damage, including but not limited to special, incidental, consequential, or other damage.

WEEE Directive & Product Disposal



At the end of its serviceable life, this product should not be treated as household or general waste. It should be handed over to the applicable collection point for the recycling of electrical and electronic equipment, or returned to the supplier for disposal.

In the Box

- 1 x 3-Port 10G USB-C Hub
- 1 x Quick Start Guide

Features

- The upstream port provides 85W power charging and transfers speed up to 10Gbps.
- Aluminum fineness sandblasted housing & built USB-C extension cable.
- Two USB-A and one USB-C ports transfer speed up to 10Gbps, and backward compatible with USB 3.0/2.0/1.1 devices.
- RJ-45 Ethernet port supports 2.5 Gigabit Ethernet networks.
- Plug and Play for user-friendly.
- Support over-current protection.
- Support Windows 7/8/10/11, Mac OS X 10.8 or later and Linux.

System Requirements


- PC at least has one USB-C port
- Microsoft Windows 7/8/10/11
- Apple Mac OS 10.8 or later
- Linux

Driver Installation


For Windows 10/11/Later and MAC OS, it is Plug and Play, so no Driver installation is needed. If the Network port of this Dock can't be recognized, please visit www.wavlink.com/en-us/WL-UHP3032G or www.wavlink.com>SUPPORT>Driver>PC Peripherals>Ethernet Port>USB HUB>WL-UHP3032G to download and manually install the Driver.

For Windows



1. Locate the downloaded folder and unzip the file to the desktop, please select **Yes** if your computer asks your permission, then double-click the Driver icon on the desktop.




2. Click **Next** to continue the installation process.



3. Select **Install** to begin the installation. If you want to review or change any of your installation settings, click **Back** or **Cancel** to exit the wizard.



4. After the Driver is successfully installed, select **Finish** to exit the wizard.




For Mac OS


1. Locate the downloaded folder and double click the icon on the desktop.
2. Double-click the icon to open the file.




3. Navigate to the wizard window, and click continue to the next step.




4. Read the Important Information carefully and click **Save**, then click **Continue**.



5. Click **Install** to perform a standard installation of this Network Adapter.




6. Select **Use Password** or use **Touch ID** to allow the software installation.



7. Select **Install Software** after entering the screen password.



8. Please wait patiently for the installation to complete, then click **Restart**.



9. Please restart your Mac.

Need help?

We're here for you!



Online support: wavlink.com

Available Mon-Fri 8:30 am-5:30pm (UTC+8)



support@wavlink.com

Available Mon-Fri 8:30 am-5:30pm (UTC+8)



+1 8889730883 (US Local)

Mon-Fri 9:00 am - 10:00 pm (UTC-5)

www.wavlink.com



**Thank you for purchasing
WAVLINK product!**