

A L L F O R B E T T E R C O N N E C T I O N

PRODUCT CATALOG

WAVLINK
see the world

Thunderbolt / USB-C Dock / Adapter / Cable /
External Storage / Power & Chargers

2025 Q4





Looking for Distributors

Shenzhen Headquarter

17th-20th Floor, Building 3C, Huaqiang Idea Park
Guangming District, Shenzhen, China

Hong Kong Office

Room 11,10/F, Kowloon Bay Industrial Center, 15 Wang Hoi Road, Kowloon Bay,
Hong Kong, China

Vietnam Factory

Factory E1, Lot CN4-1, Yen Phong II-C Industrial Zone, Tam Giang Commune, Yen
Phong District, Bac Ninh Province, Vietnam

Shenzhen Factory

Building 4, Dataisong industrial Park, Dalang Street,
Longhua District, Shenzhen, China

Jiangxi Factory

Zone 6, liantou Holding Industrial Park, Longnan Economic and Technological
Development Zone, Longnan City, Jiangxi Province, China

Tel: (86)755 8882 3721

Fax: (86)755 8302 2207

Email: wavlink@wavlink.com



E-catalog Download



www.wavlink.com

About Wavlink

Wavlink is committed to offering the best products and services to meet each of its customer's unique needs. It guides the company towards its long-term goals, which has contributed to its success as one of the fastest growing brands globally. Whether it is WiFi MESH Router, Outdoor AC/AP, Notebook Docking Station, Wavlink designs all its products to be user-friendly, the company does not compromise when it comes to user experience. Wavlink's products come with innovative and user-friendly features, delivering the best experience for the end-user.

In 2016, Wavlink introduced robust Touchlink password free function in its WiFi Router and AP devices. It unveiled an option-in easy password management feature for all the line up. In 2019, Wavlink introduced the "Turbo" function to its WiFi products which boost router range coverage when needed.

Wavlink designs products that address the unique needs of its customers. Since its founding, Wavlink has pushed the standard in product design, usability and functionality. Wavlink's hardware and software solutions cater to various market segments, including education, business and home users. In the past few years, Wavlink has increased its retail presence with innovative products like Outdoor AP solutions for home owners, and access controller plus networking devices for small and medium business.



2022.11.23 15:18

Vision of Wavlink

Wavlink's vision guides the company's decision-making processes, strategic management, and operations. It ensures that each decision takes the company closer to realizing its mission and goals. To make the best products in the market and to leave the customers better value and experiences than they found us.

Strength of Wavlink

From the first internal card reader, HDD storage docking, USB Giga LAN card, WiFi range extender in its true sense, etc, Wavlink delivers high-quality products to the market. The company seeks to advance its leadership in product design and original development by pushing for novel innovations. In 2024 alone, Wavlink introduced 65 industry-leading new products to the market and awarded with 11 design awards including Reddot, IF Design, Idea, and Good Design, as well as 8 hours such as innovation laboratory of the State to credit Wavlink research and development effort and achievements.



Office & Factories



Wavlink Capability



No. 1

Docking Station Sales
in 2022



Strong Supply Chain

Five 100%
Owned Factories



**Fastest
Growing**

Wireless Networking
Expert



**Broadcasting
& Contents Creation**

Professional AV
Solutions



**Award Winning
Series**

Energy & Charging
Devices



**High
Performance**

Storage Devices



Testimony of Honor



Design Awards



reddot winner 2024



reddot winner 2024



reddot winner 2024



reddot winner 2024



reddot winner 2024



reddot winner 2024

CONTENTS

01 USB Docking Station

Thunderbolt 5/4/3 Dock	1
USB 4 Dock/Enclosure	7
USB-C Universal Dock	10
Ergonomic Dock	18
USB-C SMI Universal Dock	19
USB-C MST Dock	24
USB-C Steam Deck Dock	30
USB-C SST Mini Dock	31

02 USB Hub & Adapter

USB Hub	33
USB Display Adapter	36
USB Ethernet Adapter	40
USB Network Print Server	41
USB KVM Switch	41
Video Capture Card	42

03 Storage & Peripherals

NVMe SSD	44
USB SSD Enclosure	45
HDD/SSD Adapter	46
HDD/SSD Storage Dock	47

04 Power & Charging Devices

Power Adapter	48
Battery Charger	50
Wireless Charger	52

Thunderbolt™ 5

Triple Display Dock, 140W & 30W Charging, Support M Key PCIe NVMe M.2 SSDs

Based on Intel Thunderbolt 5 Solution / Driverless, Plug & Play

80/120 Gbps

140W

3x 4K 144Hz

30W

1x 8K 60Hz

2.5G

SD TF 4.0

Audio

SSD

- PID: WL-UTD58-M**
- 1x Thunderbolt 5 Port to Host
 - 3x Thunderbolt 5 Ports (Downstream)
 - 4x USB-A (10G)
 - 1x SD/Micro SD 4.0 Card Slot
 - 1x 2.5 Gigabit Ethernet
 - 1x 3.5mm Combo Audio
 - 1x DC IN 20V
 - 1x Power ON/OFF Switch
 - 1x M.2 64G Port (PCIe Gen 4 x4 M.2 SSD)



Thunderbolt™ 5

Triple Display Dock, 140W & 30W Charging

Based on Intel Thunderbolt 5 Solution / Driverless, Plug & Play

80/120 Gbps

140W

3x 4K 144Hz

30W

1x 8K 60Hz

2.5G

SD TF 4.0

Audio

- PID: WL-UTD58**
- 1x Thunderbolt 5 Port to Host
 - 3x Thunderbolt 5 Ports (Downstream)
 - 4x USB-A (10G)
 - 1x SD/Micro SD 4.0 Card Slot
 - 1x 2.5 Gigabit Ethernet
 - 1x 3.5mm Combo Audio
 - 1x DC IN 20V
 - 1x Power ON/OFF Switch



Thunderbolt™ 5

Triple Display Dock, 140W Charging, Support M Key PCIe NVMe M.2 SSDs

Based on Intel Thunderbolt 5 Solution / Driverless, Plug & Play

80/120 Gbps

140W

2x 8K 60Hz / 4K 144Hz

2.5G

3x 4K 60Hz

SSD

SD TF 4.0

Audio

- PID: WL-UTD62**
- 1x Thunderbolt 5 UFP
 - 2x Thunderbolt 5 DFP
 - 2x HDMI 2.1
 - 4x USB 3.1-A 10G
 - 1x 2.5G Ethernet
 - 1x SD/Micro SD 4.0
 - 1x 3.5MM Audio
 - 1x M.2 64G Port (PCIe Gen 4 x4 M.2 SSD)



Thunderbolt™ 5

Thunderbolt™ 5 External Storage

Based on Intel Thunderbolt™ 5 External Storage / Driverless, Plug & Play

80 Gbps


SSD

- PID: WL-UTE50**
- 1x Thunderbolt™ 5 External Storage (1T/2T/4T/8T)
 - Over 6000MB/s Sequential Read/Write Speed



Optional Accessory

for Thunderbolt™ 5 Docking Station and Hub



Thunderbolt 5 Cable

Certified by Intel


PID	Length	Data Transfer
WS-T5C3P	30cm	80Gbps
WS-T5C8P	80cm	80Gbps
WS-T5C10P	100cm	80Gbps



Thunderbolt™ 4

Triple Display Docking Station with 96W & 30W Charging

Certified by Intel / Based on Thunderbolt 4 & MST Solution / Driverless, Plug & Play



PID: WL-UTD45


- 1x Thunderbolt 4 Port to Host
- 1x Thunderbolt 4 Ports (Downstream)
- 2x HDMI 2.1
- 1x USB-C (10G, PD 30W)
- 4x USB-A (2x 10G, 2x 5G)
- 1x SD/Micro SD 4.0 Card Slot
- 1x 2.5 Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x DC IN 20V
- 1x Power ON/OFF Switch
- 1x Thunderbolt 4 Cable (2.6ft/80cm)



Thunderbolt™ 4

Dual Display Docking Station with 96W & 30W Charging

Certified by Intel / Based on Thunderbolt 4 & MST Solution / Driverless, Plug & Play



PID: WL-UTD43

- 1x Thunderbolt 4 Port to Host
- 3x Thunderbolt 4 Ports (Downstream)
- 4x USB-A (2x 10G, 2x 5G)
- 1x SD 4.0 Card Slot
- 1x 2.5 Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x DC IN 20V
- 1x Power ON/OFF Switch
- 1x Thunderbolt 4 Cable (2.6ft/80cm)






Thunderbolt™ 4

Quad Display Docking Station with 96W Charging

Certified by Intel / Based on Thunderbolt 4 & DisplayLink Solution / Highest Spec. Available in Global Market



PID: WL-UTD41


- 1x Thunderbolt 4 Port to Host
- 3x Thunderbolt 4 Ports (Downstream)
- 2x DisplayPort 1.2 (4K@60Hz)
- 2x HDMI 2.0 (4K@60Hz)
- 4x USB-A (2x 10G, 2x 5G)
- 1x SD 4.0 Card Slot
- 1x 2.5 Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x DC IN 20V
- 1x Power ON/OFF Switch
- 1x Thunderbolt 4 Cable (2.6ft/80cm)



Thunderbolt™ 4

Hub with Dual Display & 90W Charging

Certified by Intel / Based on Thunderbolt 4 Solution / Driverless, Plug & Play / Aluminum Alloy Shell with Slim Design




PID: WL-UTD49T

- 1x Thunderbolt 4 Port to Host
- 3x Thunderbolt 4 Ports (Downstream)
- 1x USB-A (10G, 15W)
- 1x DC IN 20V
- 1x Power ON/OFF Switch
- 1x Thunderbolt 4 Cable (2.6ft/80cm)



Optional Accessory

for Thunderbolt™ 4 Docking Station and Hub



Thunderbolt 4 Cable

Certified by Intel

PID	Length	Data Transfer
WS-T4C5P	50cm	40Gbps
WS-T4C7P	70cm	40Gbps
WS-T4C8P	80cm	40Gbps
WS-T4C10P	100cm	40Gbps



Thunderbolt™ 3
Dual Display Docking Station

PID: WL-UTD21, WL-UTD23

Certified by Intel
1x 8K@30Hz or 2x 4K@60Hz
65W Power Delivery
10Gbps Data Transfer
Gigabit Ethernet
Combo Audio
1x Thunderbolt™ 3 Cable (2.3ft/70cm)
DP to HDMI Adapter 4K@60Hz (Optional)



PID: WL-UTD01, WL-UTD03

Certified by Intel
2x 4K@60Hz
85W Power Delivery
5Gbps Data Transfer
1x SD/Micro SD 3.0 Card Slot
Gigabit Ethernet
Combo Audio
1x Thunderbolt™ 3 Cable (2.3ft/70cm)
DP to HDMI Adapter 4K@60Hz (Optional)



PID: WL-UTD04, WL-UTD05

Certified by Intel
2x 4K@60Hz
5Gbps Data Transfer
Gigabit Ethernet
1x Thunderbolt™ 3 Cable (1.6ft/50cm)
DP to HDMI Adapter 4K@60Hz (Optional)



Optional Accessory
for Thunderbolt™ 3 Docking Station and Display Adapter

Thunderbolt 3 Cable

Certified by Intel

PID	Length	Data Transfer
WS-TC5P	50cm	40Gbps
WS-TC7P	70cm	40Gbps
WS-TC10P	100cm	20Gbps
WS-TC18A	180cm	40Gbps



DisplayPort to HDMI Adapter

4K@60Hz



PID: WL-CAH5

THUNDERBOLT™ 3**to Dual Display Adapter****PID: WL-UTA21D**

Certified by Intel
2x DisplayPort 1.4
1x 8K@30Hz or 2x 4K@60Hz
1x Thunderbolt 3 Cable (1.6ft/50cm)
Driverless, Plug and Play
DP to HDMI Adapter 4K@60Hz (Optional)

**PID: WL-UTA01D, WL-UTA02D**

Certified by Intel
2x DisplayPort 1.2
2x 4K@60Hz
1x Thunderbolt 3 Cable (1.6ft/50cm)
Driverless, Plug and Play
DP to HDMI Adapter 4K@60Hz (Optional)

**PID: WL-UTA01H, WL-UTA02H**

Certified by Intel
2x HDMI 2.0
2x 4K@60Hz
1x Thunderbolt 3 Cable (1.6ft/50cm)
Driverless, Plug and Play
DP to HDMI Adapter 4K@60Hz (Optional)

**THUNDERBOLT™ 3****to M.2 NVMe SSD Enclosure**

Certified by Intel / World's First Thunderbolt™ 3 to NVMe SSD Enclosure

PID: WL-UTE01, WL-UTE02

Certified by Intel
Special Design for Apple Users
Up to 40Gbps Data Transfer
Compatible with M.2 NVMe SSD 2280
Support up to 2TB Capacity SSD
Driverless, Plug and Play
1x Thunderbolt 3 Cable (1.6ft/50cm)
SSD is Not Included



Note: Wavlink supplies high performance 256G/512G/2TB/1TB SSD, pls refer to catalog Page 44.

USB4 40Gbps

to M.2 NVMe Dual SSD Enclosure (Tool Free)

Based on ASMedia USB4 Solution / The True USB4 to NVMe SSD Enclosure Available in Global Market

PID: WL-ST406C


- Up to 40Gbps Data Transfer
- Compatible with M.2 NVMe SSD 2230/2242/2260/2280
- Support up to 4TB Capacity SSD
- Built-in Fan for Better Heat-dissipation
- CNC Aluminum Enclosure
- Groove Design with Efficient Heat Dissipation
- Continuous High-Speed Performance
- Tool Free Design, Friendly to Use
- Driverless, Plug and Play
- 1x USB 4 Cable (1.6ft/50cm)
- SSD is Not Included



USB4 40Gbps

to M.2 NVMe Dual SSD Enclosure (Tool Free)

Based on ASMedia USB4 Solution / The True USB4 to NVMe SSD Enclosure Available in Global Market



PID: RapidFire U4D

- Up to 40Gbps Data Transfer
- USB4 to 2× M.2 PCIe 4.0× 2 NVMe
- Support 2230/2242/2260/2280 Size SSD
- Continuous High-speed Performance
- Built-in Fan for Better Heat Dissipation
- Driverless, Plug and Play
- Support OTG, Offline Cloning




Reference Design

for USB4 to NVMe SSD Enclosure



USB4 80Gbps

M.2 NVMe Dual SSD Enclosure for Mac Mini Host



PID: ProDock M52


2x M.2 PCIe NVMe SSD Slots
1x HDMI2.1 (8K@60Hz)
3x USB-A 10Gbps
2x USB-C 80Gbps
1x SD/Micro SD 4.0



80Gbps

USB4 40Gbps

M.2 NVMe Dual SSD Enclosure for Mac Mini Host



PID: ProDock M42


2x M.2 PCIe NVMe SSD Slots
1x HDMI2.1 (8K@60Hz)
1x USB-C 40Gbps
1x USB-C 20Gbps
3x USB-A 10Gbps
1x SD/Micro SD 3.0



40Gbps

USB4 10Gbps

M.2 NVMe Dual SSD Enclosure for Mac Mini Host



PID: ProDock M12


2x M.2 PCIe NVMe SSD Slots
1x HDMI2.1 (4K@144Hz/8K@30Hz)
1x USB-C 10Gbps
1x USB-A 10Gbps
3x USB-A 5Gbps
1x SD/Micro SD 3.0



10Gbps

USB4 40G Type-C**Dual HDMI Display Docking Station with 85W Charging**


Based on Intel USB4 Solution / Driverless, Plug & Play / Aluminum Alloy Shell with Slim Design

**PID: WL-UMD4403**

1x USB4 Port to Host
with Fixed USB4 Cable 15cm
1x HDMI 2.0 (1x 8K@30Hz)
1x HDMI 2.0 (1x 4K@60Hz)
1x USB-C (10G)
6x USB-A (2x 10G, 2x 5G, 1x 480Mbps)
1x Gigabit Ethernet
1x USB-C PD IN 100W

**USB4 40G Type-C****Dual Display Docking Station with 140W Charging**


USB4 Dock with SSD Enclosure Supporting NVMe Protocol/ PD 100W Pass Through Charging

**PID: WL-UMD4406**

1x USB-C Port to Host
2x DisplayPort 2.1 (8K@60Hz)
2x USB4 40Gbps Ports
1x USB-C 20Gbps Port
1x M.2 20G Port
(PCIe Gen 3 x4 M.2 SSD)
100W Power Delivery



New!

**PID: WL-UMD4407**

1x USB-C Port to Host
2x HDMI2.1 (8K@60Hz)
2x USB4 40Gbps Ports
1x USB-C 20Gbps Port
1x M.2 20G Port
(PCIe Gen 3 x4 M.2 SSD)
100W Power Delivery



New!

USB4 40G Type-C**Docking Station with 85W or 100W Charging****PID: WL-UMD401**

1x USB-C Port to Host
2x HDMI 2.1 (8K@60Hz/4K@144Hz)
2x USB4 40Gbps Ports
2x USB-A 10Gbps Ports
1x 5G Ethernet
1x SD/Micro SD 4.0
1x TRRS 4-pole phone jack
100W Power Delivery



New!

PID: WL-UMD402


1x USB-C Port to Host
2x DisplayPort (8K@60Hz/4K@144Hz)
2x USB4 40Gbps Ports
2x USB-A 10Gbps Ports
1x 5G Ethernet
1x SD/Micro SD 4.0
1x TRRS 4-pole Phone Jack
100W Power Delivery




New!




World's Highest Spec. DisplayLink Universal Dock

 **DisplayLink DL-7400**



PID: WL-UG75PD5-3H2D

- 1x USB-C Port to Host
- 2x DP 1.4
- 3x HDMI 2.0
- 2x USB-C (10G)
- 3x USB-A (10G)
- 1x 2.5 Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x DC IN 20V
- 1x Power ON/OFF Switch



PID: WL-UG75PD7-H

- 1x USB-C Port to Host
- 2x HDMI 2.1
- 4x USB-A (10G)
- 3x USB-C (10G)
- 1x 5G Ethernet
- 1x SD/Micro SD 4.0
- 1x 3.5mm Combo Audio
- 1x DC IN 20V
- 1x Power ON/OFF Switch
- 140W Power Delivery





PID	WL-UG75PD1-4D2	WL-UG75PD1-DH	WL-UG75PD1-4H
DisplayPort	√ (×4, Dual 8K@60Hz)	√ (×2, Dual 8K@60Hz)	\
HDMI	\	√ (×2, 4K@60Hz)	√ (×4, 4K@60Hz)
USB-A	√(×3, 10Gbps)	√(×3, 10Gbps)	√(×3, 10Gbps)
USB-C	√(×2, 10Gbps)	√(×2, 10Gbps)	√(×2, 10Gbps)
8K@60Hz/ 4K@120Hz	√	√	\
RJ45 Internet	√(1/2.5/5Gbps)	√(1/2.5/5Gbps)	√(1/2.5/5Gbps)
SD/TF 4.0	√	√	√
Audio	√	√	√



PID	WL-UG75PD3-4D	WL-UG75PD3-DH	WL-UG75PD3-4H
DisplayPort	√ (×4, Dual 8K@60Hz)	√ (×2, Dual 8K@60Hz)	\
HDMI	\	√ (×2, 4K@60Hz)	√ (×4, 4K@60Hz)
USB-A	√(×4, 10Gbps)	√(×4, 10Gbps)	√(×4, 10Gbps)
USB-C	√(×2, 10Gbps)	√(×2, 10Gbps)	√(×2, 10Gbps)
8K@60Hz/ 4K@120Hz	√	√	√
RJ45 Internet	√(1/2.5/5Gbps)	√(1/2.5/5Gbps)	√(1/2.5/5Gbps)
SD/TF 4.0	√	√	√
Audio	√	√	√



DisplayLink PCIe

Quad Display Adapter




PID	WL-UG7500D-GT	WL-UG7500H-GT	WL-7500DH-GT
PCIe 3.0x4	√	√	√
HDMI	\	√(x4), Quad 4K@60Hz	√(x2), Quad 4K@60Hz
DisplayPort	√(x4), Quad 4K@60Hz	\	√(x2), Quad 4K@60Hz

DisplayLink USB-C /A


Quad Display Universal Docking Station with 100W & 30W Charging

Powered by DisplayLink / Work with USB-C&A Laptop / Support Windows & MacOS (Includes M1 & M2)



PID: WL-UG69PD8

- 1x USB-C Port to Host
- 4x DisplayPort 1.2 (4K@60Hz)
- 4x HDMI 2.0(4K@60Hz)
- 1x USB-C (2x 10G, 2x 5G)
- 1x USB-C (10G, PD 30W)
- 4x USB-A (2x 10G, 2x 5G)
- 1x SD/Micro SD 4.0
- 1x 2.5 Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x DC IN 20V
- 1x Power ON/OFF Switch



PID: WL-UG69PD10

- 1x USB-C Port to Host
- 4x DisplayPort 1.2 (5K@60Hz)
- 4x HDMI 2.0 (4K@60HZ)
- 100W Power Delively
- 4x USB-A(3x5Gbps, 1x10Gbps)
- 1x USB-C PD 30W Charging
- 1x SD/TF 4.0
- 1x 2.5Gbps LAN
- 1x 3.5mm Combo Audio
- 1x DC IN 20V
- 1x Power ON/OFF Switch



10Gbps

PID: WL-UG69PD25

1x USB-C Port to Host
2x DP 1.2 + 3x HDMI 2.0
1x 4K@60Hz or 3x 4K@60Hz
100W Power Delivery
10Gbps Data Transfer
Gigabit Ethernet
Combo Audio

**PID: WL-UG63PD25**

1x USB-C Port to Host
2x DP 1.2 + 3x HDMI 2.0
1x 4K@60Hz + 2x 2K@60Hz
100W Power Delivery
10Gbps Data Transfer
Gigabit Ethernet
Combo Audio



10Gbps

5Gbps

PID: WL-UG69PD24

1x USB-C Port to Host
2x DP 1.2 + 1x HDMI 2.0
1x 4K@60Hz or 3x 4K@60Hz
100W Power Delivery
5Gbps Data Transfer
Gigabit Ethernet
Combo Audio

**PID: WL-UG63PD24**

1x USB-C Port to Host
2x DP 1.2 + 1x HDMI 2.0
1x 4K@60Hz + 2x 2K@60Hz
100W Power Delivery
5Gbps Data Transfer
Gigabit Ethernet
Combo Audio



5Gbps

10Gbps

PID: WL-UG69PD1M Pro

1x USB-C Port to Host
2x DP 1.2 + 2x HDMI 2.0
1x 4K@60Hz or 2x 4K@60Hz
100W Power Delivery
10Gbps Data Transfer
Gigabit Ethernet
Mic In + Audio Out



PID: WL-UG63PD1M Pro

1x USB-C Port to Host
2x DP 1.2 + 2x HDMI 2.0
1x 2K@60Hz or 2x 2K@60Hz
100W Power Delivery
10Gbps Data Transfer
Gigabit Ethernet
Mic In + Audio Out



10Gbps

5Gbps

PID: WL-UG69PD1 Pro

1x USB-C Port to Host
2x DP 1.2 + 2x HDMI 2.0
1x 4K@60Hz or 2x 4K@60Hz
100W Power Delivery
5Gbps Data Transfer
Gigabit Ethernet
Combo Audio



PID: WL-UG63PD1 Pro

1x USB-C Port to Host
2x DP 1.2 + 2x HDMI 2.0
1x 2K@60Hz or 2x 2K@60Hz
100W Power Delivery
5Gbps Data Transfer
Gigabit Ethernet
Combo Audio



5Gbps

5Gbps

PID: WL-UG69PD5

1x USB-C Port to Host
2x DP1.2 + 2x HDMI 2.0
1x 4K@60Hz or 2x 4K@60Hz
65W Power Delivery
5Gbps Data Transfer
Gigabit Ethernet
Combo Audio



PID: WL-UG69PD6


1x USB-C Port to Host
2x DP1.2 + 2x HDMI 2.0
1x 4K@60Hz or
2x 4K@60Hz or 1x 4K@60Hz
65W Power Delivery
5Gbps Data Transfer
Gigabit Ethernet
Combo Audio



5Gbps

Ergonomic Monitor Arms And Integrated Dock.

Powered by DisplayLink / Work with USB-C&A Laptop / DisplayLink Dock with Ergonomic Arms.



New!

1x USB-C Port to Host
2x DisplayPort 1.2 (4K@60Hz)
2x HDMI 2.0 (4K@60Hz)
1x USB-C (10G)
1x USB-C PD 30W Charging
3x USB-A (10G)
1x SD/Micro SD 4.0 (312Mbps)
1x Gigabit Ethernet
1x 3.5mm Combo Audio
1x USB-C PD IN 130W



- * *Promote Optimal Comfort*
- * *Boost Productivity*
- * *Maximize Desk Space*
- * *Built to Last*

PID: WL-UG39DK1, WL-UG39DK4V

1x USB-B Port to Host
1x HDMI 1.3 + 1x DVI
1x 2K@60Hz or 2x 2K@60Hz
5Gbps Data Transfer
Gigabit Ethernet
Mic In + Audio Out
Vertical Stand for Dock is Optional



5Gbps



5Gbps

PID: WL-UG39DK7, WL-UG39DK8

1x USB-B Port to Host
1x HDMI 1.3 + 1x DVI
1x 2K@60Hz or 2x 2K@60Hz
5Gbps Data Transfer
Gigabit Ethernet
Mic In + Audio Out



5Gbps



5Gbps

PID: WL-UG39PD5

1x USB-C Port to Host
2x HDMI + 1x DVI
1x 4K@60Hz or
1x 4K@60Hz + 2x 2K@60Hz
65W Power Delivery
5Gbps Data Transfer
Gigabit Ethernet
Combo Audio



5Gbps

PID: WL-UG39PD1

1x USB-C Port to Host
2x HDMI 2.0 + 1x DVI
1x 4K@60Hz or
1x 4K@60Hz + 2x 2K@60Hz
65W Power Delivery
5Gbps Data Transfer
Gigabit Ethernet
Combo Audio



5Gbps

PID: WL-UG39DK3


1x USB-B Port to Host
 1x HDMI 1.3 + 1x DVI
 1x 2K@60Hz or 2x 2K@60Hz
 5Gbps Data Transfer
 BC1.2 12W Fast Charging
 Gigabit Ethernet
 Mic In + Audio Out
 Bauhaus Design

**5Gbps****PID: WL-UG39DH2**

1x USB-A to Host with Fixed Cable (13cm)
 1x HDMI 1.3 + 1x VGA
 1x 4K@30Hz or
 1x 4K@30Hz + 1x 1080P@60Hz
 5Gbps Data Transfer
 SD/Micro SD 3.0 (104Mbps)
 Gigabit Ethernet
 2-in-1 Combo Design

**5Gbps**

Powered by DisplayLink / Work with USB-C&A Laptop / Support the True Sharing Between Two Hosts with Different Systems

**PID: WL-UG39DK2D**

1x USB-B Port to Host
 1x HDMI 1.3 + 1x DVI
 1x 2K@60Hz or 2x 2K@60Hz
 6x USB-A (4x 5G, 2x 480Mbps)
 1x USB-A (5V 2.4A, 12W Charging)
 1x Gigabit Ethernet
 1x 3.5mm Combo Audio
 1x 2.5" HDD Enclosure
 1x DC IN 20V
 1x Power ON/OFF Switch

**5Gbps**



Ports Solution	Wireless Docking Station
----------------	--------------------------

World's First Wi-Fi 6 based Wireless Dock Available in Global Market / Connection with Wireless Mode or USB Mode

Audio

3x

USB-A 3.0

Giga

4K 60Hz

100W

5G

PID: WL-WD77PD1
 Wi-Fi 6 (5G AX, 1201 Mbps) and USB Mode
 Dual 4K@60Hz Output in WiFi/USB Mode
 Content-adaptive Technology and Multi-decoder Hardware
 Works with Windows 10 and Above
 2x 5.8G External 3dBi Antennas
 3x USB 3.0, 1x 3.5mm Combo Audio, 1x USB-C 100W Host



reddot winner 2024



Wireless Mode works with Windows only
 USB Mode works with both macOS and Windows

Wi-Fi 6 Wireless Dock	Dual Display, 100W Power Delivery
-----------------------	-----------------------------------

World's First Wi-Fi 6 based Wireless Dock in Mass Production / Connection with Wireless Mode or USB Mode

1x

4K 30Hz

1x

1080P 60Hz

5 Gbps

Giga

Audio

100W

PID: WL-WD76PD1
 Wi-Fi 6 Module Supports 5GHz
 2x External Omni Directional antennas
 1x USB-C Port to Host
 1x HDMI (4K@30Hz)
 1x HDMI (1080P@60Hz)
 1x USB-C (5G, 7.5W)
 3x USB-A (5G)
 1x Gigabit Ethernet
 1x 3.5mm Combo Audio
 1x Mode Switch Button




reddot winner 2024



Wireless Mode works with Windows only
 USB Mode works with both macOS and Windows

Silicon Motion Docking

Three Of Five Triple 4K@60Hz Universal Docking With 100W PD IN, 2.5G Ethernet




PID: WL-UG77PD1

1x USB-C Port to Host
2x DisplayPort 1.4 (4K@60Hz)
3x HDMI2.0 (4K@60Hz)
1x USB-C 10Gbps port
1x USB-A 10Gbps port
2x USB-A 480Mbps ports
1x 3.5mm Audio
1x 2.5G Ethernet
85W Power Delivery




Silicon Motion Docking

Three Of Five Triple 4K@60Hz Universal Docking With 130W PD IN, 2.5G Ethernet



PID: WL-UG77PD2

1x USB-C Port to Host
2x DisplayPort 1.4 (4K@60Hz)
3x HDMI2.0 (4K@60Hz)
2x USB-C 10Gbps port
2x USB-A 10Gbps port
2x USB-A 480Mbps ports
1x 3.5mm Audio
1x 2.5G Ethernet
100W Power Delivery



PID: WL-UG77PD3

1x USB-C Port to Host
2x DisplayPort 1.4 (4K@60Hz)
3x HDMI2.0 (4K@60Hz)
2x USB-C 10Gbps port
1x USB-A 10Gbps port
2x USB-A 480Mbps ports
1x 3.5mm Audio
1x 2.5G Ethernet
1x SD/Micro SD 4.0
100W Power Delivery



Silicon Motion Display Screen Docking

Dual Display 4K@60Hz Universal Docking With 130W DC IN. 2.5G Ethernet

2x

DP

2x

HDMI

2x

4K
60Hz

Audio

100W

2.5G

2x

480
Mbps

3x

10
Gbps

SD
TF

3.0


- PID: SideShow 686**
- 1x 6.86" Display Screen
 - 2x HDMI(4K@60Hz)
 - 2x DP (4K@60Hz)
 - 2x USB-C 10Gbps
 - 1x USB-A 10Gbps
 - 2x USB-A 480Mbps
 - 1x SD/Micro SD 3.0
 - 1x 2.5G Ethernet
 - 1x 3.5mm Combo Audio
 - 1x DC IN 130W
 - 100W Power Delivery

New!



Silicon Motion Display Adapter

Three Of Five Triple 4K@60Hz Universal Adapter With 100W PD IN




PID: WL-UG7701

1× USB-C Port to Host (10Gbps)
2× DisplayPort 1.4 (4K@60Hz)
3× HDMI2.0 (4K@60Hz)
95W Power Delivery



Silicon Motion Display Adapter

Quad 4K Universal Adapter With 140W PD IN



PID: WL-UG7702H

1× USB-C Port to Host (10Gbps)
1× HDMI2.1 (4K@144Hz)
3× HDMI2.0 (4K@60Hz)
130W Power Delivery



New!

Silicon Motion USB-C /A

USB3.1 Universal Dual Display Adapter

PID: WL-UG7703DH

1× USB-C/A Port to Host
2× DisplayPort (4K@60Hz)
2× HDMI (4K@60Hz)



New!

Silicon Motion USB-C /A

Dual Display Universal Docking Station

PID: WL-UG7704H


1× USB-C/A Port to Host
2× HDMI (4K@60Hz)



New!

Silicon Motion Display Adapter

USB-C/USB-A to Quad HDMI Universal Adapter



PID: WL-UG7607

1x USB-C Port to Host

2x 4K@30Hz+2x 1080P@60Hz



New!

Supports both split and extended screen modes, combining up to four screens into one display with five mode options.



Silicon Motion USB-C /A

Dual Display Universal Docking Station

PID: WL-UG76PD2 Pro, WL-UG76PD4 Pro

- 1x USB-C Port to Host
- 2x HDMI 1.4
- 1x 4K@30Hz + 1x 2K@60Hz
- 100W Power Delivery
- 5Gbps Data Transfer
- Gigabit Ethernet
- Combo Audio
- Vertical Stand for Dock is Optional



PID: WL-UG49PD1 Pro, WL-UG49PD5 Pro

- 1x USB-C Port to Host
- 2x HDMI 1.4 + 1x DVI
- 1x 4K@60Hz or
- 1x 4K@60Hz + 1x 4K@30Hz + 1x 2K@60Hz
- 100W Power Delivery
- 5Gbps Data Transfer
- Gigabit Ethernet
- Combo Audio



PID: WL-UG49DK1

- 1x USB-B Port to Host
- 1x HDMI 1.4 + 1x DVI
- 1x 2K@60Hz or 2x 2K@60Hz
- 5Gbps Data Transfer
- BC1.2 12W Fast Charging
- Gigabit Ethernet
- Mic In + Audio Out
- Bauhaus Design



PID: WL-UG49DH2

- 1x USB-A to Host with Fixed Cable
- 1x HDMI 2.0 + 1x VGA
- 1x 4K@30Hz or
- 1x 4K@30Hz + 1x 2K@60Hz
- 5Gbps Data Transfer
- SD/Micro SD 3.0 (104Mbps)
- Gigabit Ethernet
- 2-in-1 Combo Design



Silicon Motion USB-C /A

Dual Display Universal Docking Station with 100W Charging

Powered by Silicon Motion / Work with USB-C&A Laptop

10 Gbps

100W

4K 60Hz

+

4K 30Hz

HDMI

Giga

SD TF

Audio

PID: WL-UG76PD5 Pro

- 1x USB-C Port to Host
- 2x HDMI 2.0
- 1x 4K@60Hz + 1x 4K@30Hz
- 1x USB-C (10G)
- 4x USB-A (1x 10G, 2x 5G, 1x 480Mbps)
- 1x Gigabit Ethernet
- 1x Combo Audio
- 1x SD/Micro SD 4.0 (312Mbps)
- 1x DC IN 20V
- 1x Power ON/OFF Switch






PD 3.1 USB-C MST

Triple Display Docking Station with 125W Charging

Based on PD 3.1 Technology Supporting PD 140W Pass-through Charging / Driverless, Plug & Play



reddot winner 2024



PID: WL-UMD26/27

- 1x USB-C Port to Host
- 1x DisplayPort 1.4 (8K@30Hz)
- 2x HDMI 2.1 (8K@30Hz)
- 125W Passthrough Charging
- 1x USB-C (10G)
- 2x USB-A (5G)
- 1x SD/Micro SD 3.0 (WL-UMD26 Only)
- 1x Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x USB-C PD IN 140W




PD 3.1 USB-C MST

Triple Display Docking Station with 125W Charging

Based on PD 3.1 Technology supporting PD 140W Pass-through Charging / Driverless, Plug & Play



reddot winner 2024



PID: WL-UMD28/29

- 1x USB-C Port to Host
- 2x DisplayPort 1.4 (8K@30Hz)
- 1x HDMI 2.1 (8K@30Hz)
- 125W Power Delivery
- 1x USB-C (10G)
- 2x USB-A (5G)
- 1x SD/Micro SD 3.0 (WL-UMD28 Only)
- 1x Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x USB-C PD IN 140W




PD 3.0 USB-C MST

Triple Display Docking Station with 100W Charging & Tool-free SSD Enclosure

Hybrid USB-C Dock with SSD Enclosure Supporting SATA & NVMe Protocol / PD 100W Pass-through Charging




reddot winner 2024



PID: WL-UMD23M

- 1x USB-C Port to Host
- 1x DisplayPort 1.4 (4K@60Hz)
- 2x HDMI 2.0 (4K@60Hz)
- 1x USB-C (10G)
- 3x USB-A (1x 10G, 2x 5G)
- 1x SD/Micro SD 3.0 (104Mbps)
- 1x Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x SSD Enclosure(SATA/NVMe)
- 1x USB-C PD IN 100W (Pass Through)
- 1x DC IN 20V
- 1x Power ON/OFF Switch




PID: WL-UMD23M Pro

- 1x USB-C Port to Host
- 1x DisplayPort 1.4 (8K@30Hz/4K@144Hz)
- 2x HDMI 2.0 (8K@30Hz/4K@144Hz)
- 1x USB-C (10G)
- 3x USB-A (1x 10G, 2x5G)
- 1x SD/Micro SD 3.0(104Mbps)
- 1x 2.5G Ethernet
- 1x 3.5mm Combo Audio
- 1x SSD Enclosure (SATA/NVMe)
- 1x USB-C PD IN 100W (Pass Through)
- 1x DC IN 20V
- 1x Power ON/OFF Switch



PD 3.1 USB-C MST


Dual Display Docking Station with 125W Charging



PID: WL-UMD327

- 1x USB-C Port to Host
- 2x HDMI2.0 (4K@60Hz)
- 2x USB-A 10Gbps Ports
- 1x USB-C 10Gbps Port (With PD IN 140W)
- 1x SD/Micro SD 4.0
- 1x 2.5G Ethernet
- 125W Power Delivery




PD 3.1 USB-C MST**Dual Display Docking Station with 85W Charging****PID: WL-UMD325**

1x USB-C Port to Host
2x HDMI2.0 (4K@60Hz)
1x USB-A 5Gbps Port
2x USB-C 5Gbps Ports
1x SD/Micro SD 3.0
1x Gigabit Ethernet
1x 3.5mm Combo Audio
1x USB-C PD IN 100W
85W Power Delivery

**PD 3.1 USB-C SST****Single Display Mini Docking Station with 125W Charging**


Based on PD 3.1 Technology Supporting 140W Pass-through Charging / Driverless, Plug & Play

**PID: WL-UHP3415M**

1x USB-C to Host with Fixed Cable (25cm)
1x HDMI 2.0 (4K@60Hz)
1x USB-C (10G)
2x USB-A (1x 10G, 1x 480Mbps)
125W Power Delivery
1x USB-C PD IN 140W

**PD 3.1 USB-C SST****Single Display Docking Station with 125W Charging**

Based on PD 3.1 Technology Supporting 140W Pass-through Charging / Driverless, Plug & Play

**PID: WL-UHP3415L**

1x USB-C to Host with Fixed Cable (25cm)
1x HDMI 2.0 (4K@60Hz)
1x USB-C (5G)
2x USB-A (1x 5G, 1x 480Mbps)
125W Power Delivery
1x USB-C PD IN 140W



PID: WL-UMD323

1x USB-C Port to Host
2x DisplayPort 2.1 (4K@144Hz)
2x HDMI 2.1 (4K@120Hz)
100W Power Delivery
10Gbps Data Transfer
5G Ethernet

**10Gbps****PID: WL-UMD01M Pro**

1x USB-C Port to Host
2x DisplayPort 1.4 (4K@144Hz)
1x HDMI 2.0 (4K@60Hz)
100W Power Delivery
10Gbps Data Transfer
Gigabit Ethernet
Combo Audio

**10Gbps****PID: WL-UMD01R Pro**

1x USB-C Port to Host
2x DisplayPort 1.4 (4K@144Hz)
1x HDMI 2.0 (4K@60Hz)
100W Power Delivery
5Gbps Data Transfer
SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet
Combo Audio

**5Gbps**

PID: WL-UMD05M Pro

1x USB-C Port to Host
 1x DisplayPort 1.4 (4K@144Hz)
 2x HDMI 2.0 (4K@60Hz)
 100W Power Delivery
 10Gbps Data Transfer
 SD/Micro SD 3.0 (104Mbps)
 Gigabit Ethernet
 Combo Audio

10Gbps**PID: WL-UMD05 Pro**

1x USB-C Port to Host
 1x DisplayPort 1.4 (4K@60Hz)
 2x HDMI 2.0 (4K@60Hz)
 100W Power Delivery
 5Gbps Data Transfer
 SD/Micro SD 3.0 (104Mbps)
 Gigabit Ethernet
 Combo Audio

5Gbps**PID: WL-UMD08**

1x USB-C to Host with Fixed Cable (50cm)
 1x DisplayPort 1.4 (4K@60Hz)
 2x HDMI 2.0 (4K@60Hz)
 85W Power Delivery
 5Gbps Data Transfer
 SD/Micro SD 3.0 (104Mbps)
 Gigabit Ethernet
 Combo Audio
 PD 100W Power Adapter (Optional)

5Gbps**PID: WL-UMD03**

1x USB-C to Host with Fixed Cable (50cm)
 1x DisplayPort 1.2 (4K@30Hz)
 1x HDMI 1.4 (4K@30Hz)
 1x VGA (1080p@60Hz)
 85W Power Delivery
 5Gbps Data Transfer
 SD/Micro SD 3.0 (104Mbps)
 Gigabit Ethernet
 Combo Audio
 PD 100W Power Adapter (optional)

5Gbps**PID: WL-UMD15**

1x USB-C Port to Host
 2x DisplayPort 1.4 (4K@60Hz)
 1x HDMI 2.0 (4K@60Hz)
 85W Power Delivery
 5Gbps Data Transfer
 Gigabit Ethernet
 Combo Audio
 PD 100W Power Adapter (Optional)

5Gbps**PID: WL-UMD22**

1x USB-C Port to Host
 2x DisplayPort 1.4 (4K@60Hz)
 1x HDMI 2.0 (4K@60Hz)
 85W Power Delivery
 5Gbps Data Transfer
 SD/Micro SD 3.0 (104Mbps)
 Gigabit Ethernet
 Combo Audio
 PD 100W Power Adapter (Optional)

5Gbps

USB-C MST Triple Display Dock



WL-UMD301

5Gbps

2x HDMI 1.4 (4K@30Hz)
1x VGA (1080P@60Hz)



WL-UMD302

5Gbps

2x HDMI 2.0 (4K@60Hz)
1x DisplayPort (4K@144Hz)

1x USB-C to Host with Fixed Cable (25cm)
85W Power Delivery | 5Gbps Data Transfer | SD/Micro SD 3.0 (104Mbps) | Gigabit Ethernet | Combo Audio

5Gbps

10Gbps



WL-UMD303



WL-UMD306

1x USB-C to Host with Fixed Cable (25cm)
2x DisplayPort 1.4 (4K@60Hz)
1x HDMI 2.0 (4K@60Hz)
85W Power Delivery
SD/Micro SD 3.0 (104Mbps)
Combo Audio
2.5Gigabit Ethernet (UMD306),
Gigabit Ethernet (UMD303)

10Gbps



WL-UMD309

1x USB-C to Host with Fixed Cable (25cm)
2x HDMI 2.0 (4K@60Hz)
85W Power Delivery
Gigabit Ethernet

PID: WL-UMD329
1x USB-C Port to Host
2x Type-C Video with 10Gbps Data port
3x USB-A 480Mbps ports
2x USB-C 10Gbps ports
85W Power Delivery



New!

USB-C MST Dual Display Dock

PID: WL-UHP510C
1x USB-C Port to Host
2x USB-C DisplayPort1.4 (Dual 4K@60Hz)
85W Power Delivery




New!

PD 3.0 USB-C MST

Dual Display Docking Station with 85W Charging & Ergonomic Laptop Stand

USB-C Dock with Ergonomic Laptop Stand / Driverless, Plug & Play



PID: WL-UMD07, WL-UMD07 Pro


1x USB-C Port to Host
2x HDMI 2.0 (4K@60Hz)
2x USB-A (5G)
1x SD/Micro SD 3.0 (104Mbps)
1x Gigabit Ethernet
1x USB-C PD IN 100W
1x Ergonomic Laptop Stand
PD 100W Power Adapter (WL-UMD07 Pro)



PD 3.0 USB-C MST

Dual Display Docking Station with 85W Charging & Ergonomic Laptop Stand

Powered by DisplayLink / USB-C Dock with Ergonomic Laptop Stand / Driverless, Plug & Play




PID: WL-UMD17, WL-UMD13

1x USB-C to Host
2x HDMI 2.0 (4K@60Hz), UMD17
2x HDMI 2.0 (2K@60Hz), UMD13
1x USB-C (10G)
5x USB-A (3x 10G, 2x 5G)
85W Power Delivery
1x USB-C PD IN 100W
1x Ergonomic Laptop Stand



PD 3.0 USB-C SST

Steam Deck Docking Station with 85W Power Delivery



PID: WL-UHP3426

1x USB-C to Host with Fixed Cable (25cm)
1x HDMI (4K@144Hz)
1x USB-C(10G)
2x USB-A(10G)
1x Gigabit Ethernet
1x USB-C PD IN 100W



New!

10Gbps

**4K
60Hz**



PID	WL-UHP3415M	WL-UHP3415	WL-UHP3414Pro	WL-UHP3411	WL-UHP3420
USB-C to Host	10G	10G	10G	10G	10G
PD Charging	125W	85W	85W	85W	85W
HDMI	4K@60Hz	4K@60Hz	4K@60Hz	—	4K@144Hz
USB-C Ports	1x 10G	1x 10G	1x 10G	1x 10G	1x 10G
USB-A Ports	1x 10G+1x USB2.0	1x 10G+1x USB2.0	2x 10G	2x 10G	1x 10G + 1x 480Mbps
SD/Micro SD	—	—	—	—	3.0
RJ45 Ethernet	—	—	2.5Gigabit	—	—
SSD Enclosure	—	—	—	—	√
Power Supply	USB-C PD IN	USB-C PD IN	USB-C PD IN	USB-C PD IN	USB-C PD IN

New!

5Gbps

**4K
60Hz**



PID	WL-UHP3415L	WL-UHP3416	WL-UHP3409 Pro	WL-UHP3408
USB-C to Host	5G	5G	5G	5G
PD Charging	125W	85W	85W	85W
HDMI	4K@60Hz	4K@60Hz	4K@60Hz	4K@60Hz
USB-C Ports	1x 5G	—	—	—
USB-A Ports	1x5G+1x USB2.0	3x 5G	3x 5G	2x 5G
SD/Micro SD	—	3.0	3.0	—
RJ45 Ethernet	—	—	Gigabit	Gigabit
USB-C PD IN	√	√	√	√

5Gbps

4K
60Hz

PID	WL-UHP3413 Pro	WL-UHP3407 Pro	WL-UHP3406	WL-UHP3405M Pro	WL-UHP3404M
USB-C to Host	5G	5G	5G	5G	5G
PD Charging	100W	85W	60W	85W	85W
HDMI	4K@60Hz	4K@60Hz	4K@30Hz	4K@60Hz	4K@30Hz
USB-C Ports	—	1x 5G		1x 5G	—
USB-A Ports	3x 5G	2x 5G	2x 5G	2x 5G	2x 5G
SD/Micro SD	—	3.0	3.0	3.0	3.0
RJ45 Ethernet	Gigabit	—	Gigabit	—	—
Power Supply	USB-C PD IN	USB-C PD IN	USB-C PD IN	USB-C PD IN	USB-C PD IN

5Gbps

4K
60Hz

PID	WL-UHP3403H	WL-UHP3403M	WL-UHP3402	Qi1 Charger Dock
USB-C to Host	5G	5G	5G	5G
PD Charging	85W	85W	85W	60W PD 15W Qi1
HDMI	4K@30Hz	4K@60Hz	4K@30Hz	4K@30Hz
USB-C Ports	—	—	—	—
USB-A Ports	4x 5G	3x 5G	1x 5G	1x 5G
SD/Micro SD	—	3.0	—	3.0
RJ45 Ethernet	—	—	—	Gigabit
Power Supply	USB-C PD IN	USB-C PD IN	USB-C PD IN	USB-C PD IN

USB-C or USB-A Multi Function

Hub with Ethernet Port



2.5Gbps

2.5Gbps

1Gbps

1Gbps

1Gbps

PID	WL-UHP3032G	WL-UH3032G	WL-UH3031GC1	WL-UH3031GC	WL-UH3031G
USB to Host	USB-C 10G	USB-C 10G	USB-C 5G	USB-C 5G	USB-A 5G
PD Charging	85W	—	—	—	—
USB-C Ports	1x 10G + PD	1x 10G	1x 10G	—	—
USB-A Ports	2x 10G	2x 10G	1x 10G + 1x 480Mbps	3x 5G	3x 5G
RJ45 Ethernet	2.5 Gigabit	2.5 Gigabit	Gigabit	Gigabit	Gigabit
Power Supply	USB-C PD IN	USB Bus Power	USB Bus Power	DC 5V IN	DC 5V IN


USB-C 10Gbps

Hub with 4 Ports

USB-C or USB-A Multi Function

Hub with Card Reader

10Gbps



PID	WL-UHP3411	WL-UH30420	PID	WL-UH3047RC	WL-UH3047R
USB-C to Host	10G	10G	USB to Host	USB-C 5G	USB-A 5G
PD Charging	85W	—	SD/Micro SD	3.0	3.0
USB-C Ports	4x 10G (1x PD IN)	2x 10G	USB-A Ports	3x 5G	3x 5G
USB-A Ports	—	2x 10G	Power Supply	DC 5V IN	DC 5V IN

5Gbps



PID	WL-UH3076	WL-UH3049
USB-B to Host	5G	5G
USB-A Ports	7x 5G + 7.5W Fast Charging	7x 5G + 7.5W Fast Charging
Switch	7x Switches	4x Switches
Power Supply	DC 20V IN	DC 12V IN

5Gbps



PID	WL-UH3101A	WL-UH3072P2A	WL-UH3072A
USB-B to Host	5G	5G	5G
USB-A Ports	8x 5G	7x 5G	5x 5G
	2x 5G or 7.5W	12W	2x 5G + 7.5W
Switch	1x Switch	1x Switch	—
Power Supply	DC 12V IN	DC 12V IN	DC 12V IN

5Gbps



PID	WL-UH3042P1	WL-UH3043
USB-B to Host	5G	5G
USB-A Ports	4x 5G	4x 5G
	12W	—
Switch	—	—
Power Supply	DC 5V IN	DC 5V IN

USB-C or USB-A 5Gbps Hub

With 7x USB Ports

5Gbps



PID	WL-UH3075C	WL-UH3074C1	WL-UH3074C	WL-UH3074	WL-UH3075
USB to Host	USB-C 5G	USB-C 5G	USB-C 5G	USB-A 5G	USB-A 5G
USB-C Ports	—	1x 5G	—	—	—
USB-A Ports	7x 5G	6x 5G	7x 5G	7x 5G	7x 5G
Power Supply	DC 5V IN	DC 12V IN	DC 5V IN	DC 5V IN	DC 5V IN

USB-A 5Gbps

Hub with 4 Ports

5Gbps



PID	WL-UH30414	WL-UH30413	WL-UH30412	WL-UH30411	WL-UH30410
USB-A to Host	5G	5G	5G	5G	5G
USB-A Ports	4x 5G	4x 5G	4x 5G	4x 5G	4x 5G
Hub Switch	4x Switchs	—	—	—	—



PID	WL-UG7501D	WL-UG7501DH	WL-UG7501H
USB to Host	USB-A/C	USB-A/C	USB-A/C
PD to Host	85W	85W	85W
DisplayPort 1.2	4	2	-
HDMI2.0	-	2	4
Single Display	1x 4K@144Hz	1x 4K@144Hz	1x 4K@60Hz
Dual Display	1x 4K@144Hz + 1x 4K@120Hz	1x 4K@144Hz + 1x 4K@120Hz	2x 4K@60Hz
Triple Display	2x 4K@120Hz + 1x 4K@144Hz	2x 4K@120Hz + 1x 4K@60Hz	3x 4K@60Hz
Quad Display	3x 4K@120Hz + 1x 4K@144Hz	2x 4K@120Hz + 2x 4K@60Hz	4x 4K@60Hz
USB-C Power IN	1x USB-C Power IN		



PID	WL-UG69DH2	WL-UG63DH2	WL-UG6902H
USB to Host	USB-A/C	USB-A/C	USB-A/C
PD to Host	-	-	-
DisplayPort 1.2	2	2	1
HDMI2.0	2	2	1
Single Display	1x 4K@60Hz	1x 4K@60Hz	1x 4K@60Hz
Dual Display	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz
Triple Display	-	-	-
Quad Display	-	-	-
USB-C Power IN	-	-	-

Note:

* Work with Thunderbolt 3/4/5, USB4, USB3.0/2.0 Laptop, compatible with Windows and macOS.

* Support duplicated or extended displays on Windows and macOS including M1/M2/M3.

* M1/M2 MacBooks support up to 2 external duplicated or extended displays on Windows and macOS including M1/M2.



New!



New!



New!



PID	WL-UG7702H	WL-UG7703DH	WL-UG7704H
USB to Host	USB-A/C	USB-A/C	USB-A/C
HDMI 2.0	4	2	2
Display Port	N/A	2	N/A
Single Display	4K@144Hz(Alt Mode) & 4K@60Hz(Others)	1x4K @60Hz	1x4K @60Hz
Dual Display	4K@144Hz+4K@60Hz(Alt Mode+Another One)&2x4K@60Hz	2x4K @60Hz	2x4K @60Hz
Triple Display	4K@144Hz+2x4K@60Hz(Alt Mode+Others)&3x4K@60Hz	N/A	N/A
Quad Display	4K@144Hz+3x4K@60Hz(Alt Mode+Others)	N/A	N/A



New!



PID	WL-UG7701	WL-UG7607	WL-UG7602HC	WL-UG7601HC
USB to Host	USB-A/C	USB-A/C	USB-A/C	USB-A/C
HDMI 2.0	3	4	2	—
Display Port	2	N/A	N/A	N/A
Single Display	1x 4K@60Hz	1x 4K@30Hz	1x 4K@30Hz	1x 4K@30Hz
Dual Display	2x 4K@60Hz	2x4K@60Hz/ 2x2K@60Hz	1x 4K@30Hz + 2K@60Hz	N/A
Triple Display	3x 4K@60Hz	2x 2K@60Hz + 4K@30Hz	N/A	N/A
Quad Display	N/A	2x 2K@60Hz + 2x 4K@30Hz	N/A	N/A

Note:

- * Based on Silicon Motion solution, work with Thunderbolt 3/4, USB4.0/3.0/2.0 Laptop, compatible with Windows and macOS.
- * M1/M2 MacBooks support up to 2 external duplicated or extended displays on Windows and macOS including M1/M2.

USB-C MST Display Adapter

Quad Display, Triple Display, Dual Display




PID	WL-UMD304	WL-UMD305	WL-UMD307	WL-UMD308
USB to Host	USB-C	USB-C	USB-C	USB-C
PD Charging	—	—	—	85W
DisplayPort 1.4	1	1	2	1
HDMI 2.0	2	2	2	2
VGA	1	—	1	—
Single Display	1x 4K@60Hz	1x 4K@60Hz	1x 8K@60Hz	1x 8K@60Hz
Dual Display	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz
Triple Display	1x 4K@60Hz + 2x 4K@30Hz		3x 4K@60Hz	3x 4K@60Hz
Quad Display	3x 4K@30Hz + 1x 1080p@30Hz		2x 4K@60Hz + 1x 4K@30Hz + 1080p@60Hz	—
USB-C	—	—	—	USB-C PD IN
USB-A	2x 480Mbps	3x 480Mbps	3x 480Mbps	3x 480Mbps



PID	WL-UMD320	WL-UHP510 Max	WL-UHP510C
USB to Host	USB-C	USB-C	USB-C
PD Charging	95W	87W	85W
DisplayPort 1.4	—	—	2
HDMI 2.0	2	2	—
Single Display	1x 8K@30Hz	1x 4K@60Hz	1x 8K@60Hz
Dual Display	2x 4K@60Hz	2x 4K@60Hz	2x 4K @60Hz
USB-C	USB-C PD IN	USB-C PD IN	USB-C PD IN

Note:

* Based on USB-C MST solution, work with Thunderbolt 3/4, USB4, USB-C Laptop, compatible with Windows and macOS. M1/M2 MacBooks will only support 1 external duplicated or extended display due to the laptop limitation.



PID: WL-C2PD2

USB-C to DisplayPort
8K@60Hz




PID: WL-C2PD1

USB-C to DisplayPort
4K@60Hz



PID: WL-UG17V2

USB-A to DisplayPort
1920*1080@60Hz



PID: WL-UG5501H

USB-A to HDMI
4K@60Hz



PID: WL-UG3501H

USB-A to HDMI
2K@30Hz



PID: WL-UG3501HC

USB-C to HDMI
2K@60Hz



PID: WL-UG35H5

USB-A to HDMI
2K@60Hz




PID: WL-UG17H2

USB-C to HDMI
1920x1080@60Hz



PID: WL-C2HF4

USB-C to HDMI
4K@60Hz



PID: WL-UG3501D

USB-A to DVI
2K@60Hz



PID: WL-UG3501DC

USB-A to DVI
2K@60Hz



PID: WL-UG35D4

USB-C to DVI
2K@60Hz



PID: WL-UG35D6

USB-C to DVI
2K@60Hz




PID: WL-UG19D1

USB-A to DVI
2K@60Hz



PID: WL-UG17D1

USB-A to DVI
1920*1080@60Hz



PID: WL-C2VGC1

USB-C to VGA
1920*1080@60Hz



PID: WL-UG321V

USB-A to VGA
1080P



USB Ethernet Adapter

10G, 5G, 2.5G and Gigabit

World First USB-C 10GbE Adapter

Powered by Realtek
Coming Soon



PID: WL-NWU343G



PID: WL-NWU344G

USB3.2 GEN2 to 10G
Ethernet



PID: WL-NWU342G

TBT 3 to 10G Ethernet



PID: WL-NWU340GD

USB-C to 5G Ethernet
with PD 100W



PID: WL-NWU340G

USB-C to 5G Ethernet



PID: WL-NWU330GD

USB-C to 2.5G Ethernet
with PD 100W



PID: WL-NWU331GC

USB-C 3.0 to 2.5G Ethernet



PID: WL-NWU332GC

USB-C 3.0 to 1G Ethernet



PID: WL-NWU326GC

USB-C 3.0 to 1G Ethernet



PID: WL-NWU326G

USB-A 3.0 to 1G Ethernet



PCIe Ethernet Adapter

10G,5G, 2.5G and Gigabit

PID: WL-NWP004

PCI Express 10GbE Adapter



PID: WL-NWP003

PCI Express 5GbE Adapter



PID: WL-NWP002

PCI Express 2.5GbE Adapter



PID: WL-NWP001

PCI Express 1GbE Adapter



USB Print Server

USB Wireless and Wired Print Server

PID: WL-NU88M44

Wireless 4 Port USB 2.0 Printer Server
4x USB2.0
1x 100Mbps Ethernet In



PID: WL-NU516U1

Wireless USB2.0 Printer Server
Wireless & Wired Mode
Support WPS Function
1x 100Mbps Ethernet In
1x 100Mbps Ethernet Out



PID: WL-NU88M41

Wired USB 2.0 Printer/Network Server
1x Gigabit Ethernet Port



PID: WL-NU78M41

Wired USB 2.0 Printer/Network Server
1x 100Mbps Ethernet Port



PID: WL-NU72P11

Wired USB 2.0 Printer Server
1x 100Mbps Ethernet Port



USB KVM Switch

1x HDMI 2.1, One Select Button for Easily Switching Between Two Notebooks

PID: WL-UHP3431

2x USB-C to Host
1x HDMI2.1 (8K@60Hz/4K@144Hz)
3x USB-A 2.0
1x USB-C 5V Power IN
Dual Host Sharing



PID: WL-UHP3424

2x USB-C to Host
1x DP 1.4 Out
(8K@60Hz/4K@144Hz)
3x USB-A 2.0
1x USB-C 5V Power IN
Dual Host Sharing



PID: WL-UH30424


2x USB-A to Host
3x USB-A 3.0
2x USB-A 2.0
1x USB-C 3.0
1x USB-C 5V Power IN
Dual Host Sharing



*Supports keyboard and mouse sharing as well as file transfer between the hosts.

USB to HDMI Video Capture

1080P HDMI AV Capture




PID: WL-WH50A1

1x HDMI1.2 (1080P@60Hz)
1x USB-C Port to Host
1x USB-C 5V Power IN
2x Reset/Pair TX/RX
5G WiFi
Up to 50m Long Distance Transmission



USB to HDMI Video Capture

2K HDMI AV Capture




PID: WL-WH50A2

1x HDMI1.4 (2K@60Hz)
1x USB-C Port to Host
1x USB-C 5V Power IN
2x Reset/Pair TX/RX
5G WiFi
Up to 50m Long Distance Transmission



USB to HDMI Video Capture	4K HDMI AV Capture
---------------------------	--------------------

Support HDMI 2.0 Video Pass Through / 4K@60Hz Video Input & Output /4K@30Hz Video Capture




PID: WL-HG900U

1x USB-C to Host
 1x HDMI 2.0 In (4K@60Hz)
 1x HDMI 2.0 Out (4K@60Hz)
 Support 4K@30Hz Video Capture
 1x Mic In
 1x Line In
 1x Line Out
 OBS software supported
 Support UVC 1.0/1.1/1.5, UAC 1.0
 Support HDR10 to SDR conversion
 Compaible with Windows, macOS, Android, Linux, etc.



USB-C MST Video Capture	4K HDMI AV Capture
-------------------------	--------------------



PID: WL-VR204

1x USB-C to Host
 1x HDMI 1.4 In (4K@30Hz)
 1x HDMI 1.4 Out (4K@30Hz)
 1x DP 1.4 Out (4K@144Hz)
 1x USB-C supports PD 3.0 and 4K@144Hz Video Display
 2x USB-A 2.0 for Mouse, Keyboard, etc.
 OBS software and HDCP supported
 Support UVC 1.0/1.1/1.5, UAC 1.0
 Support HDR10 to SDR conversion
 Compatible with Windows, macOS, Android, Linux, etc.



PID: WL-WL-VR203T

USB2.0 Audio & Video Capture supporting resolution 720x576



M.2 PCIe NVMe SSD

With Capacity 4TB, 2TB, 1TB, 512G and 256G

PCI EXPRESS 4.0 x4



PID	RapidFire880X-4TB	RapidFire880X-2TB	RapidFire880X-1TB
Capacity	4TB	2TB	1TB
Interface	Gen 4.0 x 4	Gen 4.0 x 4	Gen 4.0 x 4
Form Factor	M.2 2280	M.2 2280	M.2 2280
Read Speed	7400Mbps	7400Mbps	7400Mbps
Write Speed	6600Mbps	6600Mbps	6600Mbps

PCI EXPRESS 3.0 x4



PID	WL-Thunderdrive 02	WL-Thunderdrive 01	WL-Thunderdrive 512	WL-Thunderdrive 256
Capacity	2TB	1TB	512G	256G
Interface	Gen 3.0 x 4	Gen 3.0 x 4	Gen 3.0 x 4	Gen 3.0 x 4
Form Factor	M.2 2280	M.2 2280	M.2 2280	M.2 2280
Read Speed	3300Mbps	3000Mbps	3000Mbps	3000Mbps
Write Speed	3000Mbps	2700Mbps	1300Mbps	1300Mbps

Portable Solid State Storage

PID: WL-RapidFire500/1000/2000

Support USB-C 20Gbps Host Port
Max Read: 2000MB/s and Write: 1900MB/s
3D Nand Flash, Memory Capacity: 512G/1TB/2TB
Support OTG




MagSafe Snap-On SSD Enclosure for iPhone 15 Pro

PID: WL-ST349

MagSafe design perfectly matches iPhone's MagNeti back
1x USB-C for connection with iPhone and external SSD
1x USB-C PD IN supports PD charging for iPhone
Fit 2280 SSD, max 10Gbps, support SATA/NVME protocol



USB4 80Gbps SSD Enclosure**Tool Free NVMe SSD Enclosure****Based on Intel Thunderbolt 5 Solution / SSD Enclosure / Driverless, Plug & Play****New!****PID: WL-UTE51**

1x Thunderbolt 5 Port to Host
1x PCIe NVMe M.2 slot
Support PCIe 4.0x4 2280 SSD

**USB4 40Gbps SSD Enclosure****USB4 40Gbps to NVMe SSD Enclosure (Tool Free)****PID: WL-ST402C**

USB4 to Single NVMe SSD Enclosure
with Built-in Cooling Fan

Note: More details, please refer to catalog page 07

**USB-C Dual SSD Enclosure****M.2 SATA & NVMe Dual Protocol (Tool Free)****PID: RapidFire U4D**


USB-C Port Support Data Transfer Up to 40Gbps
Dual Bay M.2 PCIe 4.0 SSD Enclosure
Support 2230/2242/2260/2280 Size SSD
Built-in Heat-dissipation Silicone
Support OTG, Off On Line Clone

**New!****PID: WL-ST348**

Up to 20Gbps Data Transfer
Dual Bay M.2 SSD Enclosure
One Bay Supports M.2 PCIe 3.0x4 NVMe
One Bay Supports M.2 PCIe 3.0x4 NVMe
Support 2230/2242/2260/2280 Size SSD
Built-in Heat-dissipation Silicone
Support OTG, Offline Cloning

**PID: WL-ST347**

Up to 10Gbps Data Transfer
Dual Bay M.2 SSD Enclosure
One Bay Supports M.2 SATA III 6G
One Bay Supports M.2 PCIe 3.0x4 NVMe
Support 2230/2242/2260/2280 Size SSD
Built-in Heat-dissipation Silicone
Support OTG, Offline Cloning

**USB 20Gbps****to M.2 NVMe Dual SSD Enclosure (Tool Free)****PID: Rapid Fire U2DA**

Up to 20Gbps Data Transfer
2x M.2 PCIe 3.0
Support 2230/2242/2260/2280 Size SSD
Support OTG
Continuous High-speed Performance
Built-in Fan for Better Heat Dissipation
Driveless, Plug and Play
SSD is Not Included



USB-C Single SSD Enclosure

M.2 SATA or NVMe Dual Protocol



PID	WL-ST340C	WL-ST338C	WL-ST238C	WL-ST237C	WL-ST236C
Interface	M.2	M.2	M.2	M.2	M.2
USB-C	10G	10G	10G	10G	10G
NVMe Protocol	√	√	√	—	—
SATA Protocol	√	—	—	√	√
SSD Size	2230 / 2242 / 2260 / 2280				2230 / 2242
OTG	√	√	√	√	√

SATA HDD/SSD Enclosure

USB-C 10Gbps, USB-B 5Gbps



PID	WL-ST235C1	WL-ST239C	WL-ST235C	WL-ST235	WL-ST239
Interface	SATA III	SATA III	SATA III	SATA III	SATA III
USB	10G	10G	5G	5G	5G
HDD/SSD	√	√	√	√	√
Form Factor	2.5"	2.5"	2.5"	2.5"	2.5"
OTG	√	√	√	√	√

SATA HDD/SSD Adapter

USB-C or USB-C to SATA III 6G



PID	WL-ST345A	WL-ST345AP	WL-ST345C	WL-ST345CP
Interface	SATA III	SATA III	SATA III	SATA III
USB to Host	USB-A, 5G	USB-A, 5G	USB-C, 5G	USB-C, 5G
HDD/SSD	√	√	√	√
SSD Size	2.5"	2.5"	2.5"	2.5"
OTG	√	√	√	√
Power Adapter	—	DC 12V/2A	—	DC 12V/2A

HDD/SSD Storage Dock

5Gbps and Dual Bay



PID	WL-ST334UA	WL-ST341U	WL-ST336A
Interface	SATA III	SATA III	SATA III
USB to Host	USB-B, 5G	USB-B, 5G	USB-B, 5G
HDD/SSD	√	√	√
SSD Size	2.5" & 3.5"	2.5" & 3.5"	2.5" & 3.5"
SD/Micro SD	—	—	3.0
USB-A	—	—	2x 5G, 2x 7.5W
Power Adapter	DC 12V/3A	DC 12V/3A	DC 12V/4A

HDD/SSD Storage Dock


5Gbps and Single Bay




PID	WL-ST333UA	WL-ST335A	WL-ST331A
Interface	SATA III	SATA III	SATA III
USB to Host	USB-C, 5G	USB-B, 5G	USB-B, 5G
HDD/SSD	√	√	√
SSD Size	2.5" & 3.5"	2.5" & 3.5"	2.5" & 3.5"
SD/Micro SD	—	3.0	3.0
USB-A	—	2x 5G	2x 5G
Power Adapter	DC 12V/3A	DC 12V/3A	DC 12V/3A

PD 3.0/3.1 GaN Power Adapter**100W/130W/140W****PID: WL-G1004C, WL-G1304C, WL-G1404C**

USB-C PD 100W GaN Power Adapter
USB-C PD 130W GaN Power Adapter
USB-C PD 140W GaN Power Adapter

**PID: WL-WL-G1005C, WL-G1305C**

USB-C PD 100W GaN Power Adapter
USB-C PD 130W GaN Power Adapter

**PID: WL-G1004D, WL-G1304D**

DC 100W GaN Power Adapter
DC 130W GaN Power Adapter

PID: WL-G1005D, WL-G1305D

USB-C PD 100W GaN Power Adapter
USB-C PD 130W GaN Power Adapter

PD 3.0/3.1 Power Adapter**112W/77W, with 1x USB-A Charging Port, 140W, with 1x USB-C Charging Port****PID: WL-P1101**

USB-C PD 3.0 112W (100W+ 12W) Power Adapter
USB-C PD 100W to Host
USB-A 12W to USB Device

**PID: WL-P701**

USB-C PD 3.0 77W (65W+ 12W) Power Adapter
USB-C PD 65W to Host
USB-A 12W to USB Device

**PID: WL-G1406**

USB-C PD 3.1 140W (140W+ 15W) Power Adapter
USB-C PD 140W to Host
USB-C 15W to USB Device



PID: WL-P3601D
360W 20V18A AC/DC
Desktop Power Adapter



PID: WL-C2301
230W 20V11.5A AC/DC
Desktop Power Adapter



PID: WL-C1801
180W 20V9A AC/DC
Desktop Power Adapter



PID: WL-C1601
160W 20V8A AC/DC
Desktop Power Adapter




PID: WL-P1301
130W 20V6.5A AC/DC
Desktop Power Adapter



PID: WL-C1001
100W 20V5A AC/DC
Desktop Power Adapter



Battery Charger



PID	WL-ICM10D	WL-ICM5E	WL-ICM5E-5A3
Input	100VAC-120VAC 60Hz		
Output	12V/10A Dual Independent and Simultaneous Outputs (Max 240w)	12V/5A Three Independent and Simultaneous Outputs (Max 180w)	6V/4A&12V/2A Single Output (Max 24w)
Multiple Battery Types Available	LiFePO4; Lithium; Lead Acid; SLA, AGM; GEL; Calcium		
Smart Charging	9-stage Charging		
Waterproof Grade	IP68		
Operating Temperature	-20°C to +40°C		
Operating Humidity	5% to 95%		
Protection Function	Reverse Polarity Protection; Short Circuit Protection; Overtemperature Protection; Overvoltage Protection		
Timer Function	72-hour Timer; 36-hour Timer; 2-hour Timer		
Battery Repair Function	A. Battery voltage is 0.6V - 13.2V, 10s of high and low voltage charging is used to determine if the battery is being repaired: ①: >15V, the battery will undergo repair charging. ②: <15V, the battery will enter the charging process. B. If the battery voltage is above 13.2V, the battery will be charged directly without repairing.		

Special Purpose Power Adapter 450W, 280W Intelligent Battery Charger



450W



Input Voltage:	100-240V 6A 50-60Hz
Protection:	Short Circuit Protection/OTP Reverse Polarity Protection
Led Indicate Charging Status	Battery Type:
Size:	304x114x55mm(L*W*H)
Battery Type:	LiFePO4/ Lithium Battery/ Lead Acid Battery

280W



Rated Output Voltage(Vdc)	Rated Output Current(A)	Rated Output Power(W Max.)	LCD Indication
6V	10A/20A	225W	Yes
12V	10A/20A/35A	450W	Yes
24V	10A/20A	450W	Yes



Qi2 15W Wireless Charger

Pad Charger

Qi2 15W

 Magnetic Design

 Foreign Object Detection (FOD)

 Over Temperature Protection(OTP)

 Over Current Protection (OCP)

 Under Current Protection (UCP)

PID: WL-CW105

15W Single Wireless Charger
5W/7.5W/10W/15W Charging
Special Designed for iPhone 15s
WPC Qi 2.0 Compatible
QC2.0/3.0 & PD2.0/3.0 Supported
Support FOD, OCP, OTP and UCP

PID: WL-CW106

Magnetic 15W Wireless Charger
5W/7.5W/10W/15W Charging
Special Designed for iPhone 15s
WPC Qi 2.0 Compatible
QC2.0/3.0 & PD2.0/3.0 Supported
Support FOD, OCP, OTP and UCP



Qi2 15W

 Magnetic Design

 Foreign Object Detection (FOD)

 Over Temperature Protection(OTP)

 Over Current Protection (OCP)

 Under Current Protection (UCP)

PID: WL-CW302

Magnetic 15W Wireless Charger
5W/7.5W/10W/15W Charging
Special Designed for iPhone 15s
WPC Qi 2.0 Compatible
QC2.0/3.0 & PD2.0/3.0 Supported
Support FOD, OCP, OTP and UCP



Qi 1 15W

Magnetic Design

Foreign Object
Detection (FOD)

Over Temperature
Protection(OTP)

Over Current
Protection (OCP)

Under Current
Protection (UCP)

PID: WL-CW101

Magnetic 15W Wireless Charger
5W/7.5W/10W/15W Charging
Support Apple & Android Mobile Phone
Ergonomic Stand with Adjustable Height
WPC-Qi V1.2.4 Compatible
QC2.0/3.0 & PD2.0/3.0 Supported
Support FOD, OCP, OTP and UCP



PID: WL-CW104

Magnetic 15W Wireless Car Charger
5W/7.5W/10W/15W Charging
Support Apple & Android Mobile Phone
WPC-Qi V1.2.4 Compatible
QC2.0/3.0 & PD2.0/3.0 Supported
Support FOD, OCP, OTP and UCP

