

A L L F O R B E T T E R C O N N E C T I O N

PRODUCT CATALOG

WAVLINK

see the world

Wi-Fi Mesh System / Router/5G / 4G CPE Router
Range Extender/AP/Smart Gateway/WiFi Adapter
Ceiling Router / POE Switch / Security VPN Router
Cloud Collaboration.

2025 Q4

WIFI 7









Looking for Distributors

Shenzhen Headquarter

17th-20th Floor, Building 3C, Huaqiang Idea Park
Guangming District, Shenzhen, China

Hong Kong Office

Room 11,10/F, Kowloon Bay Industrial Center, 15 Wang Hoi Road, Kowloon
Bay, Hong Kong, China

Vietnam Factory

Factory E1, Lot CN4-1, Yen Phong II-C Industrial Zone, Tam Giang Commune, Yen
Phong District, Bac Ninh Province, Vietnam

Shenzhen Factory

Building 4, Daisong industrial Park, Dalang Street,
Longhua District, Shenzhen, China

Jiangxi Factory

Zone 6, liantou Holding Industrial Park, Longnan Economic and Technological
Development Zone, Longnan City, Jiangxi Province, China

Tel: (86)755 8882 3721

Fax: (86)755 8302 2207

Email: wavlink@wavlink.com



E-catalog Download



www.wavlink.com

About Wavlink

Wavlink is committed to offering the best products and services to meet each of its customer's unique needs. It guides the company towards its long-term goals, which has contributed to its success as one of the fastest growing brands globally. Whether it is WiFi MESH Router, Outdoor AC/AP, Notebook Docking Station, Wavlink designs all its products to be user-friendly, the company does not compromise when it comes to user experience. Wavlink's products come with innovative and user-friendly features, delivering the best experience for the end-user.

In 2016, Wavlink introduced robust Touchlink password free function in its WiFi Router and AP devices. It unveiled an option-in easy password management feature for all the line up. In 2019, Wavlink introduced the "Turbo" function to its WiFi products which boost router range coverage when needed.

Wavlink designs products that address the unique needs of its customers. Since its founding, Wavlink has pushed the standard in product design, usability and functionality. Wavlink's hardware and software solutions cater to various market segments, including education, business and home users. In the past few years, Wavlink has increased its retail presence with innovative products like Outdoor AP solutions for home owners, and access controller plus networking devices for small and medium business.



Vision of Wavlink

Wavlink's vision guides the company's decision-making processes, strategic management, and operations. It ensures that each decision takes the company closer to realizing its mission and goals. To make the best products in the market and to leave the customers better value and experiences than they found us.

Strength of Wavlink

From the first internal card reader, HDD storage docking, USB Giga LAN card, WiFi range extender in its true sense, etc, Wavlink delivers high-quality products to the market. The company seeks to advance its leadership in product design and original development by pushing for novel innovations. In 2024 alone, Wavlink introduced 65 industry-leading new products to the market and awarded with 11 design awards including Reddot, IF Design, Idea, and Good Design, as well as 8 hours such as innovation Labbotory of the State to credit Wavlink research and development effort and achievements.



Office & Factories



Wavlink Capability



Docking Station Sales
in 2022



Five 100%
Owned Factories



Wireless Networking
Expert



Professional AV
Solutions



Energy & Charging
Devices



Storage Devices

Testimony of Honor



Design Awards



reddot winner 2024



reddot winner 2024



reddot winner 2024



reddot winner 2024



reddot winner 2024



reddot winner 2024

CONTENTS

01

Wireless Networking

Wi-Fi Router	2
Wi-Fi Mesh System	6
Travel Router	8
5G/4G CPE Router	9
Ceiling AP/Router	11
Outdoor AP	13
Socket AP	21
Smart Gateway	22
Network Bridge	23
Switch	24
Starlink Compatible Devices	26
Range Extender	28
Wi-Fi Adapter	30
Powerline Adapter	36




Cloud Collaboration


Wireless Bridge




Outdoor AP



Outdoor AP





Agents Wanted


World's Fastest-growing Wireless Networking Brand





WiFi 7

BE11000 Tri-Band AI Router



AI QoE

Bandwidth Allocation



BE9300

Parental Control

Control APP/Web



Everything Mesh

Enlarge Network Range



2.5G

2*2.5Gbps WAN/LAN and
3*1Gbps LAN ports

11000Mbps



AI QoE: LIMITED BANDWIDTH, LIMITLESS THROUGHPUT

AI-driven Network QoE optimizes throughput, minimizes latency, and automatically prioritizes traffic. Whether you are playing games, watching videos, or having online meetings, this router can smartly allocate bandwidth and keep all tasks functioning well.




LARGER WIFI RANGE, LESS SIGNAL DEAD CORNER

As a mesh router, Giant Stream8 can combine other Wavlink Everything Mesh routers to give seamless network coverage to your whole home.



YOUR NETWORK SAFETY REALLY MATTERS

Cutting-edge home network system: AD GuardHome, Secure DNS, and VPN, keep every online moment safe.



WiFi 7



BE14000

14000Mbps

PID: WL-WN592BE6

Wi-Fi 7, 8647Mbps(6GHz)+4323Mbps(5GHz)
+688Mbps(2.4GHz)
2x2.4G 5dBi External Omni Directional Antennas+3x5G 5dBi
External Omni Directional Antennas+3x6G 5dBi External Omni
Directional Antennas
1x10G WAN Port+1x2.5G LAN Port+3x1G LAN Ports
Multi VPNs, Everything Mesh, AdGuard Home, MLO
Whole-house security network with seamless roaming



11000Mbps

BE11000

PID: WL-WN591BE5-A

Wi-Fi 7, 5764Mbps(6GHz)+4323Mbps(5GHz)
+688Mbps(2.4GHz)
2 x 2.4G 5dBi External Omni Directional Antennas+2 x
5G 5dBi External Omni Directional Antennas+2 x 6G
5dBi External Omni Directional Antennas
1 x 2.5G WAN Port+3 x 2.5G LAN Ports
Multi VPNs, Everything Mesh, AdGuard Home, MLO
Whole-house security network with seamless roaming



7200Mbps

BE7200

PID: WS-WN592BE3

Wi-Fi 7, 5764Mbps(5GHz) + 1367Mbps(2.4GHz)
4x5dBi 2.4G External Antenna+4x5dBi 5G External Antenna
1x 2.5G WAN + 1x 2.5G LAN + 3x Gigabit LAN ports
Wi-Fi Router, Mesh Router/Extender
TR069, VLAN, PPTP, L2TP,
AI QoS, OpenVPN, WireGuard, AdGuard Home
1x USB-A 3.0



Wi-Fi 7 Mesh Router

BE5100, BE3600 Mesh Router

5100Mbps

BE5100



PID: WS-WN530BE2

Wi-Fi 7, 4323Mbps(5.8GHz) + 688Mbps(2.4GHz)
4x 5dBi External + 1x 5dBi Internal Antennas
1x 2.5Gigabit WAN + 4x Gigabit LAN ports
Wi-Fi Router, Mesh Router/Extender
TR069, VLAN, PPTP, L2TP,
OpenVPN, WireGuard, AdGuard Home

3600Mbps

BE3600



PID: WS-WN530BE1-B

Wi-Fi 7, 2882Mbps(5GHz) + 688Mbps(2.4GHz)
4x 5dBi External + 1x 5dBi Internal Antennas
2.5Gx Gigabit WAN + 4x Gigabit LAN ports
Wi-Fi Router, Mesh Router/Extender
TR069, VLAN, PPTP, L2TP,
OpenVPN, WireGuard, AdGuard Home

Wi-Fi 6 Mesh Router

AX6000, AX3000 Mesh Router

6000Mbps

AX6000



PID: WS-WN536AX6

Wi-Fi 6, 4804Mbps (5GHz) + 1148Mbps (2.4GHz)
8x 5dBi External Foldable Antennas
1x 2.5Gigabit WAN port + 4x Gigabit LAN Ports
Wi-Fi Router, Mesh Router/Extender
TR069, VLAN, PPTP, L2TP
1x USB-A 3.0

6000Mbps

AX6000



PID: WS-WN592AX6

Wi-Fi 6, 4804Mbps (5GHz) + 1148Mbps (2.4GHz)
8x 5dBi External Foldable Antennas
1x 2.5Gigabit WAN port + 1x 2.5Gigabit LAN
Port+3x1Gigabit LAN Portst
Wi-Fi Router, Mesh Router/Extender
TR069, VLAN, PPTP, L2TP
AI Qos, VPNs, AdGuard Home
1x USB-A 3.0

3000Mbps

AX3000



PID: WS-WN586X3-B

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
4x 5dBi External Foldable + 1x 5dBi Internal Antenna
1x Gigabit WAN/LAN port + 2x Gigabit LAN Ports
Wi-Fi Router, Mesh Router/Extender
VLAN, PPTP, L2TP

3000Mbps

AX3000



PID: WS-WN587X3-B

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
4x 5dBi External Foldable + 1x 5dBi Internal Antenna
1x Gigabit WAN/LAN port
Wi-Fi Router, Mesh Router/Extender
VLAN, PPTP, L2TP

 1200Mbps



AC1200

PID: WS-WN530HG4

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Antennas
1x Gigabit WAN port + 2x Gigabit LAN Ports
VLAN

 1200Mbps



AC1200

PID: WS-WN531P3

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Foldable Antennas
1x Gigabit WAN port + 4x Gigabit LAN Ports
1x USB-A 3.0

 1200Mbps



AC1200

PID: WS-WN530HG3

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Foldable Antennas
1x Gigabit WAN port + 2x Gigabit LAN Ports
Built with High Power Amplifier

 300Mbps



N300

PID: WS-WN530K2

Wi-Fi 4, 300Mbps (2.4GHz)
2x 5dBi External Foldable Antennas
1x Fast WAN Port + 2x Fast LAN Ports



14000Mbps

BE14000



PID: WL-WN721K1BE6, WN721K2BE6, WN721K3BE6

Wi-Fi 7, 8647Mbps(6GHz)+4323Mbps(5GHz)
+688Mbps(2.4GHz)
8 x5dBi Internal Antennas
2 x 2.4G 5dBi Antennas+3 x 5G 5dBi Antennas
+3 x 6G 5dBi Antennas
1x 10 Gbps WAN Ports+2x 2.5 Gbps LAN Ports
Easy Mesh, Wi-Fi Router, Mesh Router/Extender
Everything Mesh, Parental Controls,Quality
of Service (QoS)
Multi VPNs, AdGuard Home, MLO



7200Mbps

BE7200



PID: WL-WN721K1BE3, WN721K2BE3, WN721K3BE3

Wi-Fi 7, 5765Mbps(5GHz)+1376Mbps(2.4GHz)
4 x 2.4G 5dBi Antennas+5 x 5G 5dBi Antennas+1 x DFS
5dBi Antenna
1x 2.5 Gbps WAN Ports+2x 2.5 Gbps LAN Ports
Easy Mesh, Wi-Fi Router, Mesh Router/Extender
Everything Mesh, Parental Controls, Quality
of Service (QoS)
Multi VPNs, AdGuard Home, MLO



INTERNATIONAL
DESIGN
EXCELLENCE
AWARDS

5100Mbps

BE5100



PID: WS-WN5372BE1, WN5372BE2, WN5372BE3

Wi-Fi 7, 4323Mbps(5GHz) + 688Mbps(2.4GHz)
5x 5dBi Internal Antennas
1x 2.5Gigabit WAN + 4x Gigabit LAN ports
Easy Mesh, Wi-Fi Router, Mesh Router/Extender
160MHz, OFDMA, MU-MIMO
MeshGo APP, Parental Control
TR069, VLAN, PPTP, L2TP
Patented TouchLink Technology



INTERNATIONAL
DESIGN
EXCELLENCE
AWARDS

3600Mbps

BE3600



PID: WS-WN5371BE1, WN5371BE2, WN5371BE3

Wi-Fi 7, 2882Mbps (5GHz) + 688Mbps (2.4GHz)
5x 5dBi Internal Antennas
1x 2.5Gigabit WAN + 4x Gigabit LAN ports
Easy Mesh, Wi-Fi Router, Mesh Router/Extender
160MHz, OFDMA, MU-MIMO
MeshGo APP, Parental Control
TR069, VLAN, PPTP, L2TP
Patented TouchLink Technology

 **3000Mbps**
AX3000

PID: WS-WN551X3, X2, X1

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
 5x 5dBi Internal Antennas
 1x Gigabit WAN port + 2x Gigabit LAN Ports
 Easy Mesh, Wi-Fi Router, Mesh Router/Extender
 160MHz, OFDMA, MU-MIMO
 Wavrouter APP, Parental Control
 TR069, VLAN, PPTP, L2TP
 Patented TouchLink Technology

 **3000Mbps**
AX3000

PID: WS-WN553X3, X2, X1

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
 5x 5dBi Internal Antennas
 1x Gigabit WAN port + 2x Gigabit LAN Ports
 Easy Mesh, Wi-Fi Router, Mesh Router/Extender
 160MHz, OFDMA, MU-MIMO
 MeshGo APP, Parental Control
 TR069, VLAN, PPTP, L2TP
 Patented TouchLink Technology

 **1200Mbps**
AC1200

PID: WS-WN535L3, L2, L1

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
 4x 3dBi Internal Antennas
 1x Gigabit WAN port + 2x Gigabit LAN Ports
 Easy Mesh, Wi-Fi Router, Mesh Router/Extender
 MeshGo APP, Parental Control
 VLAN, PPTP, L2TP
 Patented TouchLink Technology

 **1200Mbps**
AC1200

PID: WS-WN535M3, M2, M1

WiFi 5, 867Mbps@5GHz+300Mbps@2.4GHz
 4x3dBi Internal Antennas
 1x100Mbps WAN+1x100Mbps LAN
 Easy Mesh, Wi-Fi Router, Mesh Router/Extender
 MeshGo APP, Parental Control
 VLAN, PPTP, L2TP
 Patented TouchLink Technology

Secure Travel Wi-Fi Router

Wi-Fi 7 BE5100 Dual Band/Wi-Fi 6 AX3000 Dual Band/N300

5100Mbps

BE5100

PID: WL-WNT200BE2-A

Wi-Fi 7, 4323Mbps(5GHz)+688Mbps(2.4GHz)
2 x 5dBi 2.4G&5G Dual Band External Antennas+1 x 3dBi 5G Internal Enhanced Antenna
1 x 2.5G WAN Port+1 x 2.5G LAN Port
Multi VPNs, Mult-WAN, AdGuard Home
1 x USB 3.0
1 x Touchscreen
IPv6 supported, keep your Internet Safe.
OpenVPN & WireGuard pre-installed, compatible with 30+ VPN service providers.
Cloud flare encryption supported to protect the privacy.



Access Point



Router



Bridge

3000Mbps

PID: WS-WNT100X3

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
2x 3dBi External + 1x 3dBi Internal Antennas
Portable, compact design makes it easy to take with you on the go.
1x Gigabit WAN Port + 1x Gigabit LAN ports
IPv6 supported, keep your Internet Safe.
OpenVPN & WireGuard pre-installed, compatible with 30+ VPN service providers.
Cloudflare encryption supported to protect the privacy.



Secure Mini Travel Wi-Fi Router

300Mbps on the 2.4GHz Band

300Mbps

PID: WL-WNT001N1-A

300Mbps(2.4GHz)
2 x 2.4G 3dBi Omni Directional Antennas
1 x100Mbps WAN/LAN Port
IPv6 supported, keep your Internet safe
Multi VPNs, 2x2 MIMO technology
Support PPPoE, Dynamic IP, static IP
access to the Internet



Portable and Compact Design



Create a Private WiFi Hotspot





PID: WL-WNA100HE5-A

3.4Gbps 5G NR
 Wi-Fi 7(4.3Gbps + 688Mbps)
 NSA:(DL/UL)3.4Gbps/550Mbps
 SA:(DL/UL)2.4Gbps/900Mbps
 8×External 8dBi Omni Antennas
 1×2.5G WAN, 1×Gigabit LAN
 Supports Active or Passive PoE
 IP67 Waterproof
 Wide-temperature operation:-20°C to 50°C




PID: WL-WNF100X3NR-B

Wi-Fi 6, 2402Mbps(5GHz)+573Mbps(2.4GHz)
 1 x Gigabit WAN Port
 1 x Gigabit LAN Port
 9 x 3dBi Antennas
 1 x SIM Card Slot
 Router, 5G LTE, 5G SA NSA Mode
 NR NSA(Mbps) Max.3470 DL/ Max.555 UL
 NR SA(Mbps) Max. 2470 DL/ Max. 900 UL
 LTE(Mbps)Max.1600 DL/Max.211 UL
 WCDMA(Mbps) Max.42 DL/Max.5.76 UL

4G LTE

3000Mbps

AX3000

**PID: WS-WN588HE4**

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)

4G CPE Outdoor AP

Cat 4: 150Mbps Download, 50Mbps Upload

6x 7dBi External Antennas

1x Gigabit WAN/LAN/PoE

Support PoE (Power Over Ethernet)

Durable, Weatherproof IP67 Enclosure

4G LTE

1200Mbps

AC1200

**PID: WS-WN572HE4**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)

4G CPE Outdoor AP

Cat 4: 150Mbps Download, 50Mbps Upload

4x 7dBi External Antennas

1x Gigabit WAN/LAN/PoE port, 1x Gigabit LAN Port

Support PoE (Power Over Ethernet)

Durable, Weatherproof IP67 Enclosure

4G LTE

1200Mbps

AC1200

**PID: WS-WN535E4**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)

4G CPE

Cat 4: 150Mbps Fownload, 50Mbps Upload

4x 5dBi External Antennas


1x Gigabit WAN Port + 1x Gigabit LAN Port

Patented TouchLink Technology

4G LTE

1200Mbps

AC1200

**PID: WS-WN588HE6D**

Wi-Fi 6, 800Mbps (5GHz) + 300Mbps (2.4GHz)

4G CPE Outdoor AP

Cat 6: 300Mbps Download, 50Mbps Upload

6x 7dBi External Antennas

1x Gigabit WAN/LAN/PoE

Support PoE (Power Over Ethernet)

Durable, Weatherproof IP67 Enclosure

4G LTE

1200Mbps

AC1200

**PID: WS-WN536E4**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)

6x 5dBi External Foldable Antennas

4G CPE

Cat 4: 150Mbps Download, 50Mbps Upload

1x Gigabit WAN port + 4x Gigabit LAN Ports

4G LTE

300Mbps

N300

**PID: WS-WN529E4**

Wi-Fi 4, 300Mbps (2.4GHz)

Cat 4: 150Mbps Download, 50Mbps Upload

4x 5dBi External Antennas

1x Fast WAN port + 2x Fast LAN Ports

Wireless Ceiling AP/Router

BE14000, BE11000, BE5100, BE3600 Ceiling AP/Router with PoE



14000Mbps

BE14000

PID: WL-WNA503HBE6

Wi-Fi 7, 8643Mbps(6GHz)+4323Mbps(5GHz)+688Mbps(2.4GHz)

1 x 10G PoE

8 x 5dBi Internal Omni Antennas

Fat/Fit AP, Wi-Fi Router, Mesh Router/Extender

Support Wavlink Intelligent Gateway



11000Mbps

BE11000

PID: WL-WNA202BE9-B

Wi-Fi 7, 5764 Mbps (6 GHz)+ 4324 Mbps (5 GHz) + 688 Mbps (2.4 GHz)

1 x 10G WAN/LAN/PoE

1 x 10G SFP+

Fat/Fit AP, Wi-Fi Router, Mesh Router/Extender

VLAN, PPTP, L2TP

Support Wavlink Intelligent Gateway



5100Mbps

BE5100

PID: WL-WNA501HBE2

Wi-Fi 7, 4323Mbps(5GHz)+688Mbps(2.4GHz)

1 x 2.5G PoE

5 x 5dBi Internal Omni Antennas

Fat/Fit AP, Wi-Fi Router, Mesh Router/Extender

Support Wavlink Intelligent Gateway



3600Mbps

BE3600

PID: WL-WNA202BE1-B

Wi-Fi 7, 688Mbps (2.4GHz) + 2882Mbps (5GHz)

1x Gigabit WAN/PoE port, 1x Gigabit LAN

Fat/Fit AP, Wi-Fi Router, Mesh Router/Extender

VLAN, PPTP, L2TP

Support Wavlink Intelligent Gateway






PID: WS-WNA202X3-B
Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
5x 5dBi Internal Omni Antennas
1x Gigabit WAN/PoE In port + 1x Gigabit LAN
Fat/Fit AP, Wi-Fi Router, Mesh Router/Extender
VLAN, PPTP, L2TP
Support Wavlink Intelligent Gateway




PID: WS-WNA202A2-B
Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi Internal Omni Antennas
1x Fast WAN/LAN/PoE port + 1x Fast LAN Ports
Fat/Fit AP, Wi-Fi Router
VLAN, PPTP, L2TP
Support Wavlink Intelligent Gateway

Smart Gateway + Ceiling AP




PID: WL-WN708AE2-B
Please refer to page 22
for more details.

Wi-Fi 7 Outdoor AP



PID: WL-WNA100BE6P

Wi-Fi 7, 8647Mbps(6GHz)+4323Mbps(5GHz)
+688Mbps(2.4GHz)
2 x 2.4G 8dBi Omni Directional Antennas
3 x 5G 8dBi Internal Omni Directional Antennas
3 x 6G 8dBi Omni Directional Antennas
1 x 10G Ethernet WAN Port
1 x 2.5G LAN Port
Support AP/Repeater/Router/Mesh Extender Mode
Support FIT AP Mode with Intelligent Gateway
Durable Waterproof IP67 Enclosure
Wide-temperature Operation:-40°C to 60°C
Lightning Protection 6KV
Active PoE and Passive PoE



PID: WL-WNA100BE6

Wi-Fi 7, 8647Mbps(6GHz)+4323Mbps(5GHz)
+688Mbps(2.4GHz)
2 x 2.4G 5dBi Omni Directional Antennas
3 x 5G 5dBi Internal Omni Directional Antennas
3 x 6G 5dBi Omni Directional Antennas
1 x 10G Auto-Negotiation Ethernet WAN Port
1 x 2.5G LAN Port
Support AP/Repeater/Router/Mesh Extender Mode
Support FIT AP Mode with Intelligent Gateway
Durable Waterproof IP67 Enclosure
Wide-temperature Operation:-40°C to 60°C
Lightning Protection 6KV
802.3 AT/AF/BT Active PoE and Passive PoE to Supply Power
320MHz Bandwidth and 3*3 MU-MIMO Technology



BE11000



PID: WL-WNA100BE5

Wi-Fi 7, 5764Mbps(6GHz)+4323Mbps(5GHz)+688Mbps(2.4GHz)
2 x 2.4G 5dBi Omni Directional Antennas,
2 x 5G 5dBi Omni Directional Antennas
2 x 6G 5dBi Omni Directional Antennas
1x2.5G Ethernet WAN Port
1x2.5G LAN Port
Support AP/Repeater/Router/Mesh Extender Mode
Support FIT AP Mode with Intelligent Gateway
Durable Waterproof IP67 Enclosure
Wide-temperature Operation:-40°C to 60°C
Lightning Protection 6KV
Active PoE and Passive PoE




BE11000



PID: WL-WNA100BE5P

Wi-Fi 7, 5764Mbps(6GHz)+4323Mbps(5GHz)+688Mbps(2.4GHz)
2 x 2.4G 8dBi Omni Directional External Antennas,
2 x 5G 8dBi Omni Directional External Antennas
2 x 6G 8dBi Omni Directional External Antennas
1x2.5G Ethernet WAN Port
1x2.5G LAN Port
Support AP/Repeater/Router/Mesh Extender Mode
Support FIT AP Mode with Intelligent Gateway
Durable Waterproof IP67 Enclosure
Wide-temperature Operation:-40°C to 60°C
Lightning Protection 6KV
Active PoE and Passive PoE

**PID: WL-WNA100BE3**

Wi-Fi 7, 5765Mbps(5GHz)+1376Mbps(2.4GHz)

4 x 2.4G 5dBi Omni Directional Antennas

5 x 5G 5dBi Omni Directional Antennas

1 x 2.5G Auto-Negotiation Ethernet WAN Port

1 x 2.5G LAN Port

Support AP/Repeater/Router/Mesh Extender Mode


Support FIT AP Mode with Intelligent Gateway

Durable Waterproof IP67 Enclosure

Wide-temperature Operation:-40°C to 60°C

Lightning Protection 6KV

802.3 AT/AF/BT Active PoE and Passive PoE to Supply Power

**PID: WL-WNA100BE3P**

Wi-Fi 7, 5765Mbps(5GHz)+1376Mbps(2.4GHz)

3 x 2.4G 8dBi Omni Directional Antennas

1 x 2.4G 8dBi Internal Omni Directional Antennas

5 x 5G 8dBi Omni Directional Antennas

1 x 2.5G Auto-Negotiation Ethernet WAN Port

1 x 2.5G LAN Port

Support AP/Repeater/Router/Mesh Extender Mode


Support FIT AP Mode with Intelligent Gateway

Durable Waterproof IP67 Enclosure

Wide-temperature Operation:-40°C to 60°C

Lightning Protection 6KV

802.3 AT/AF/BT Active PoE and Passive PoE to Supply Power

**PID: WL-WNA100BE2**

Wi-Fi 7, 4323Mbps(5GHz)+688Mbps(2.4GHz)

2 x 2.4G 5dBi Omni Directional Antennas

3 x 5G 5dBi Omni Directional Antennas

1 x 2.5G Ethernet WAN Port

1 x 2.5G LAN Port

Support AP/Repeater/Router/Mesh Extender Mode

Support FIT AP Mode with Intelligent Gateway.

Durable Waterproof IP67 Enclosure

Wide-temperature Operation:-40°C to 60°C

Lightning Protection 6KV

Active PoE and Passive PoE to Supply Power

**PID: WL-WNA100BE2P**

Wi-Fi 7, 4323Mbps(5GHz)+688Mbps(2.4GHz)

2 x 2.4G 8dBi Omni Directional Antennas

3 x 5G 8dBi Omni Directional Antennas

1 x 2.5G Ethernet WAN Port

1 x 2.5G LAN Port

Support AP/Repeater/Router/Mesh Extender Mode

Support FIT AP Mode with Intelligent Gateway.

Durable Waterproof IP67 Enclosure

Wide-temperature Operation:-40°C to 60°C

Lightning Protection 6KV

Active PoE and Passive PoE to Supply Power

**BE5100**

WiFi 7 5100Mbps 2.4GHz 5GHz IP67

PID: WS-WN573HBE2-A

Wi-Fi 7, 4323Mbps (5GHz) + 688Mbps (2.4GHz)
 4x 8dBi External Antennas, 1x 5dBi Internal Antennas
 1x 2.5G WAN/LAN/PoE port
 Fat/Fit AP, Wi-Fi Router
 VLAN, PPTP, L2TP
 Support Wavlink Intelligent Gateway

**BE3600**

WiFi 7 3600Mbps 2.4GHz 5GHz IP67

PID: WL-WN588BE1S-A

Wi-Fi 7, 2882Mbps(5GHz)+688Mbps(2.4GHz)
 6x7dBi Omni Directional Antennas
 1x2.5G Ethernet WAN Port
 Support AP/Repeater/Router/Mesh Extender Mode
 Durable Waterproof IP67 Enclosure
 Wide-temperature Operation:-40°C to 60°C
 Lightning Protection 6KV
 Supports 12V-57V Wide Voltage Input
 Supports Active PoE and Passive PoE
 Supports 12V-57V Wide Voltage Input for Solar, RVs,
 Industrial Workshops, Mines, and Other Applications

**AC1200**

WiFi 5 1200Mbps 2.4GHz 5GHz IP67

PID: WL-WN570HA2-S

Wi-Fi 5, 867Mbps(5GHz)+300Mbps(2.4GHz)
 2x7dBi Detachable Omni Directional Antennas
 1x1G Ethernet WAN Port
 Support AP/Repeater/Router/Mesh Extender Mode
 Durable Waterproof IP67 Enclosure
 Wide-temperature Operation:-40°C to 60°C
 Lightning Protection 6KV
 Supports 12V-57V Wide Voltage Input
 Supports Active PoE and Passive PoE
 Supports 12V-57V Wide Voltage Input for Solar, RVs,
 Industrial Workshops, Mines, and Other Applications


Wi-Fi 6 Outdoor AP

High Power AX3000, AX1800 Outdoor AP with PoE



8dBi
Antennas

PID: WS-WN573HX3



7dBi
Antennas

WS-WN588HX3

Directional Antennas



12dBi
Antennas

WS-WN573HP3



AX3000



3000Mbps

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)

Special Design for Outdoor Use
Wi-Fi 6, Dual Band : 5GHz + 2.4GHz

1x Gigabit WAN/LAN/PoE (Power Over Ethernet)
AP, Wi-Fi Extender, Wi-Fi Router, Mesh Router/Extender
Durable, Weatherproof IP67 Enclosure
Support Wavlink Intelligent Gateway



Greenwood Series Outdoor AP

3000Mbps
Greenwood 6 3000P



Greenwood 6 3000S

3000Mbps



1200Mbps

Greenwood 5 1200



300Mbps

Greenwood 4 300




1200Mbps


Greenwood 5 1200G



Greenwood 6 3000D

**PID: WS-WN588HA2**


Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 7dBi External Omni Directional Antennas
1x Gigabit WAN/LAN/PoE
Support Active PoE (Power Over Ethernet)
Durable, Waterproof IP67 Enclosure
Support Wavlink Intelligent Gateway

**PID: WS-WN572HP3**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
7dBi External Omni Directional Antennas
1x 1G WAN/LAN POE Port
1x 1G LAN Port
Support Passive PoE (Power Over Ethernet)
Durable, waterproof IP65 Enclosure
Support Wavlink Intelligent Gateway

**PID: WS-WN570HA2**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
7dBi External Omni Directional Antennas
1x Fast WAN/LAN/PoE Port
Support Active PoE (Power Over Ethernet)
Durable, Waterproof IP67 Enclosure
Support Wavlink Intelligent Gateway

**PID: WS-WN570HA1**

Wi-Fi 5, 433Mbps (5GHz) + 150Mbps (2.4GHz)
7dBi External Omni Directional Antennas
1x Fast WAN/LAN/PoE Port
Support Passive PoE (Power Over Ethernet)
Durable, Waterproof IP67 Enclosure

300Mbps

N300



PID: WS-WN570HP2

Wi-Fi 4, 300Mbps (2.4GHz)
7dBi External Directional Antennas
1x Fast WAN/LAN/PoE port
Support PoE (Power Over Ethernet)
Durable, Waterproof IP67 Enclosure



300Mbps

N300



PID: WS-WN570HN2-B

Wi-Fi 4, 300Mbps (2.4GHz)
7dBi External Omini Directional Antennas
1x Fast WAN/LAN/PoE
Support Active PoE (Power Over Ethernet)
Durable, Waterproof IP67 Enclosure



Smart Gateway + Outdoor AP

PID: WL-WN708AE2-B

Please refer to page 22
for more details.



WL-WNA100BE6



WL-WNA100BE5P



WL-WNA100BE3



WL-WNA100BE2P

Outdoor AP

Outdoor AP Aluminum Alloy Bracket




PID: WL-WN100T1-A

ADC12 aluminum alloy with anodic oxidation for harsh outdoor use.
0°-90°tilt and 180°rotation for precise signal targeting.
Installs on walls or poles (30-150mm diameter).
Withstands Level 12 winds.
Pre-marked template enables installation in under 10 minutes.




Outdoor AP

Outdoor 90W/30W PoE Extender



PID	WL-WN901G1-A	WL-WN901G2-A
PoE Power Supply	90W	30W
Interface Configuration	1-in-1-out	1-in-1-out
Single-level Transmission Distance	Up to 200m	Up to 200m
Cascading Capability	3-level (up to 800m)	2-level(up to 600m)
Ethernet Transmission	Gigabit	Gigabit
Protection Rating	IP67 (waterproof, dustproof)	IP67 (waterproof, dustproof)
PoE Standards	IEEE 802.3af/at/bt	IEEE 802.3af/at
Max Distance (1000BASE-T/100BASE-TX)	100m / 200m	100m / 200m



Wi-Fi 6/5 Socket AP

Dual Band Socket AP with PoE for System Integrators

3000Mbps

AX3000



PID: WS-WN557X3

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
3dBi External Omini Directional Antennas
1x Gigabit WAN (801.3 AF/AT PoE)
1x Gigabit LAN
Wi-Fi ON/OFF Button
Support PoE (Power Over Ethernet)

1200Mbps

AC1200



PID: WS-WN890A2

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
3dBi Omini Directional Antennas
1x Gigabit WAN (801.3 AF/AT PoE)
1x Gigabit LAN
Wi-Fi ON/OFF Button
Support PoE (Power Over Ethernet)



Smart Gateway + Socket AP

PID: WS-WN708AE2-B

Please refer to page 22
for more details.



WS-WN557X3



WS-WN557X1



WS-WN890FA2





PID: WL-WN708AE2-B

10-Port Gigabit Intelligent Gateway
2× 1G WAN Ports+8 × 1G LAN Ports(PoE out)
Built-in AC for centralized management of WAVLINK APs
Cloud platform and APP management
Support mult-WAN, line backup and load balancing
Support multiple VPN protocols, enterprise-level VPN function
PoE management, supports enabling and disabling
PoE power supply via web.






PID: WL-WN300AC


6-Port Gigabit Intelligent Gateway
1 × 2.5G WAN Ports+5 × 1G LAN Ports+1 × USB 3.0
Built-in AC for centralized management of WAVLINK APs
Cloud platform and APP management
Support mult-WAN, line backup and load balancing
Support multiple VPN protocols, enterprise-level VPN function

PID: WL-WN701AE-A

Built-in AC function can manage Wavlink AP in a unified way.
As both a router and a wireless controller, can uniformly control up to 64pcs AP theoretically and easily expand the enterprise wireless network.
Gigabit port, meet the mainstream specifications of optical fiber access services.
Integrates three technologies: PoE power supply, AC (wireless control) and routing.
Miniaturization of the fuselage design, single-handedly controlled, and easily put into the information box/weak box.
Built-in standard PoE network cable power supply module power supply at the same time, convenient wiring.



Smart Gateway + AP



Enterprise-Grade Network Bridge

Connect Two or More Network Segments



PID:	WL-WNB101A2	WL-WNB105HA2	WL-WNB110HA2
Wireless Band & Speed	5G, 866Mbps	5G, 866Mbps	5G, 866Mbps
Transmission Distance	1KM	5KM	10KM (Supports antennas with different gains)
LAN Ports	2*10/100Mbps	2*10/100/1000Mbps	2*10/100/1000Mbps
Power Supply	24V Passive PoE, DC	24V Passive PoE, DC	24V Passive PoE, DC
Buttons/Switches	1*DIP switch, 1*Reset	1*Reset	1*Reset
Pairing Features	Plug-and-play, One-click pairing, Preset pairing	Fast pairing, Preset pairing	Fast pairing, Preset pairing
Protocols	-	TDMA/ATPC	TDMA/ATPC
Bandwidth	-	5MHz/10MHz narrow bandwidth	5MHz/10MHz narrow bandwidth
Protection Rating	IP65	IP65	IP65



Switch

Efficient Connectivity, Intelligent Power Supply



PID: WL-WNM2404GP

Suitable for enterprise office network, security monitoring system, smart park/hotel, and more.

-  24*1G PoE+ & 4*10G SFP+ & 1*Console
-  30W Max per PoE+ Port; Support Port Priority & PoE Power Priority
-  Supports L2 Management; Static & Dynamic Link Aggregation
-  STP/MSTP/RSTP Three-Layer Link Protection Technology
-  PD-ALIVE: Real-Time PoE Device Monitoring



PID: WL-NW0801HP

Designed for SOHO networks, retail store networks, small-scale surveillance systems, and more.

-  8*2.5G RJ45 & 1*10G SFP+
-  130W Total PoE Power (30W Max per Port); Support Port Priority & PoE Power Priority
-  VLAN/QoS for Stable Network
-  Web Management (No Expert Skill)

Switch

Efficient Connectivity, Intelligent Power Supply



PID: WL- NW0820GP

Ideal for small-scale CCTV, retail shops, warehouses, and more.

-  8*1G PoE & 2*1G RJ45 & 1*DIP Switch
-  120W Total PoE Power (30W Max per Port)
-  250m Long-Distance Transmission
-  VLAN, CCTV
-  Plug & Play



PID: WL-NW0420GP

Ideal for small-scale CCTV, retail shops, warehouses, and more.

-  4*1G PoE & 2*1G RJ45 & 1*DIP Switch
-  60W Total PoE Power (30W Max per Port)
-  250m Long-Distance Transmission
-  VLAN, CCTV
-  Plug & Play

**PID: WL-NW1622GP-B**

PoE Ports (10/100/1000Mbps): 16

Total PoE Power: 250W (30W max per port)

Other Ports: 2x Gigabit RJ45, 2x SFP, 1x DIP Switch

Advanced Functions: VLAN/CCTV modes, 250m transmission

Mode Switch: DIP switch for quick mode change

Plug & Play: Yes

**PID: WL-NW1622GP**

PoE Ports (10/100/1000Mbps): 16

Total PoE Power: 250W (30W max per port)

Other Ports: 2x Gigabit RJ45, 2x SFP, 1x DIP Switch

Advanced Functions: VLAN/CCTV modes, 250m transmission,
Port Aggregation, PD-Live

Mode Switch: DIP switch for quick mode change

Plug & Play: Yes

**PID: WL-NW2422GP**

PoE Ports (10/100/1000Mbps): 24

Total PoE Power: 250W (30W max per port)

Other Ports: 2x Gigabit RJ45, 2x SFP, 1x DIP Switch

Advanced Functions: VLAN/CCTV modes, 250m transmission,
Port Aggregation, PD-Live

Mode Switch: DIP switch for quick mode change

Plug & Play: Yes



1

STARLINK
Satellite Antenna



2

STARLINK
SPX to RJ45 Adapter



Wavlink
SPX to RJ45 Adapter



Wavlink
SPX to RJ45 Adapter



PID: WNP102SEA

Starlink Ethernet Adapter for Starlink Standard Actuated Gen 2 it is designed specifically to support Starlink's rectangular V2 dish. It enables a reliable and stable wired network connection.

- Ethernet Adapter for Starlink V2
- Supports up to 1000Mbps Speed
- Plug-and-play Easy Installation
- 1xRJ45 to Local Router
- 1xStarlink Port to Starlink Dish
- 1xStarlink Connector to Starlink Router

PID: WNP101SRA

Starlink SPX Plug to RJ45 Adapter it is designed to convert the proprietary SPX connectors on Starlink's Gen 2 and Gen 3 dishes to a standard RJ45 Ethernet interface, enabling a direct and stable wired connection.

- SPX-to-RJ45 adapters for both the dish and router ends.
- Plug-and-play Easy Installation
- 1xRJ45 to Local Network Device
- 1xStarlink Port to Starlink Dish
- 1xDC IN

3

STARLINK
Mesh Router



4

Wavlink
Mesh Router



5

Wavlink
Intelligent Gateway



6

Wavlink
Access Point



5100Mbps

BE5100



PID: WL-WNA101BE2

Wi-Fi 7, 4323Mbps(5GHz)+688Mbps(2.4GHz)
2 x 2.4G 5dBi Omni Directional Antennas+2 x 5G 5dBi
Omni Directional Antennas+1 x 5G 5dBi Omni
Directional Internal Antennas
1x2.5G Ethernet WAN\ LAN port
MLO; Multi-RU; MU-MIMO TX/RX; MU-OFDMA ;
STBC, LDPC, Beamformmer
160MHz Bandwidth and 2*2 MU-MIMO Technology
4096-QAM Modulation Technology



3600Mbps

BE3600



PID: WL-WNA101BE1

Wi-Fi 7, 2882Mbps(5GHz)+688Mbps(2.4GHz)
2 x 2.4G 5dBi Omni Directional Antennas+2 x 5G 5dBi
Omni Directional Antennas+1 x 5G 5dBi Omni
Directional Internal Antennas
1x2.5G Ethernet WAN\ LAN port
MLO; Multi-RU; MU-MIMO TX/RX; MU-OFDMA ;
STBC, LDPC, Beamformmer
160MHz Bandwidth and 2*2 MU-MIMO Technology
4096-QAM Modulation Technology

3000Mbps

AX3000



PID: WS-WN583AX3

Wi-Fi 6, 2.4GHz@573Mbps+5GHz@2402Mbps
4x5dBi External + 1x5dBi Internal Antennas
1xGigabit WAN/LAN
Wi-Fi Range Extender, Mesh Extender
Everything Mesh

3000Mbps

AX3000



PID: WS-WN583HX3

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
4x 5dBi Omini Directional External Antennas
1x 5dBi Omini Directional Internal Antennas
1x Gigabit WAN/LAN
Wi-Fi Range Extender, Mesh Extender

Wi-Fi 5 Range Extender

AC1200, Dual Band 2.4GHz + 5GHz



PID: WS-WN579X3-D

Wi-Fi 5, 867Mbps (5GHz)
+ 300Mbps (2.4GHz)
4x 5dBi External Antennas
1x Gigabit WAN/LAN
Range Extender, AP



PID: WS-WN575A3

Wi-Fi 5, 867Mbps (5GHz)
+ 300Mbps (2.4GHz)
4x 3dBi External Antennas
1x Fast WAN/LAN, 1x Fast LAN
Range Extender, AP, Router



PID: WS-WN576A3

Wi-Fi 5, 867Mbps (5GHz)
+ 300Mbps (2.4GHz)
4x 3dBi External Antennas
1x Fast WAN/LAN, 1x Fast LAN
Range Extender, AP, Router

Wi-Fi 4 Range Extender

N300, Single Band 2.4GHz



Wi-Fi 4, 300Mbps (2.4GHz)
2x 3dBi Antennas
1x Fast WAN/LAN + 1x Fast LAN
Range Extender, AP



WS-WN578HR2



WS-WN578R2



WS-WN578S2



WS-WN523N2

High Power



Wi-Fi 4, 300Mbps (2.4GHz)
2x 3dBi Antennas
1x Fast LAN
Range Extender, AP



WS-WN581N2



WS-WN518W2



WS-WN578W2-B



WS-WN578Q2-B

Wi-Fi 7 Adapter

PCIe Adapter/USB Adapter/M.2 Adapter



WS-WN685BE3S-A



WS-WN685BE3-A



WS-WN685BE3-B

PID	WS-WN685BE3S-A	WS-WN685BE3-A	WS-WN685BE3-B
Wireless rate	2.4GHz(574Mbps) 5GHz(2400Mbps) 6GHz(5800Mbps)	2.4GHz(574Mbps) 5GHz(2400Mbps) 6GHz(5800Mbps)	2.4GHz(574Mbps) 5GHz(2400Mbps) 6GHz(5800Mbps)
Bluetooth	5.4	5.4	5.4
Interface	PCI Express x1/x4/x8/x16	PCI Express x1/x4/x8/x16	PCI Express x1/x4/x8/x16
Antennas	2 x 5dBi	2 x 5dBi	2 x 5dBi



WS-WN685BE3-C



WS-WN685BE3-CL



WS-WN685BE3M

PID	WS-WN685BE3-C	WS-WN685BE3-CL	WS-WN685BE3M
Wireless rate	2.4GHz(574Mbps) 5GHz(2400Mbps) 6GHz(5800Mbps)	2.4GHz(574Mbps) 5GHz(2400Mbps) 6GHz(5800Mbps)	2.4GHz(574Mbps) 5GHz(2400Mbps) 6GHz(5800Mbps)
bluetooth	5.4	5.4	5.4
Interface	PCI Express x1/x4/x8/x16	PCI Express x1/x4/x8/x16	M.2
Antennas	2 x 3dBi	2 x 3dBi	/

Wi-Fi 7 Adapter

PCIe Adapter/USB Adapter/M.2 Adapter



PID	WS-WN922BE3S-A	WS-WN922BE3-A	WS-WN922BE3-B
Wireless rate	2.4GHz(688Mbps) 5GHz(2882Mbps) 6GHz(2882Mbps)	2.4GHz(688Mbps) 5GHz(2882Mbps) 6GHz(2882Mbps)	2.9GHz(688Mbps) 5GHz(2882Mbps) 6GHz(2882Mbps)
Bluetooth	5.4	5.4	5.4
Interface	PCI Express x1/x4/x8/x16	PCI Express x1/x4/x8/x16	PCI Express x1/x4/x8/x16
Antennas	2x 3dBi	2 x 3dBi	2 x 5dBi



PID	WS-WN922BE3-C	WS-WN922BE3S-CL	WS-WN922BE3M
Wireless rate	2.4GHz(688Mbps) 5GHz(2882Mbps) 6GHz(2882Mbps)	2.4GHz(688Mbps) 5GHz(2882Mbps) 6GHz(2882Mbps)	2.4GHz(688Mbps) 5GHz(2882Mbps) 6GHz(2882Mbps)
Bluetooth	5.4	5.4	5.4
Interface	PCI Express x1/x4/x8/x16	PCI Express x1/x4/x8/x16	M.2
Antennas	2 x 5dBi	2 x 5dBi	2 x 2.4(2dBi) 5 x 7G(3dBi)

Wi-Fi 6 Adapter
PCIe Adapter/USB Adapter/M.2 Adapter

AX5400
PID WS-WN675X3S-A

AX5400
PID WS-WN675X3-A

AX5400
PID WS-WN675X3-C

Wireless rate	2.4GHz(574Mbps) 5GHz(2402Mbps) 6GHz(2402Mbps)	2.4GHz(574Mbps) 5GHz(2402Mbps) 6GHz(2402Mbps)	2.4GHz(574Mbps) 5GHz(2402Mbps) 6GHz(2402Mbps)
Bluetooth	5.3	5.3	5.3
Interface	PCI Express x1/x4/x8/x16	PCI Express x1/x4/x8/x16	PCI Express x2/x4/x8/x16
Antennas	2 x 5dBi	2 x 5dBi	2 x 3dBi


AX5400
PID WS-WN675X3-D

AX5400
PID WS-WN675X3-DL

AX5400
PID WS-WN675X3M

Wireless rate	2.4GHz(574Mbps) 5GHz(2402Mbps) 6GHz(2402Mbps)	2.4GHz(574Mbps) 5GHz(2402Mbps) 6GHz(2402Mbps)	2.4GHz(574Mbps) 5GHz(2402Mbps) 6GHz(2402Mbps)
Bluetooth	5.3	5.3	5.3
Interface	PCI Express x3/x4/x8/x16	PCI Express x4/x4/x8/x16	M.2
Antennas	2 x 3dBi	2 x 3dBi	/


AX5400
PID WS-WN852X3S-A

AX5400
PID WS-WN852X3-A

AX5400
PID WS-WN852X3-B

Wireless rate	2.4GHz(574Mbps) 5GHz(2402Mbps) 6GHz(2402Mbps)	2.4GHz(574Mbps) 5GHz(2402Mbps) 6GHz(2402Mbps)	2.9GHz(574Mbps) 5GHz(2402Mbps) 6GHz(2402Mbps)
Bluetooth	5.3	5.3	5.3
Interface	PCI Express x4/x7/x8/x16	PCI Express x4/x6/x8/x16	PCI Express x4/x8/x8/x16
Antennas	2 x 5dBi	2x 5dBi	2 x 5dBi

Wi-Fi 6 Adapter	PCIe Adapter/USB Adapter/M.2 Adapter	
-----------------	--------------------------------------	--

			
PID	WS-WN852X3-C	WS-WN852X3-CL	WS-WN852X3M-A
Wireless rate	2.4GHz(57Mbps) 5GHz(2402Mbps) 6GHz(2402Mbps)	2.4GHz(574Mbps) 5GHz(2402Mbps) 6GHz(2402Mbps)	2.4GHz(574Mbps) 5GHz(2402Mbps) 6GHz(2402Mbps)
Bluetooth	5.3	5.3	5.3
Interface	PCI Express x4/x8/x9/x16	PCI Express x4/x8/x10/x16	M.2
Antennas	2 x 3dBi	2 x 3dBi	/

		
PID	WS-WN675X2	WS-WN675X2-B
Wireless rate	2.4GHz(573Mbps) 5GHz(1200Mbps) 6GHz(1200Mbps)	2.4GHz(573Mbps) 5GHz(1200Mbps) 6GHz(1200Mbps)
bluetooth	5.2	5.2
Interface	PCI Express x1/x4/x8/x16	PCI Express x1/x4/x8/x16
Antennas	2 x 5dBi	2 x 5dBi



AC1900 Dual Band USB3.0 Wireless Network Adapter



USB 3.0
Extension



2.4G 5G
2.4GHz / 600Mbps
5GHz / 1300Mbps



MU-MIMO
Technology



4 x Antennas



Windows/Mac



WPS Button

6500Mbps

BE6500



PID: WS-WNL100BE3

Wi-Fi 7 Tri-Band Wireless speeds up to 2882 Mbps (6 GHz) + 2882 Mbps (5 GHz) + 688 Mbps (2.4 GHz).

Multi-Link Operation (MLO) – Enable devices achieve load balancing and lower latency.

With high-gain antennas and Beamforming, enable you connect the WiFi wherever in your home.

OFDMA, MU-MIMO and Multi-RU ensure the most efficient WiFi connection for your PC.

WPA3 security provides the latest security enhancements for personal password protection.

WNL100BE3 comes with its driver pre-loaded. Just plug and install.

Wi-Fi 6 Adapter		USB Adapter	
			
PID	WS-WN695X2-A	WS-WN693X2-A	WS-WN690X1F-A
Wireless rate	2.4GHz(574Mbps) 5GHz(2402Mbps) 6GHz(2402Mbps)	2.4GHz(574Mbps) 5GHz(2402Mbps) 6GHz(2402Mbps)	2.4GHz(574Mbps) 5GHz(1201Mbps)
Bluetooth	/	/	/
Interface	type-c to USB3.0	type-c to USB3.0	USB3.0
Antennas	4 x 5dBi	4 x 3dBi	2 x 3dBi
			
PID	WS-WN693X1F-B	WS-WN687X1F	WS-WN681X1F-A
Wireless rate	2.4GHz(574Mbps) 5GHz(1201Mbps)	2.4GHz(287Mbps)	2.4GHz(287Mbps) 2.4GHz(287Mbps)
Bluetooth	/	/	/
Interface	type-c to USB3.0	USB2.0	USB2.0
Antennas	2 x 2.5G/3dBi 2 x 5G/3dBi	1 x 2dBi	1 x 2.4G/5G 3dBi
			
PID	WS-WN681XEF-A	WS-WN681X2EF-C	WS-WN681X2F-C
Wireless rate	2.4GHz(287Mbps) 2.4GHz(287Mbps)	2.4GHz(287Mbps) 5GHz(600Mbps)	2.4GHz(287Mbps) 5GHz(600Mbps)
Bluetooth	/	5.3	5.3
Interface	USB2.0	USB2.0	USB2.0
Antennas	1 x 3dBi	1 x 2.4G/5G 3dBi	1x 3dBi

Wi-Fi 5 Adapter	USB Adapter
-----------------	-------------

				
PID	WS-WN692A3	WS-WN681AEF	WS-WN681A1F	WS-WN681A1
Wireless rate	2.4GHz(400Mbps) 5GHz(867Mbps)	2.4GHz(200Mbps) 5GHz(433Mbps)	2.4GHz(200Mbps) 5GHz(433Mbps)	2.4GHz(150Mbps) 5GHz(433Mbps)
Bluetooth	/	/	/	/
Interface	USB3.0	USB2.0	USB2.0	USB2.0
Antennas	2 x 5dBi	1 x 2.4G/5G 3dBi	1 x 3dBi	1 x 3dBi

Wi-Fi 4 Adapter	USB Adapter
-----------------	-------------

					
PID	WS-WN683N2P	WS-WN683NA	WS-WN580N2	WS-WN681N1	WS-WN687S1-B
Wireless rate	2.4GHz(300Mbps)	2.4GHz(150Mbps)	2.4GHz(300Mbps)	2.4GHz(300Mbps)	2.4GHz(150Mbps)
Bluetooth	/	/	/	/	/
Interface	USB2.0	USB2.0	USB2.0	USB2.0	USB2.0
Antennas	1 x 3dBi	1 x 2.4G/5G 3dBi	1 x 3dBi	1 x 3dBi	1 x 3dBi

Wi-Fi Powerline Adapter	G.hn 1500Mbps
-------------------------	---------------



PID: WL-NWP505G2-B
 G.hn1500, speed up to 1500Mbps
 1x Gigabit Ethernet Port
 Integrated Passthrough Power Socket
 Supports up to 16 Powerline Extenders



PID: WL-NWP101G2-B
 G.hn1500, speed up to 1500Mbps
 1xGigabit Ethernet Port
 Supports up to 16 Powerline Extenders