

ALL FOR EFFICIENCY IMPROVEMENT

WAVLINK

see the world

Thunderbolt / USB-C Dock / Adapter / Cable / External Storage / Power & Chargers

PRODUCT CATALOG

2025Q2





In-house design and manufacturing
in a class of our own

Looking for Distributors

Shenzhen Headquarter

17th-20th Floor, Building 3C, Huaqiang Idea Park
Guangming District, Shenzhen, China

Hong Kong Office

Room 11,10/F, KoWSoon Bay Industrial Center, 15 Wang Hoi Road,
KowSoon Bay, Hong Kong, China

Vietnam Factory

Factory E1, Lot CN4-1, Yen Phong II-C Industrial Zone, Tam Giang Commune, Yen
Phong District, Bac Ninh Province, Vietnam

Shenzhen Factory

Building 4, Dataisong industrial Park, Dalang Street,
Longhua District, Shenzhen, China

Jiangxi Factory

Zone 6, liantou Holding Industrial Park, Longnan Economic and Technological
Development Zone, Longnan City, Jiangxi Province, China

Tel: (86)755 8882 3721

Fax: (86)755 8302 2207

Email: wavlink@wavlink.com



E-catalog Download



www.wavlink.com

About Wavlink

Wavlink is committed to offering the best products and services to meet each of its customer's unique needs. It guides the company towards its long-term goals, which has contributed to its success as one of the fastest growing brands globally. Whether it is WiFi MESH Router, Outdoor AC/AP, Notebook Docking Station, Wavlink designs all its products to be user-friendly. The company does not compromise when it comes to user experience. Wavlink's products come with innovative and user-friendly features, delivering the best experience for the end-user.

In 2016, Wavlink introduced robust TouchLink password free function in its WiFi Router and AP devices. It unveiled an option-in easy password management feature for all the line up. In 2019, Wavlink introduced the "Tubro" function to its WiFi products which boost router range coverage when needed.

Wavlink designs products that address the unique needs of its customers. Since its founding, Wavlink has pushed the standard in product design, usability and functionality. education, business and home users. In the past few years, Wavlink has increased its retail presence with innovative products like Outdoor AP solutions for home owners, and access controller plus networking devices for small and medium business. Wavlink's hardware and software solutions cater to various market segments, including

Vision of Wavlink

Wavlink's vision guides the company's decision-making processes, strategic management, and operations. It ensures that each decision takes the company closer to realizing its mission and goals. To make the best products in the market and to leave the customers better value and experiences than they found us.

Strength of Wavlink

From the first internal card reader, HDD storage docking, USB Giga LAN card, WiFi range extender in its true sense, etc, Wavlink delivers high-quality products to the market. The company seeks to advance its leadership in product design and original development by pushing for novel innovations. In 2024 alone, Wavlink introduced 65 industry-leading new products to the market and awarded with 11 design awards including Reddot, IF Design, Idea, and Good Design, as well as 8 honors such as Innovation Laboratory of the State to credit Wavlink research and development effort and achievements.

Office & Factories



Wavlink Capability



No. 1

Docking Station Sales
in 2022



Strong Supply Chain

Five 100%
Owned Factories



**Fastest
Growing**

Wireless Networking
Expert



**Broadcasting
& Contents Creation**

Professional AV
Solutions



**Award Winning
Series**





Energy & Charging
Devices



**High
Performance**

Storage Devices

Testimony of Honor



Design Awards



reddot winner 2024



reddot winner 2024



reddot winner 2024



reddot winner 2024



reddot winner 2024



reddot winner 2024

CONTENTS

01 USB Docking Station

Thunderbolt 5/4/3 Dock	1
USB 4 Dock/Enclosure	7
USB-C Universal Dock	8
Ergonomic Dock	12
Wireless Dock	15
USB-C SMI Universal Dock	16
USB-C MST Dock	18
Ergonomic Dock	23
USB-C Steam Deck Dock	23
USB-C SST Mini Dock	24

02 USB Hub & Adapter

USB Hub	27
USB Display Adapter	30
USB Ethernet Adapter	33
USB Network Print Server	34
USB KVM Switch	34
Video Capture Card	35

03 Storage & Peripherals

NVMe SSD	36
USB SSD Enclosure	37
HDD/SSD Adapter	39
HDD/SSD Enclosure	39
HDD/SSD Storage Dock	40

04 Power & Charging Devices

GaN Charger	42
Power Adapter	44
Wireless Charger	45
Special Purpose Power Adapter	47

Thunderbolt™ 5 Triple Display Dock, 140W & 30W Charging

Based on Intel Thunderbolt 5 solution / Driverless, Plug & Play

80/120 Gbps 140W
 3x 4K 144Hz 30W
 1x 8K 60Hz 2.5G
 SD TF 4.0

- PID: WL-UTD59**
- 1x Thunderbolt 5 Port to Host
 - 3x Thunderbolt 5 Ports (downstream)
 - 4x USB-A (10G)
 - 1x SD/Micro SD 4.0 Card Slot
 - 1x 2.5 Gigabit Ethernet
 - 1x 3.5mm Combo Audio
 - 1x DC IN 20V
 - 1x Power ON/OFF Switch



Thunderbolt™ 5 Tool Free NVMe SSD Enclosure

Based on Intel Thunderbolt 5 solution / SSD Enclosure / Driverless, Plug & Play

80 Gbps SSD

- PID: WL-UTE50**
- 1x Thunderbolt 5 Port to Host
 - 1x NVMe SSD Enclosure (PCIe 4.0x4, 2280 SSD)
 - Over 6000MB/s sequential read/write speed



Optional Accessory for Thunderbolt™ 5 Docking Station and Hub

8K 60Hz 80/120 Gbps
 140W

Thunderbolt 5 Cable
 Certified by Intel

PID	Length	Data Transfer
WS-T5C3P	30cm	80Gbps
WS-T5C8P	80cm	80Gbps
WS-T5C10P	100cm	80Gbps






Thunderbolt™ 4 & USB4

Quad Display Docking Station with 98W Charging

Certified by Intel / Based on Thunderbolt 4 & DisplayLink solution / Highest Spec. available in global market



PID: WL-UTD41

- 1x Thunderbolt 4 Port to Host
- 3x Thunderbolt 4 Ports (downstream)
- 2x DisplayPort 1.2 (4K@60Hz)
- 2x HDMI 2.0 (4K@60Hz)
- 4x USB-A (2x 10G, 2x 5G)
- 1x SD 4.0 Card Slot
- 1x 2.5 Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x DC IN 20V
- 1x Power ON/OFF Switch
- 1x Thunderbolt 4 Cable (2.6ft/80cm)



Thunderbolt™ 4 & USB4

Triple Display Docking Station with 98W & 30W Charging

Certified by Intel / Based on Thunderbolt 4 & MST solution / Driverless, Plug & Play

40 Gbps	98W
3x 4K 60Hz	30W
1x 8K 60Hz	2.5G
SD TF 4.0	Audio

PID: WL-UTD45

- 1x Thunderbolt 4 Port to Host
- 1x Thunderbolt 4 Ports (downstream)
- 2x HDMI 2.0 (4K@60Hz)
- 1x USB-C (10G, PD 30W)
- 4x USB-A (2x 10G, 2x 5G)
- 1x SD/Micro SD 4.0 Card Slot
- 1x 2.5 Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x DC IN 20V
- 1x Power ON/OFF Switch
- 1x Thunderbolt 4 Cable (2.6ft/80cm)



Thunderbolt™ 4 & USB4

Dual Display Docking Station with 98W & 30W Charging

Certified by Intel / Based on Thunderbolt 4 & MST solution / Driverless, Plug & Play

40 Gbps	98W
2x 4K 60Hz	30W
1x 8K 60Hz	2.5G
SD 4.0	Audio

PID: WL-UTD43


- 1x Thunderbolt 4 Port to Host
- 3x Thunderbolt 4 Ports (downstream)
- 4x USB-A (2x 10G, 2x 5G)
- 1x SD 4.0 Card Slot
- 1x 2.5 Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x DC IN 20V
- 1x Power ON/OFF Switch
- 1x Thunderbolt 4 Cable (2.6ft/80cm)



Thunderbolt™ 4 & USB4

Hub with Dual Display & 90W Charging

Certified by Intel / Based on Thunderbolt 4 solution / Driverless, Plug & Play / Aluminum Alloy Shell with Slim Design


**PID: WL-UTD49T**

1x Thunderbolt 4 Port to Host
 3x Thunderbolt 4 Ports (downstream)
 1x USB-A (10G, 15W)
 1x DC IN 20V
 1x Power ON/OFF Switch
 1x Thunderbolt 4 Cable (2.6ft/80cm)



Optional Accessory

for Thunderbolt™ 4 Docking Station and Hub

**Thunderbolt 4 Cable**

Certified by Intel

PID	Length	Data Transfer
WS-T4C5P	50cm	40Gbps
WS-T4C7P	70cm	40Gbps
WS-T4C8P	80cm	40Gbps
WS-T4C10P	100cm	40Gbps



Thunderbolt™ 3

Dual Display Docking Station

PID: WL-UTD21, WL-UTD23

Cerfied by Intel
 1x 8K@30Hz or 2x 4K@60Hz
 65W Power Delivery
 10Gbps data transfer
 Gigabit Ethernet
 Combo Audio
 1x Thunderbolt™ 3 Cable (2.3ft/70cm)
 DP to HDMI adapter 4K@60Hz (Oponal)



PID: WL-UTD01, WL-UTD03

Cerfied by Intel
 2x 4K@60Hz
 85W Power Delivery
 5Gbps data transfer
 1x SD/Micro SD 3.0 Card Slot
 Gigabit Ethernet
 Combo Audio
 1x Thunderbolt™ 3 Cable (2.3ft/70cm)
 DP to HDMI adapter 4K@60Hz (Oponal)



PID: WL-UTD04, WL-UTD05

Cerfied by Intel
 2x 4K@60Hz
 5Gbps data transfer
 Gigabit Ethernet
 1x Thunderbolt™ 3 Cable (1.6ft/50cm)
 DP to HDMI adapter 4K@60Hz (Oponal)



Optional Accessory

for Thunderbolt™ 3 Docking Station and Display Adapter

Thunderbolt 3 Cable

Certified by Intel

PID	Length	Data Transfer
WS-TC5P	50cm	40Gbps
WS-TC7P	70cm	40Gbps
WS-TC10P	100cm	20Gbps
WS-TC18A	180cm	40Gbps



DisplayPort to HDMI Adapter
4K@60Hz



PID: WL-CAH5

THUNDERBOLT™ 3**to Dual Display Adapter****PID: WL-UTA21D**

Certified by Intel
 2x DisplayPort 1.4
 1x 8K@30Hz or 2x 4K@60Hz
 1x Thunderbolt 3 Cable (1.6ft/50cm)
 Driverless, Plug and Play
 DP to HDMI adapter 4K@60Hz (Optional)

**PID: WL-UTA01D, WL-UTA02D**

Certified by Intel
 2x DisplayPort 1.2
 2x 4K@60Hz
 1x Thunderbolt 3 Cable (1.6ft/50cm)
 Driverless, Plug and Play
 DP to HDMI adapter 4K@60Hz (Optional)

**PID: WL-UTA01H, WL-UTA02H**

Certified by Intel
 2x HDMI 2.0
 2x 4K@60Hz
 1x Thunderbolt 3 Cable (1.6ft/50cm)
 Driverless, Plug and Play
 DP to HDMI adapter 4K@60Hz (Optional)

**THUNDERBOLT™ 3****to M.2 NVMe SSD Enclosure**

Certified by Intel / World's First Thunderbolt™ 3 to NVMe SSD Enclosure

PID: WL-UTE01, WL-UTE02

Certified by Intel
 Special design for Apple users
 Up to 40Gbps data transfer
 Compatible with M.2 NVMe SSD 2280
 Support up to 2TB capacity SSD
 Driverless, Plug and Play
 1x Thunderbolt 3 Cable (1.6ft/50cm)
 SSD is not included



Note: Wavlink supply high performance 256G/512G/1TB/2TB SSD, pls refer to catalog Page 61.

USB4 40Gbps**to M.2 NVMe Dual SSD Enclosure (Tool Free)**

Based on ASMedia USB4 solution / The True USB4 to NVMe SSD Enclosure available in global market

PID: WL-ST405C

Up to 40Gbps data transfer
Compatible with M.2 NVMe SSD 2230/2242/2260/2280
Support up to 4TB capacity SSD
Buit-in Fan for Betier Heat-dissipation
CNC Aluminum Enclosure
Groove Design with Efficient Heat Dissipation
Continuous High-Speed Performance
Tool free design, friendly to use
Driverless, Plug and Play
1x USB 4 Cable (0.8ft/25cm)
SSD is not included

**USB4 40Gbps****to M.2 NVMe Dual SSD Enclosure (Tool Free)**

Based on ASMedia USB4 solution / The True USB4 to NVMe SSD Enclosure available in global market

PID: WL-ST401C


Up to 40Gbps data transfer
Compatible with M.2 NVMe SSD 2230/2242/2260/2280
Support up to 4TB capacity SSD
CNC Aluminum Enclosure
Groove Design with Efficient Heat Dissipation
Continuous High-Speed Performance
Tool free design, friendly to use
Driverless, Plug and Play
1x USB 4 Cable (0.8ft/25cm)
SSD is not included

**Reference Design****for USB4 to NVMe SSD Enclosure**

USB4 40G Type-C

Dual HDMI Display Docking Station with 85W Charging

Based on Intel USB4 solution / Driverless, Plug & Play / Aluminum Alloy Shell with Slim Design

**PID: WL-UMD4403**


1x USB4 Port to Host
with fixed USB4 cable 15cm
1x HDMI 2.0 (1x 8K@30Hz)
1x HDMI 2.0 (1x 4K@60Hz)
1x USB-C (10G)
6x USB-A (2x 10G, 2x 5G, 1x 480Mbps)
1x Gigabit Ethernet
1x USB-C PD IN 100W



USB4 40G Type-C

Dual Displayport Display Docking Station with 140W Charging

Certified by Intel / Based on solution / Driverless, Plug & Play / World's First Thunderbolt 4 Dock with SSD Enclosure

**PID: WL-UMD4406**

1x USB4 Port to Host
2x USBC 40G
1x USBC 20G
2x DP2.1(4K@240Hz)
1x PD140W
1x m.2 Enclosure

**PID: WL-UMD4407**

1 x USB4 Port to Host
2 x USB-C 40G
1 x USB-C 20G
2 x HDMI2.1(4K@144Hz)
1 x PD140W
1 x m.2 Enclosure




World's Highest Spec. DisplayLink Universal Dock

2x 8K@60Hz + 3x 4K@60Hz



DisplayLink DL-7400



PID: WL-UG75PD5-3H2D

- 1x USB-C Port to Host
- 2x DP 1.4
- 3x HDMI 2.0
- 2x USB-C (10G)
- 3x USB-A (10G)
- 1x 2.5 Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x DC IN 20V
- 1x Power ON/OFF Switch



WL-UG75PD5-3H2D supports up to 2x 8K@60Hz+3x 4K@60Hz display, works with Thunderbolt 3/4, USB4, USB-C laptops based on Windows, macOS (including M1/M2/M3 Mac), Chromes, etc.
M1/M2/M3 Mac systems support up to four external displays extended or duplicated with the latest DisplayLink drivers.



DisplayLink USB-C /A

Four Display Docking Station with 100W

**PID: WL-UG75PD1-4D2**

4x DP 1.4
1x SD/Micro SD 4.0 (312Mbps)

**PID: WL-UG75PD1-DH2**

2x DP 1.4, 2x HDMI 2.0
1x SD/Micro SD 4.0 (312Mbps)

**PID: WL-UG75PD1-4H2**

4x HDMI 2.0
1x SD/Micro SD 4.0 (312Mbps)

**PID: WL-UG75PD3-4D2**

4x DP 1.4

**PID: WL-UG75PD3-DH2**

2x DP 1.4, 2x HDMI 2.0

**PID: WL-UG75PD3-4H2**

4x HDMI 2.0



Each model has three Ethernet options: 1G Ethernet Port, 2.5G Ethernet Port and 5G Ethernet Port

Works with Thunderbolt 3/4/5, USB4, USB-C laptops under Windows, macOS (including M1/M2/M3 Mac), Chromes, etc.
Support duplicated or extended displays on Windows and macOS including M1/M2/M3.

DisplayLink PCIe


Quad Display Adapter

PID: WL-UG7500D-GT

4x DisplayPort 1.4
1x PCIe 3.0 x 2
4x 4K@120Hz

**PID: WL-UG7500H-GT**

4x HDMI 2.0
1x PCIe 3.0 x 2
4x 4K@60Hz

**PID: WL-7500DH-GT**


2x DisplayPort 1.4
+ 2x HDMI 2.0
1x PCIe 3.0 x 2
4x 4K@60Hz



DisplayLink USB-C /A

Quad Display Universal Docking Station with 100W & 30W Charging

Powered by DisplayLink / Work with USB-C&A laptop / Support Windows & macOS (includes M1 & M2)

**PID: WL-UG69PD8**

1x USB-C Port to Host
4x DisplayPort 1.2 (4K@60Hz)
4x 4HDMI 2.0(4K@60Hz)
1x USB-C (2x 10G, 2x 5G)
1x USB-C (10G, PD 30W)
4x USB-A (2x 10G, 2x 5G)
1x SD/Micro SD 4.0
1x 2.5 Gigabit Ethernet
1x 3.5mm Combo Audio
1x DC IN 20V
1x Power ON/OFF Switch



DisplayLink USB-C /A Triple Display Universal Docking Station with PD Charging

PID: WL-UG69PD25
 1x USB-C Port to Host
 2x DP 1.2 + 3x HDMI 2.0
 1x 4K@60Hz or 3x 4K@60Hz
 100W Power Delivery
 10Gbps data transfer
 Gigabit Ethernet
 Combo Audio



PID: WL-UG63PD25
 1x USB-C Port to Host
 2x DP 1.2 + 3x HDMI 2.0
 1x 4K@60Hz + 2x 2K@60Hz
 100W Power Delivery
 10Gbps data transfer
 Gigabit Ethernet
 Combo Audio



PID: WL-UG69PD24
 1x USB-C Port to Host
 2x DP 1.2 + 1x HDMI 2.0
 1x 4K@60Hz or 3x 4K@60Hz
 100W Power Delivery
 5Gbps data transfer
 Gigabit Ethernet
 Combo Audio



PID: WL-UG63PD24
 1x USB-C Port to Host
 2x DP 1.2 + 1x HDMI 2.0
 1x 4K@60Hz + 2x 2K@60Hz
 100W Power Delivery
 5Gbps data transfer
 Gigabit Ethernet
 Combo Audio



PID: WL-UG39PD5
 1x USB-C Port to Host
 2x HDMI + 1x DVI
 1x 4K@60Hz or
 1x 4K@60Hz + 2x 2K@60Hz
 65W Power Delivery
 5Gbps data transfer
 Gigabit Ethernet
 Combo Audio



PID: WL-UG39PD1
 1x USB-C Port to Host
 2x HDMI 2.0 + 1x DVI
 1x 4K@60Hz or
 1x 4K@60Hz + 2x 2K@60Hz
 65W Power Delivery
 5Gbps data transfer
 Gigabit Ethernet
 Combo Audio



DisplayLink USB-C /A Triple Display Universal KVM Docking Station with Dual 100W Charging

Powered by DisplayLink / Work with USB-C&A laptop / Support the True Sharing between Two Hosts with Different Systems

PID: WL-UG69PD27
 2x USB-C Port to two Hosts
 2x DisplayPort 1.2 (4K@60Hz)
 2x HDMI 2.0 (4K@60Hz)
 1x USB-C (10G)
 4x USB-A (2x10G, 2x 480Mbps)
 1x Gigabit Ethernet
 1x 3.5mm Combo Audio
 1x DC IN 20V
 1x Hosts Switch Button
 1x Power ON/OFF Switch



DisplayLink USB-C /A

Dual Display Universal Docking Station with 100W Charging

PID: WL-UG69PD1M Pro

1x USB-C Port to Host
2x DP 1.2 + 2x HDMI 2.0
1x 4K@60Hz or 2x 4K@60Hz
100W Power Delivery
10Gbps data transfer
Gigabit Ethernet
Mic In + Audio Out

**PID: WL-UG63PD1M Pro**

1x USB-C Port to Host
2x DP 1.2 + 2x HDMI 2.0
1x 2K@60Hz or 2x 2K@60Hz
100W Power Delivery
10Gbps data transfer
Gigabit Ethernet
Mic In + Audio Out

**PID: WL-UG69PD1 Pro**

1x USB-C Port to Host
2x DP 1.2 + 2x HDMI 2.0
1x 4K@60Hz or 2x 4K@60Hz
100W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio

**PID: WL-UG63PD1 Pro**

1x USB-C Port to Host
2x DP 1.2 + 2x HDMI 2.0
1x 2K@60Hz or 2x 2K@60Hz
100W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio

**PID: WL-UG69PD5**

1x USB-C Port to Host
2x DP1.2 + 2x HDMI 2.0
1x 4K@60Hz or 2x 4K@60Hz
65W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio

**PID: WL-UG69PD6**


1x USB-C Port to Host
2x DP1.2 + 2x HDMI 2.0
1x 4K@60Hz or
2x 4K@60Hz or 1x 4K@60Hz
65W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio



DisplayLink USB-C /A

Dual Display Universal Docking Station with Ergonomic Laptop Stand

Powered by DisplayLink / Work with USB-C&A laptop / World's First DisplayLink Dock with Ergonomic Laptop Stand.


**PID: WL-UG69PD18 Pro**

1x USB-C Port to Host
2x DisplayPort 1.2 (4K@60Hz)
2x HDMI 2.0 (4K@60Hz)
1x USB-C (5G)
3x USB-A (1x 5G, 2x 480Mbps)
1x SD/Micro SD 3.0 (104Mbps)
1x Gigabit Ethernet
1x 3.5mm Combo Audio
1x USB-C PD IN 100W



Ergonomic Monitor Arms And Integrated Dock.

Powered by DisplayLink / Work with USB-C&A laptop / DisplayLink Dock with Ergonomic Arms.



- 1x USB-C Port to Host
- 2x DisplayPort 1.2 (4K@60Hz)
- 2x HDMI 2.0 (4K@60Hz)
- 1x USB-C (10G)
- 1x USB-C PD 30W Charging
- 3x USB-A (10G)
- 1x SD/Micro SD 3.0 (104Mbps)
- 1x Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x USB-C PD IN 100W



- * Promote optimal comfort.
- * Boost productivity.
- * Maximize desk space.
- * Complement your workspace aesthetics.
- * Built to last.

DisplayLink USB-C /A

Dual Display Universal Docking Station

PID: WL-UG39DK1, WL-UG39DK4V

- 1x USB-B Port to Host
- 1x HDMI 1.3 + 1x DVI
- 1x 2K@60Hz or 2x 2K@60Hz
- 5Gbps data transfer
- Gigabit Ethernet
- Mic In + Audio Out
- Vertical stand for dock is optional



5Gbps



5Gbps

PID: WL-UG39DK7, WL-UG39DK8

- 1x USB-B Port to Host
- 1x HDMI 1.3 + 1x DVI
- 1x 2K@60Hz or 2x 2K@60Hz
- 5Gbps data transfer
- Gigabit Ethernet
- Mic In + Audio Out



5Gbps



5Gbps

PID: WL-UG39DK3

- 1x USB-B Port to Host
- 1x HDMI 1.3 + 1x DVI
- 1x 2K@60Hz or 2x 2K@60Hz
- 5Gbps data transfer
- BC1.2 12W Fast Charging
- Gigabit Ethernet
- Mic In + Audio Out
- Bauhaus Design



5Gbps

PID: WL-UG39DH2

- 1x USB-A to Host with fixed cable 13cm
- 1x HDMI 1.3 + 1x VGA
- 1x 4K@30Hz or 1x 4K@30Hz + 1x 1080P@60Hz
- 5Gbps data transfer
- SD/Micro SD 3.0 (104Mbps)
- Gigabit Ethernet
- 2-in-1 Combo Design



5Gbps

DisplayLink USB-C /A

Dual Display Universal Docking Station with 2.5" HDD Enclosure

Powered by DisplayLink / Work with USB-C&A laptop / Support the True Sharing between Two Hosts with Different Systems


1x	2x
1x	1x

PID: WL-UG39DK2D

- 1x USB-B Port to Host
- 1x HDMI 1.3 + 1x DVI
- 1x 2K@60Hz or 2x 2K@60Hz
- 6x USB-A (4x 5G, 2x 480Mbps)
- 1x USB-A (5V 2.4A, 12W Charging)
- 1x Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x 2.5" HDD Enclosure
- 1x DC IN 20V
- 1x Power ON/OFF Switch






5Gbps



World's 1st

Wi-Fi 6 Wireless Dock **Dual 4k@60Hz Display, 100W Power Delivery**

World's First Wi-Fi 6 based Wireless Dock available in global market / Connection with Wireless Mode or USB Mode

-   **100W**
- 2x 4K 60Hz** **5 Gbps**
- 1x 4K 60Hz** **Audio**
-  **Giga**

- PID: WL-WD77PD1**
- Wi-Fi 6 module supports 5GHz
 - 2x External omni directional antennas
 - 1x USB-C Port to Host
 - 2x HDMI (4K@60Hz)
 - 1x USB-C (5G, 7.5W)
 - 3x USB-A (5G)
 - 1x Gigabit Ethernet
 - 1x 3.5mm Combo Audio
 - 1x Mode Switch Button





 **reddot winner 2024**

New!

Wireless Mode works with Windows only
USB Mode works with both macOS and Windows

Wi-Fi 6 Wireless Dock **Dual Display, 100W Power Delivery**

World's First Wi-Fi 6 based Wireless Dock in Mass Production / Connection with Wireless Mode or USB Mode

-   **100W**
- 1x 4K 30Hz** **1x 1080P 60Hz**
- 5 Gbps** **Giga**
- Audio**

- PID: WL-WD76PD1**
- Wi-Fi 6 module supports 5GHz
 - 2x External omni directional antennas
 - 1x USB-C Port to Host
 - 1x HDMI (4K@30Hz)
 - 1x HDMI (1080P@60Hz)
 - 1x USB-C (5G, 7.5W)
 - 3x USB-A (5G)
 - 1x Gigabit Ethernet
 - 1x 3.5mm Combo Audio
 - 1x Mode Switch Button




 **reddot winner 2024**

New!

Wireless Mode works with Windows only
USB Mode works with both macOS and Windows

Silicon Motion Docking

Three Of Five Triple 4k@60hz Universal Docking With 100W PD In, 2.5G Ethernet




PID: WL-UG77PD1

- 1x USB-C Port to Host
- 2x DisplayPort 1.4 (4K@60Hz)
- 3x HDMI 2.0 (4K@60Hz)
- Three of Five Triple Diaplay
- 100W Power Delivery
- 1 x USB-C 10Gbps data transfer
- 1 x USB-A 10Gbps data transfer
- 2 x USB-A 480Mbps data transfer
- 1 x 2.5G Ethernet port
- 10Gbps data transfer



Silicon Motion Display Adapter

Three Of Five Triple 4k@60hz Universal Adapter With 100W PD In




PID: WL-UG7701

- 1x USB-C Port to Host
- 2x DisplayPort 1.4 (4K@60Hz)
- 3x HDMI 2.0 (4K@60Hz)
- Three of Five Triple Diaplay
- 100W Power Delivery
- 10Gbps data transfer



Silicon Motion Display Adapter

Three Of Five Triple 4k@60hz Universal Adapter With 100W PD In



PID: WL-UG7607

- 1x USB-C Port to Host
- 2x 4K@30Hz+2x 2K@60Hz



Silicon Motion USB-C /A **Dual Display Universal Docking Station**

PID: WL-UG76PD2 Pro, WL-UG76PD4 Pro

- 1x USB-C Port to Host
- 2x HDMI 1.4
- 1x 4K@30Hz + 1x 2K@60Hz
- 100W Power Delivery
- 5Gbps data transfer
- Gigabit Ethernet
- Combo Audio
- Vertical stand for dock is optional



PID: WL-UG49PD1 Pro, WL-UG49PD5 Pro

- 1x USB-C Port to Host
- 2x HDMI 1.4 + 1x DVI
- 1x 4K@60Hz or
1x 4K@60Hz + 1x 4K@30Hz + 1x 2K@60Hz
- 100W Power Delivery
- 5Gbps data transfer
- Gigabit Ethernet
- Combo Audio



PID: WL-UG49DK1

- 1x USB-B Port to Host
- 1x HDMI 1.4 + 1x DVI
- 1x 2K@60Hz or 2x 2K@60Hz
- 5Gbps data transfer
- BC1.2 12W Fast Charging
- Gigabit Ethernet
- Mic In + Audio Out
- Bauhaus Design



PID: WL-UG49DH2

- 1x USB-A to Host with fixed cable
- 1x HDMI 2.0 + 1x VGA
- 1x 4K@30Hz or
1x 4K@30Hz + 1x 2K@60Hz
- 5Gbps data transfer
- SD/Micro SD 3.0 (104Mbps)
- Gigabit Ethernet
- 2-in-1 Combo Design



Silicon Motion USB-C /A **Dual Display Universal Docking Station with 100W Charging**

Powered by Silicon Motion / Work with USB-C&A laptop

-
-
- 1x
- + 1x
-
-
-
-

PID: WL-UG76PD5 Pro

- 1x USB-C Port to Host
- 2x HDMI 2.0
- 1x 4K@60Hz + 1x 4K@30Hz
- 1x USB-C (10G)
- 4x USB-A (1x 10G, 2x 5G, 1x 480Mbps)
- 1x Gigabit Ethernet
- 1x Combo Audio
- 1x SD/Micro SD 4.0 (312Mbps)
- 1x DC IN 20V
- 1x Power ON/OFF Switch





PD 3.1 USB-C MST Triple Display Docking Station with 125W Charging

Based on PD 3.1 Technology supporting PD 140W Pass Through Charging / Driverless, Plug & Play

PD 3.1	125W
3x 4K 60Hz	1x 8K 30Hz
1x DP	2x HDMI
10 Gbps	SD TF 4.0

- PID: WL-UMD26/27**
- 1x USB-C Port to Host
 - 1x DisplayPort 1.4 (8K@30Hz)
 - 2x HDMI 2.1 (8K@30Hz)
 - 125W Passthrough Charging
 - 1x USB-C (10G)
 - 2x USB-A (5G)
 - 1x SD/Micro SD 3.0
 - 1x Gigabit Ethernet
 - 1x 3.5mm Combo Audio
 - 1x USB-C PD IN 140W




PD 3.1 USB-C MST

Triple Display Docking Station with 125W Charging

Based on PD 3.1 Technology supporting PD 140W Pass Through Charging / Driverless, Plug & Play



reddot winner 2024



PID: WL-UMD28/29


- 1x USB-C Port to Host
- 2x DisplayPort 1.4 (8K@30Hz)
- 1x HDMI 2.1 (8K@30Hz)
- 125W Power Delivery
- 1x USB-C (10G)
- 2x USB-A (5G)
- 1x SD/Micro SD 3.0
- 1x Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x USB-C PD IN 140W



PD 3.1 USB-C SST

Single Display Mini Docking Station with 125W Charging

Based on PD 3.1 Technology supporting 140W Pass Through Charging / Driverless, Plug & Play



PID: WL-UHP3419M


- 1x USB-C to Host with fixed cable 25cm
- 1x HDMI 2.0 (4K@60Hz)
- 1x USB-C (10G)
- 2x USB-A (1x 10G, 1x 480Mbps)
- 125W Power Delivery
- 1x USB-C PD IN 140W



PD 3.1 USB-C SST

Single Display Docking Station with 125W Charging

Based on PD 3.1 Technology supporting 140W Pass Through Charging / Driverless, Plug & Play



PID: WL-UHP3419L

- 1x USB-C to Host with fixed cable 25cm
- 1x HDMI 2.0 (4K@60Hz)
- 1x USB-C (5G)
- 2x USB-A (1x 5G, 1x 480Mbps)
- 125W Power Delivery
- 1x USB-C PD IN 140W



PD 3.0 USB-C MST

Docking Station with 85W or 100W Charging

PID: WL-UMD323

1x USB-C Port to Host
2x DisplayPort 2.1 (4K@240Hz)
2x HDMI 2.1 (4K@120Hz)
100W Power Delivery
10Gbps data transfer
5G Ethernet

New!**10Gbps****PID: WL-UG7701**

1x USB-C Port to Host
2x DisplayPort 1.4 (4K@60Hz)
3x HDMI 2.0 (4K@60Hz)
Three of Five Triple Display
100W Power Delivery
10Gbps data transfer

New!**10Gbps****PID: WL-UMD01R Pro**

1x USB-C Port to Host
2x DisplayPort 1.4 (4K@144Hz)
1x HDMI 2.0 (4K@60Hz)
100W Power Delivery
5Gbps data transfer
SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet
Combo Audio

5Gbps**PID: WL-UMD03**

1x USB-C to Host with fixed cable 50cm
1x DisplayPort 1.2 (4K@30Hz)
1x HDMI 1.4 (4K@30Hz)
1x VGA (1080p@60Hz)
85W Power Delivery
5Gbps data transfer
SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet
Combo Audio
PD 100W Power Adapter (optional)

5Gbps**PID: WL-UMD05 Pro**

1x USB-C Port to Host
1x DisplayPort 1.4 (4K@60Hz)
2x HDMI 2.0 (4K@60Hz)
100W Power Delivery
5Gbps data transfer
SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet
Combo Audio

**PID: WL-UMD05M**

1x USB-C Port to Host
1x DisplayPort 1.4 (4K@144Hz)
2x HDMI 2.0 (4K@60Hz)
100W Power Delivery
10Gbps data transfer
SD/Micro SD 3.0 (104Mbps)
Gigabit Ethernet
Combo Audio



PD 3.0 USB-C MST **Docking Station with 100W or 85W Charging**

PID: WL-UMD01M Pro

- 1x USB-C Port to Host
- 2x DisplayPort 1.4 (4K@144Hz)
- 1x HDMI 2.0 (4K@60Hz)
- 100W Power Delivery
- 10Gbps data transfer
- Gigabit Ethernet
- Combo Audio



10Gbps

PID: WL-UMD08, WL-UMD09

- 1x USB-C to Host with fixed cable 50cm
- 1x DisplayPort 1.4 (4K@60Hz)
- 2x HDMI 2.0 (4K@60Hz)
- 85W Power Delivery
- 5Gbps data transfer
- SD/Micro SD 3.0 (104Mbps)
- Gigabit Ethernet
- Combo Audio
- PD 100W Power Adapter (optional)



5Gbps

PID: WL-UMD18, WL-UMD19

- 1x USB-C to Host with fixed cable 50cm
- 2x DisplayPort 1.4 (4K@60Hz)
- 1x HDMI 2.0 (4K@60Hz)
- 85W Power Delivery
- 5Gbps data transfer
- SD/Micro SD 3.0 (104Mbps)
- Gigabit Ethernet
- Combo Audio
- PD 100W Power Adapter (optional)



5Gbps

PID: WL-UMD20, WL-UMD21

- 1x USB-C to Host with fixed cable 50cm
- 3x DisplayPort 1.4 (4K@60Hz)
- 85W Power Delivery
- 5Gbps data transfer
- SD/Micro SD 3.0 (104Mbps)
- Gigabit Ethernet
- Combo Audio
- PD 100W Power Adapter (optional)



5Gbps

PID: WL-UMD15

- 1x USB-C Port to Host
- 2x DisplayPort 1.4 (4K@60Hz)
- 1x HDMI 2.0 (4K@60Hz)
- 85W Power Delivery
- 5Gbps data transfer
- Gigabit Ethernet
- Combo Audio
- PD 100W Power Adapter (optional)



5Gbps

PID: WL-UMD22

- 1x USB-C Port to Host
- 2x DisplayPort 1.4 (4K@60Hz)
- 1x HDMI 2.0 (4K@60Hz)
- 85W Power Delivery
- 5Gbps data transfer
- SD/Micro SD 3.0 (104Mbps)
- Gigabit Ethernet
- Combo Audio
- PD 100W Power Adapter (optional)



5Gbps

PD 3.0 USB-C MST

Triple/Dual Display Docking Station with 85W Charging



WL-UMD301

5Gbps

2x HDMI 1.4 (4K@30Hz)
1x VGA (1080P@60Hz)



WL-UMD302

5Gbps

2x HDMI 2.0 (4K@60Hz)
1x DisplayPort (4K@144Hz)

USB-C MST Triple Display Dock

1x USB-C to Host with fixed cable 25cm
85W Power Delivery | 5Gbps data transfer | SD/Micro SD 3.0 (104Mbps) | Gigabit Ethernet | Combo Audio

5Gbps



WL-UMD303

10Gbps



WL-UMD306

10Gbps



WL-UMD309

USB-C MST Triple Display Dock

1x USB-C to Host with fixed cable 25cm
2x DisplayPort 1.4 (4K@60Hz) | 1x HDMI 2.0 (4K@60Hz)
85W Power Delivery | SD/Micro SD 3.0 (104Mbps) | Combo Audio
2.5Gigabit Ethernet (UMD306), Gigabit Ethernet (UMD303)


USB-C MST Triple Display Dock

1x USB-C to Host with fixed cable 25cm
2x HDMI 2.0 (4K@60Hz)
85W Power Delivery | Gigabit Ethernet

PD 3.0 USB-C MST

Triple Display Docking Station with 100W Charging & Tool Free SSD Enclosure

Hybrid USB-C Dock with SSD Enclosure supporting SATA & NVMe Protocol / PD 100W Pass Through Charging




PID: WL-UMD23M

- 1x USB-C Port to Host
- 1x DisplayPort 1.4 (4K@60Hz)
- 2x HDMI 2.0 (4K@60Hz)
- 1x USB-C (10G)
- 3x USB-A (2x 10G, 1x 5G)
- 1x SD/Micro SD 3.0 (104Mbps)
- 1x Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x SSD Enclosure(SATA/NVMe)
- 1x USB-C PD IN 100W (Pass Through)
- 1x DC IN 20V
- 1x Power ON/OFF Switch



PD 3.0 USB-C MST **Dual Display Docking Station with 85W Charging & Ergonomic Laptop Stand**

USB-C Dock with Ergonomic Laptop Stand / Driverless, Plug & Play




- PID: WL-UMD07, WL-UMD07 Pro**
- 1x USB-C Port to Host
 - 2x HDMI 2.0 (4K@60Hz)
 - 2x USB-A (5G)
 - 1x SD/Micro SD 3.0 (104Mbps)
 - 1x Gigabit Ethernet
 - 1x USB-C PD IN 100W
 - 1x Ergonomic Laptop Stand
 - PD 100W Power Adapter (WL-UMD07 Pro)



PD 3.0 USB-C MST **Dual Display Docking Station with 85W Charging & Ergonomic Laptop Stand**


Powered by DisplayLink / USB-C Dock with Ergonomic Laptop Stand / Driverless, Plug & Play



- PID: WL-UMD17, WL-UMD13**
- 1x USB-C to Host
 - 2x HDMI 2.0 (4K@60Hz), UMD17
 - 2x HDMI 2.0 (2K@60Hz), UMD13
 - 1x USB-C (10G)
 - 5x USB-A (3x 10G, 2x 5G)
 - 85W Power Delivery
 - 1x USB-C PD IN 100W
 - 1x Ergonomic Laptop Stand



PD 3.0 USB-C SST **Steam Deck Docking Station with 85W Power Delivery**



- PID: WL-UHP3426**
- 1x USB-C to Host with fixed cable 25cm
 - 1x HDMI (4K@120Hz)
 - 1x USB-C(10G)
 - 2x USB-A(10G)
 - 1x Gigabit Ethernet
 - 1x USB-C PD IN 100W



USB-C SST

Single Display Mini Docking Station with PD Charging

New!**10Gbps****4K
60Hz**

PID	WL-UHP3415M	WL-UHP3415	WL-UHP3414Pro	WL-UHP3411	WL-UHP3420
USB-C to Host	10G	10G	10G	10G	10G
PD Charging	125W	85W	85W	85W	85W
HDMI	4K@60Hz	4K@60Hz	4K@60Hz	—	4K@144Hz
USB-C Ports	1x 10G	1x 10G	1x 10G	1x 10G	1x 10G
USB-A Ports	1x 10G+1X USB2.0	1x 10G+1X USB2.0	2x 10G	2x 10G	1x 10G + 1x 480Mbps
SD/Micro SD	—	—	—	—	3.0
RJ45 Ethernet	—	—	2.5Gigabit	—	—
SSD Enclosure	—	—	—	—	√
Power Supply	USB-C PD IN	USB-C PD IN	USB-C PD IN	USB-C PD IN	USB-C PD IN

New!**5Gbps****4K
60Hz**

PID	WL-UHP3415L	WL-UHP3416	WL-UHP3409 Pro	WL-UHP3408
USB-C to Host	5G	5G	5G	5G
PD Charging	125W	85W	85W	85W
HDMI	4K@60Hz	4K@60Hz	4K@60Hz	4K@60Hz
USB-C Ports	1x 5G	—	—	—
USB-A Ports	1x5G+1x USB2.0	3x 5G	3x 5G	2x 5G
SD/Micro SD	—	3.0	3.0	—
RJ45 Ethernet	—	—	Gigabit	Gigabit
USB-C PD IN	√	√	√	√

PID: WL-UMD32M

- 1 x USB-C to Host
- 2 x USB-A (10G)
- 3 x USB-A (5G)
- 1 x HDMI (4K@60Hz)
- 1 x SD/TF 3.0
- 1 x M.2 (10G)
- 1 x DC IN 20V

**PID: WL-UMD41M**

- 1 x USB-C to Host
- 3 x USB-A (10G)
- 1 x USB-C (40G)
- 1 x USB-C (20G)
- 1 x HDMI (8K@60Hz)
- 1 x SD/TF 3.0
- 1 x M.2 (40G)
- 1 x DC IN 20V



USB-C SST

Single Display Mini Docking Station with PD Charging

5Gbps

4K
60Hz

PID	WL-UHP3413 Pro	WL-UHP3407 Pro	WL-UHP3406	WL-UHP3405M Pro	WL-UHP3404M
USB-C to Host	5G	5G	5G	5G	5G
PD Charging	100W	85W	60W	85W	85W
HDMI	4K@60Hz	4K@60Hz	4K@30Hz	4K@60Hz	4K@30Hz
USB-C Ports	—	1x 5G	—	1x 5G	—
USB-A Ports	3x 5G	2x 5G	2x 5G	2x 5G	2x 5G
SD/Micro SD	—	3.0	3.0	3.0	3.0
RJ45 Ethernet	Gigabit	—	Gigabit	—	—
Power Supply	USB-C PD IN	USB-C PD IN	USB-C PD IN	USB-C PD IN	USB-C PD IN

5Gbps

4K
60Hz

PID	WL-UHP3403H	WL-UHP3403M	WL-UHP3402	Qi1 Charger Dock
USB-C to Host	5G	5G	5G	5G
PD Charging	85W	85W	85W	60W PD 15W Qi1
HDMI	4K@30Hz	4K@60Hz	4K@30Hz	4K@30Hz
USB-C Ports	—	—	—	—
USB-A Ports	4x 5G	3x 5G	1x 5G	1x 5G
SD/Micro SD	—	3.0	—	3.0
RJ45 Ethernet	—	—	—	1000M
Power Supply	USB-C PD IN	USB-C PD IN	USB-C PD IN	USB-C PD IN

USB-C or A Multi Function

Hub with Ethernet Port



PID	WL-UHP3032G	WL-UH3032G	WL-UH3031GC1	WL-UH3031GC	WL-UH3031G
USB to Host	USB-C 10G	USB-C 10G	USB-C 5G	USB-C 5G	USB-A 5G
PD Charging	85W	—	—	—	—
USB-C Ports	1x 10G + PD	1x 10G	1x 10G	—	—
USB-A Ports	2x 10G	2x 10G	1x 10G + 1x 480Mbps	3x 5G	3x 5G
RJ45 Ethernet	2.5 Gigabit	2.5 Gigabit	Gigabit	Gigabit	Gigabit
Power Supply	USB-C PD IN	USB Bus Power	USB Bus Power	DC 5V IN	DC 5V IN

USB-C or A Multi Function

Hub with Card Reader



PID	WL-UH3047RC	WL-UH3047R
USB to Host	USB-C 5G	USB-A 5G
SD/Micro SD	3.0	3.0
USB-A Ports	3x 5G	3x 5G
Power Supply	DC 5V IN	DC 5V IN

USB-C 10Gbps

Hub with 4 Ports



PID	WL-UHP3411	WL-UH30420
USB-C to Host	10G	10G
PD Charging	85W	—
USB-C Ports	4x 10G (1x PD IN)	2x 10G
USB-A Ports	—	2x 10G

USB Multi Port

Hub with Fast Charging and Switch

5Gbps



PID	WL-UH3076	WL-UH3049
USB-B to Host	5G	5G
USB-A Ports	7x 5G + 7.5W Fast Charging	7x 5G + 7.5W Fast Charging
Switch	7x Switches	4x Switches
Power Supply	DC 20V IN	DC 12V IN

5Gbps



PID	WL-UH3101A	WL-UH3072P2A	WL-UH3072A
USB-B to Host	5G	5G	5G
USB-A Ports	8x 5G	7x 5G	5x 5G
	2x 5G or 7.5W	12W	2x 5G + 7.5W
Switch	1x Switch	1x Switch	—
Power Supply	DC 12V IN	DC 12V IN	DC 12V IN

5Gbps



PID	WL-UH3042P1	WL-UH3043
USB-B to Host	5G	5G
USB-A Ports	4x 5G	4x 5G
	12W	—
Switch	—	—
Power Supply	DC 5V IN	DC 5V IN

USB-C or A 5Gbps Hub With 7x USB Ports



5Gbps



PID	WL-UH3075C	WL-UH3074C1	WL-UH3074C	WL-UH3074	WL-UH3075
USB to Host	USB-C 5G	USB-C 5G	USB-C 5G	USB-A 5G	USB-A 5G
USB-C Ports	—	1x 5G	—	—	—
USB-A Ports	7x 5G	6x 5G	7x 5G	7x 5G	7x 5G
Power Supply	DC 5V IN	DC 12V IN	DC 5V IN	DC 5V IN	DC 5V IN

USB-A 5Gbps Hub with 4 Ports



5Gbps

PID	WL-UH30414	WL-UH30413	WL-UH30412	WL-UH30411	WL-UH30410
USB-A to Host	5G	5G	5G	5G	5G
USB-A Ports	4x 5G	4x 5G	4x 5G	4x 5G	4x 5G
Hub Switch	4x Switches	—	—	—	—

Thunderbolt 3 Display Adapter

Dual DisplayPort, Dual HDMI



PID	WL-UTA21D	WL-UTA01D	WL-UTA02D	WL-UTA01H	WL-UTA02H
USB to Host	Thunderbolt 3	Thunderbolt 3	Thunderbolt 3	Thunderbolt 3	Thunderbolt 3
DisplayPort 1.4	2	2	2	—	—
HDMI 2.0	—	—	—	2	2
Single Display	8K@30Hz	1x 4K@60Hz	1x 4K@60Hz	1x 4K@60Hz	1x 4K@60Hz
Dual Display	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz

Note:

- * Based on Thunderbolt 3 solution, work with Thunderbolt 3/4 Laptop, Compatible with Windows and macOS
- * M1/M2 MacBooks will only support 1 external duplicated or extended display due to the laptop limitation.

DisplayLink Display Adapter

DisplayPort, HDMI



PID	WL-UG7501D	WL-UG7501DH	WL-UG7501H	WL-UG69DH2	WL-UG63DH2	WL-UG6902H
USB to Host	USB-A/C	USB-A/C	USB-A/C	USB-A/C	USB-A/C	USB-A/C
PD to Host	85W	85W	85W	-	-	-
DisplayPort 1.2	4	2	-	2	2	1
HDMI2.0	-	2	4	2	2	1
Single Display	1x 4K@144Hz	1x 4K@144Hz	1x 4K@60Hz	1x 4K@60Hz	1x 4K@60Hz	1x 4K@60Hz
Dual Display	1x 4K@144Hz + 1x 4K@120Hz	1x 4K@144Hz + 1x 4K@120Hz	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz
Triple Display	2x 4K@120Hz + 1x 4K@144Hz	2x 4K@120Hz + 1x 4K@60Hz	3x 4K@60Hz	-	-	-
Quad Display	3x 4K@120Hz + 1x 4K@144Hz	2x 4K@120Hz + 2x 4K@60Hz	3x 4K@60Hz	-	-	-
USB-C Power IN	1x USB-C Power IN			-	-	-

Note:

- * Work with Thunderbolt 3/4/5, USB4, USB3.0/2.0 Laptop, Compatible with Windows and macOS.
- * Support duplicated or extended displays on Windows and macOS including M1/M2/M3.
- * M1/M2 MacBooks Support up to 2 external duplicated or extended displays on Windows and macOS including M1/M2.

Silicon Motion Display Adapter

Quad HDMI, Dual HDMI, Single HDMI, Single DisplayPort



PID	WL-UG7701	WL-UG7607	WL-UG7602HC	WL-UG7601HC	WL-UG7702H
USB to Host	USB-A/C	USB-A/C	USB-A/C	USB-A/C	USB-A/C
HDMI 2.0	3	4	2	—	4
Display Port	2	N/A	N/A	N/A	N/A
Single Display	1x 4K@60Hz	1x 4K@30Hz	1x 4K@30Hz	1x 4K@30Hz	4K@144Hz(Alt Mode) & 4K@60Hz(Others)
Dual Display	2x 4K@60Hz	2x 4K@30Hz + 2K@60Hz	1x 4K@30Hz + 2K@60Hz	N/A	4K@144Hz+4K@60Hz(Alt Mode+Another One)&2x4K@60Hz
Triple Display	3x 4K@60Hz	2x 2K@60Hz + 4K@30Hz	N/A	N/A	4K@144Hz+2x4K@60Hz(Alt Mode+Others)&3x4K@60Hz
Quad Display	N/A	2x 2K@60Hz + 2x 4K@30Hz	N/A	N/A	4K@144Hz+3x4K@60Hz(Alt Mode+Others)

Note:

- * Based on Silicon Motion solution, work with Thunderbolt 3/4, USB4.0/3.0/2.0 Laptop, compatible with Windows and macOS.
- * M1/M2 MacBooks Support up to 2 external duplicated or extended displays on Windows and macOS including M1/M2.

USB-C MST Display Adapter

Quad Display, Triple Display, Dual Display





PID	WS-UMD304	WS-UMD305	WS-UMD307	WS-UMD308	WS-UMD320	WS-UHP510 Max
USB to Host	USB-C	USB-C	USB-C	USB-C	USB-C	USB-C
PD Charging	—	—	—	85W	95W	87W
DisplayPort 1.4	1	1	2	1	—	—
HDMI 2.0	2	2	2	2	2	2
VGA	1	—	1	—	—	—
Single Display	1x 4K@60Hz	1x 4K@60Hz	1x 8K@60Hz	1x 8K@60Hz	1x 8K@30Hz	1x 4K@60Hz
Dual Display	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz
Triple Display	1x 4K@60Hz + 2x 4K@30Hz		3x 4K@60Hz	3x 4K@60Hz	—	—
Quad Display	3x 4K@30Hz + 1x 1080p@30Hz		2x 4K@60Hz + 1x 4K@30Hz + 1080p@60Hz	—	—	—
USB-C	—	—	—	USB-C PD IN	USB-C PD IN	USB-C PD IN
USB-A	2x 480Mbps	3x 480Mbps	3x 480Mbps	3x 480Mbps	—	—

Note:

- * Based on USB-C MST solution, work with Thunderbolt 3/4, USB4, USB-C Laptop, Compatible with Windows and macOS.
- * M1/M2 MacBooks will only support 1 external duplicated or extended display due to the laptop limitation.

USB to Display Adapter

DisplayPort, HDMI, DVI and VGA

**PID: WL-C2PD2**USB-C to DisplayPort
8K@60Hz**PID: WL-UG5501DP**USB-C to DisplayPort
4K@60Hz**PID: WL-UG5501H**USB-A to HDMI
4K@60Hz**PID: WL-UG3501H**USB-A to HDMI
2K@30Hz**PID: WL-UG3501HC**USB-C to HDMI
2K@60Hz**PID: WL-UG35H5**USB-A to HDMI
2K@60Hz**PID: WL-UG17H2**USB-C to HDMI
1920x1080@60Hz**PID: WL-UG3501D**USB-A to DVI
2K@60Hz**PID: WL-UG3501DC**USB-A to DVI
2K@60Hz**PID: WL-UG35D4**USB-C to DVI
2K@60Hz**PID: WL-UG35D6**USB-C to DVI
2K@60Hz**PID: WL-UG19D1**USB-A to DVI
2K@60Hz**PID: WL-UG17D1**USB-A to DVI
1920*1080@60Hz**PID: WL-UG17V2**USB-A to DisplayPort
1920*1080@60Hz**PID: WL-C2VGC1**USB-C to VGA
1920*1080@60Hz**PID: WL-UG321V**USB-A to VGA
1080P

USB Ethernet Adapter

10G, 5G, 2.5G and Gigabit

World First
USB-C 10GbE Adapter
Powered by Realtek
Coming soon



PID: WL-NWU343G



PID: WL-NWU342G
TBT 3 to 10G Ethernet



PID: WL-NWU340GD
USB-C to 5G Ethernet
with PD 100W



PID: WL-NWU340G
USB-C to 5G Ethernet



PID: WL-NWU330GD
USB-C to 2.5G Ethernet
with PD 100W



PID: WL-NWU331GC
USB-C 3.0 to 2.5G Ethernet



PID: WL-NWU332GC
USB-C 3.0 to 1G Ethernet



PID: WL-NWU326GC
USB-C 3.0 to 1G Ethernet



PID: WL-NWU326G
USB-A 3.0 to 1G Ethernet



PCIe Ethernet Adapter

10G,5G, 2.5G and Gigabit

PID: WL-NWP004
PCI Express 10GbE Adapter



PID: WL-NWP003
PCI Express 5GbE Adapter



PID: WL-NWP002
PCI Express 2.5GbE Adapter



PID: WL-NWP001
PCI Express 1GbE Adapter



USB Print Server

USB Wireless and Wired Print Server

PID: WL-NU88M44

Wireless 4 Port USB 2.0 Printer Server
4x USB2.0
1x 100Mbps Ethernet In



New!

PID: WL-NU516U1

Wireless USB2.0 Printer Server
Wireless & Wired Mode
Support WPS Function
1x 100Mbps Ethernet In
1x 100Mbps Ethernet Out



New!

PID: WL-NU88M41

Wired USB 2.0 Printer/Network
Server 1x Gigabit Ethernet Port

**PID: WL-NU78M41**

Wired USB 2.0 Printer/Network Server
1x 100Mbps Ethernet Port

**PID: WL-NU72P11**

Wired USB 2.0 Printer Server
1x 100Mbps Ethernet Port



USB KVM Switch

1x HDMI 2.1, One Select Button for Easily Switching Between Two Notebooks

PID: WL-UHP3431

KVM Switch with 1-port HDMI 2.1 support 4K@240Hz Display
Select button can control 2 computers and share 1 monitor with 1 set
of keyboard and mouse.
Space saving and easily sharing between two notebook and.
Compatible with Windows 10/8/8.1/7/Vista/XP and Mac operating
systems, Linux and Chrome.
Plug and play, no external power required.

**PID: WL-UHP3424**

2 x USB-C to Host
1 x DP 1.4 Out
(8K@60Hz/4K@144Hz)
3 x USB-A 2.0
1 x USB-C 5V Power IN



New!

PID: WL-UH30424

2 x USB-A to Host
3 x USB-A 3.0
2 x USB-A 2.0
1 x USB-C 3.0
1 x USB-C 5V Power IN




New!

*Supports keyboard and mouse sharing as well as file transfer between the hosts.

USB to HDMI Video Caputer

4K HDMI AV Capture

Support HDMI 2.0 Video Pass Through / 4K@60Hz Video Input & Output /4K@30Hz Video Capture




PID: WL-HG900U

- 1x USB-C to Host
- 1x HDMI 2.0 In (4K@60Hz)
- 1x HDMI 2.0 Out (4K@60Hz)
- Support 4K@30Hz Video Capture
- 1x Mic In
- 1x Line In
- 1x Line Out
- OBS software supported
- Support UVC 1.0/1.1/1.5, UAC 1.0
- Support HDR10 to SDR conversion
- Compatible with Windows, macOS, Android, Linux, etc.



USB-C MST Video Caputer

4K HDMI AV Capture



PID: WL-VR204

- 1x USB-C to Host
- 1x HDMI 1.4 In (4K@30Hz)
- 1x HDMI 1.4 Out (4K@30Hz)
- 1x DP 1.4 Out (4K@144Hz)
- 1x USB-C supports PD 3.0 and 4K@144Hz Video Display
- 2x USB-A 2.0 for Mouse, Keyboard, etc.
- OBS software and HDCP supported
- Support UVC 1.0/1.1/1.5, UAC 1.0
- Support HDR10 to SDR conversion
- Compatible with Windows, macOS, Android, Linux, etc.



PID: WL-WL-VR203T

USB2.0 Audio & Video Capture supporting resolution 720x576



NVMe SSD



SSD Enclosure



HDD/SSD Dock



M.2 PCIe NVMe SSD

With Capacity 256G, 512G, 1TB, 2TB and 4TB

PCI EXPRESS 4.0 x4



PID	RapidFire880X-4TB	RapidFire880X-2TB	RapidFire880X-1TB
Capacity	4TB	2TB	1TB
Interface	Gen 4.0 x 4	Gen 4.0 x 4	Gen 4.0 x 4
Form Factor	M.2 2280	M.2 2280	M.2 2280
Read Speed	7400Mbps	7400Mbps	7400Mbps
Write Speed	6600Mbps	6600Mbps	6600Mbps

PCI EXPRESS 3.0 x4



PID	WL-Thunderdrive 02	WL-Thunderdrive 01	WL-Thunderdrive 512	WL-Thunderdrive 256
Capacity	2TB	1TB	512G	256G
Interface	Gen 3.0 x 4	Gen 3.0 x 4	Gen 3.0 x 4	Gen 3.0 x 4
Form Factor	M.2 2280	M.2 2280	M.2 2280	M.2 2280
Read Speed	3300Mbps	3000Mbps	3000Mbps	3000Mbps
Write Speed	3000Mbps	2700Mbps	1300Mbps	1300Mbps

Portable Solid State Storage

PID: WL-PS512G1

Support USB-C 20Gbps Host Port
Max Read: 2000MB/s and Write: 1900MB/s
3D Nand Flash, Memory Capacity: ≤ 512GB
Support OTG



MagSafe Snap-On SSD Enclosure for iPhone 15 Pro

PID: WL-ST349


MagSafe design perfectly matches iPhone's MagSafe back
1x USB-C for connection with iPhone and external SSD
1x USB-C PD IN supports PD charging for iPhone
Fit 2280 SSD, max 10Gbps, support SATA/NVME protocol



Thunderbolt™ 5

Tool Free NVMe SSD Enclosure

Based on Intel Thunderbolt 5 solution / SSD Enclosure / Driverless, Plug & Play

**PID: WL-UTE50**

1x Thunderbolt 5 Port to Host
 1x NVMe SSD Enclosure
 (PCIe 4.0x4, 2280 SSD)
 Over 6000MB/s sequential read/write speed



New!



USB4 40Gps SSD Enclosure

USB4 40Gbps to NVMe SSD Enclosure (Tool Free)

PID: WL-ST402C

USB4 to Single NVMe SSD Enclosure
 with Built-in Cooling Fan

Note: More details, please refer to catalog page 07

Thunderbolt™ 3 SSD Enclosure

M.2 NVMe Single SSD Enclosure

Certified by Intel / World's First Thunderbolt™ 3 to NVMe SSD Enclosure

PID: WL-UTE01, WL-UTE02

Thunderbolt 3 to Single NVMe SSD Enclosure
 with Thunderbolt 3 cable

Note: More details, please refer to catalog page 14

USB-C Dual SSD Enclosure

M.2 SATA & NVMe Dual Protocol (Tool Free)

PID: WL-ST420

USB-C Port Support Data Transfer Up to 40Gbps
 Dual Bay M.2 PCIe 4.0 SSD Enclosure
 Support 2230/2242/2260/2280 Size SSD
 Built-in Heat-Conducting Silicone
 Support OTG, Off On Line Clone



New!

PID: WL-ST348, WL-ST347

Up to 20Gbps(ST348)/10Gbps(ST347) data transfer
 Dual Bay M.2 SSD Enclosure
 One Bay supports M.2 SATA III 6G or PCIe 3.0x4 Nvme
 One Bay supports M.2 PCIe 3.0x4 Nvme
 Support 2230/2242/2260/2280 Size SSD
 Built-in Heat-Conducting Silicone
 Support OTG, Off On Line Clone



New!

(WL-ST348 supports M.2 SATA/ACHI)

(WL-ST347 supports M.2 SATA and NVMe)

USB-C Single SSD Enclosure
M.2 SATA or NVMe Dual Protocol


PID	WL-ST340C	WL-ST338C	WL-ST238C	WL-ST237C	WL-ST236C
Interface	M.2	M.2	M.2	M.2	M.2
USB-C	10G	10G	10G	10G	10G
NVMe Protocol	√	√	√	—	—
SATA Protocol	√	—	—	√	√
SSD Size		2230 / 2242 / 2260 / 2280			2230 / 2242
OTG	√	√	√	√	√

SATA HDD/SSD Enclosure
USB-C 10Gbps, USB-B 5Gbps


PID	WS-ST235C1	WS-ST239C	WS-ST235C	WS-ST235	WS-ST239
Interface	SATA III	SATA III	SATA III	SATA III	SATA III
USB	10G	10G	5G	5G	5G
HDD/SSD	√	√	√	√	√
Form Factor	2.5"	2.5"	2.5"	2.5"	2.5"
OTG	√	√	√	√	√

SATA HDD/SSD Adapter
USB-C or USB-C to SATA III 6G


PID	WL-ST345A	WL-ST345AP	WL-ST345C	WL-ST345CP
Interface	SATA III	SATA III	SATA III	SATA III
USB to Host	USB-A, 5G	USB-A, 5G	USB-C, 5G	USB-C, 5G
HDD/SSD	√	√	√	√
SSD Size	2.5"	2.5"	2.5"	2.5"
OTG	√	√	√	√
Power Adapter	—	DC 12V/2A	—	DC 12V/2A

HDD/SSD Storage Dock

5Gbps and Dual Bay



PID	WL-ST334UA	WL-ST341U	WL-ST336A
Interface	SATA III	SATA III	SATA III
USB to Host	USB-B, 5G	USB-B, 5G	USB-B, 5G
HDD/SSD	√	√	√
SSD Size	2.5" & 3.5"	2.5" & 3.5"	2.5" & 3.5"
SD/Micro SD	—	—	3.0
USB-A	—	—	2x 5G, 2x 7.5W
Power Adapter	DC 12V/3A	DC 12V/3A	DC 12V/4A

HDD/SSD Storage Dock

5Gbps and Single Bay



PID	WL-ST33UA	WL-ST335A	WL-ST331A
Interface	SATA III	SATA III	SATA III
USB to Host	USB-C, 5G	USB-B, 5G	USB-B, 5G
HDD/SSD	√	√	√
SSD Size	2.5" & 3.5"	2.5" & 3.5"	2.5" & 3.5"
SD/Micro SD	—	3.0	3.0
USB-A	—	2x 5G	2x 5G
Power Adapter	DC 12V/3A	DC 12V/3A	DC 12V/3A



PD 3.1 GaN Charger **240W/200W/140W Wall Charger, Desktop Charger**



PID	WL-G1402	WL-G1402D	WL-G2003D	WL-G2403D
Charger Type	Wall Charger	Desktop Charger	Desktop Charger	Desktop Charger
PD Version	PD3.1	PD3.1	PD3.1	PD3.1
USB Ports	2C1A	2C1A	3C1A	3C1A
Single Port(Max)	140W	140W	200W	240W
Multi Port(Max)	100W+12W+12W	100W+12W+ 12W	100W+65W+12W+12W	140W+65W+12W+12W

Note:
 * The GaN Power Adapter above are foldable US plug, interchangeable EU/UK/AU are optional

PD 3.0 GaN Charger **130W/100W Wall Charger, Desktop Charger**

PID: WL-G1001, WL-G1001D
 100W 1C1A GaN Charger
 Single Port: 100W
 Multi Port: 65W + 30W



PID: WL-G1301, WL-G1301D
 130W 3C1A GaN Charger
 Single Port: 100W
 Multi Port: 65W + 30W

PID: WL-G1002, WL-G1002D
 100W 2C2A GaN Charger
 Single Port: 100W
 Multi Port: 38W + 30W+20W + 12W



PID: WL-G1302, WL-G1302D
 130W 3C1A GaN Charger
 Single Port: 100W
 Multi Port: 65W + 30W+20W + 12W

WL-G1003, WL-G1003D
 100W 3C1A GaN Charger
 Single Port: 100W
 Multi Port: 45W + 30W+12W + 12W



PID: WL-G1303, WL-G1303D
 130W 3C1A GaN Charger
 Single Port: 100W
 Multi Port: 65W + 30W+12W + 12W

Note:
 * The GaN Power Adapter above are foldable US plug, interchangeable EU/UK/AU are optional.

PD 3.0 GaN Charger | **65W/30W Wall Charger**

PID: WL-G6503

65W 2C1A GaN Charger
Single Port: 65W
Foldable US plug



PID: WL-G6502

65W 1C GaN Charger
Single Port: 65W
Foldable US plug



PID: WL-G6502FA

65W 1C1A GaN Charger
Single Port: 65W
Multi Port: 12W + 12W
Fixed US or UK plug



PID: WL-G6502FC

65W 1C GaN Charger
Single Port: 65W
Foldable US plug



PID: WL-G6505

65W 2C1A GaN Charger
Single Port: 65W
Multi Port: 30W + 12W + 12W
Foldable EU or US plug
Fixed UK or AU plug



PID: WL-G3002

30W 1C GaN Charger
Single Port: 30W
Foldable US plug




Note:

* For WL-G6502 and WL-G3002, interchangeable EU/UK/AU are optional.

PD 3.0 GaN Power Adapter | **100V/130W**


PID: WL-G1004C, WL-G1304C

USB-C PD 100W GaN Power Adapter
USB-C PD 130W GaN Power Adapter



PID: WL-WL-G1005C, WL-G1305C

USB-C PD 100W GaN Power Adapter
USB-C PD 130W GaN Power Adapter



PID: WL-G1004D, WL-G1304D

DC 100W GaN Power Adapter
DC 130W GaN Power Adapter

PID: WL-G1005D, WL-G1305D

USB-C PD 100W GaN Power Adapter
USB-C PD 130W GaN Power Adapter

PD 3.0 Power Adapter

112W/77W, with 1x USB-A Charging Port

PID: WL-P1101

USB-C PD 3.0 112W (100W+ 12W) Power Adapter
 USB-C PD 100W to Host
 USB-A 12W to USB device

**PID: WL-P701**

USB-C PD 3.0 77W (65W+ 12W) Power Adapter
 USB-C PD 65W to Host
 USB-A 12W to USB device



Desktop DC Power Adapter

360W/230W/180W/160W/130W/100W

PID: WL-P3601D

360W 20V18A AC/DC
 Desktop Power Adapter

**PID: WL-C2301**

230W 20V11.5A AC/DC
 Desktop Power Adapter

**PID: WL-C1801**

180W 20V9A AC/DC
 Desktop Power Adapter

**PID: WL-C1601**

160W 20V8A AC/DC
 Desktop Power Adapter

**PID: WL-P1301**

130W 20V6.5A AC/DC
 Desktop Power Adapter

**PID: WL-C1001**

100W 20V5A AC/DC
 Desktop Power Adapter



Qi1 15W Wireless Charger

Stand Charger, Car Charger

Qi 1 15W

Magnetic Design

Foreign Object Detection (FOD)

Over Temperature Protection(OTP)

Over Current Protection (OCP)

Under Current Protection (UCP)

PID: WL-CW101

Magnetic 15W wireless charger
5W/7.5W/10W/15W Charging
Support Apple & Android Mobile Phone
Ergonomic stand with adjustable height
WPC-Qi V1.2.4 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP



New!

PID: WL-CW104

Magnetic 15W wireless car charger
5W/7.5W/10W/15W Charging
Support Apple & Android Mobile Phone
WPC-Qi V1.2.4 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP



New!

Qi1 15W Wireless Charger

More items for you to choose

PID: WL-CW301

3-IN-1 15W Wireless Charger
For Phone, Apple Watch, Air Pod



PID: WL-CW002

3-IN-1 15W Wireless Charger
For Phone, Apple Watch, Air Pod



PID: WL-CW006

15W Single Wireless Charger
For Phone



Qi2 15W Wireless Charger

Pad Charger

Qi2 ⚡ 15W

 Magnetic Design

 Foreign Object
Detection (FOD)

 Over Temperature
Protection(OTP)

 Over Current
Protection (OCP)

 Under Current
Protection (UCP)
PID: WL-CW105

15W Single wireless charger
5W/7.5W/10W/15W Charging
Special designed for iPhone 15s
WPC Qi 2.0 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP

**New!****PID: WL-CW106**

Magnetic 15W wireless
5W/7.5W/10W/15W Charging
Special designed for iPhone 15s
WPC Qi 2.0 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP

**New!**

Qi2 ⚡ 15W

 Magnetic Design

 Foreign Object
Detection (FOD)

 Over Temperature
Protection(OTP)

 Over Current
Protection (OCP)

 Under Current
Protection (UCP)
PID: WL-CW303







15W Single wireless charger
5W/7.5W/10W/15W Charging
Special designed for iPhone 15s
WPC Qi 2.0 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP

**New!****PID: WL-CW302**

Magnetic 15W wireless
5W/7.5W/10W/15W Charging
Special designed for iPhone 15s
WPC Qi 2.0 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP

**New!**

Qi2 15W Wireless Charger **Pad Charger**

-  **Qi2 15W**
-  **Magnetic Design**
-  **Foreign Object Detection (FOD)**
-  **Over Temperature Protection(OTP)**
-  **Over Current Protection (OCP)**
-  **Under Current Protection (UCP)**

PID: WL-CW601

15W Single wireless charger
5W/7.5W/10W/15W Charging
Special designed for iPhone 15s
WPC Qi 2.0 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP



Special Purpose Power Adapter **450W, 280W Intelligent Battery Charger**



450W



Input Voltage: 100-240V 6A 50-60Hz

Protection: Short circuit protection/OTP
Reverse polarity Protection

Led indicate charging status

Size: 304x114x55mm(L*W*H)

Battery type: LiFePO4/
lithium battery/
Lead acid battery

280W



Rated Output Voltage(Vdc)	Rated Output Current(A)	Rated Output Power(W Max.)	LCD Indication
6V	10A/20A	225W	Yes
12V	10A/20A/35A	450W	Yes
24V	10A/20A	450W	Yes