

CONTENT

01

Indoor Router&Repeater 01

02

Outdoor Access Point(AP) 03

03

Wireless Bridge 07

04

VPN Security Router 09

05

Mounting Kits 10

06

Protective Accessories 12

07

Power Supplies 13

08

Cables & Ethernet Adapters 14

Extend Starlink Wi-Fi To Every Corner



Seamless Mesh Roaming
Sync with Starlink gateway
for whole-home Wi-Fi roaming



Built-in VPN Function
Safeguards your satellite
network data privacy
over Starlink connection



**Wi-Fi 6 / Wi-Fi 7
High-Speed**
Delivers full satellite speed
without bandwidth loss



**WPA2/WPA3 Secure
Encryption**
Secure your Starlink Wi-Fi
from external intrusion



Wi-Fi 7 BE5100 Dual Band 2.5 Gigabit Router with Mesh

Model: Skyline Stream 5 Pro

- Interface: 1 × 2.5G WAN Port / 4 × 1G LAN Ports
- Wi-Fi Standards: Wi-Fi 7
- Wi-Fi Speed: 2.4G: 688Mbps / 5G: 4323Mbps
- LED: 1 × Status
- Power Supply: DC 12V/1A
- Special: AdGuard Home, VPNs, Everything Mesh



Wi-Fi 7 BE3600 Dual Band 2.5G Router with Mesh

Model: Skyline Stream 4 Pro

- Interface: 1 × 2.5G WAN Port / 4 × 1G LAN Ports
- Wi-Fi Standards: Wi-Fi 7
- Wi-Fi Speed: 2.4G: 688Mbps / 5G: 2882Mbps
- LED: 1 × Status
- Power Supply: DC 12V/1A
- Special: AdGuard Home, VPNs, Everything Mesh



AX3000 Repeater/AP/Router

Model: AERIAL D6X

- Interface: 1 × 1G WAN/LAN Port
- Wi-Fi Standards: Wi-Fi 6
- Wi-Fi Speed: 2.4G: 573Mbps / 5G: 2402Mbps
- LED: 1 × Status
- Power Supply: Plug-in Charging
- Special: Everything Mesh



Wi-Fi 6 AX3000 Dual Band Gigabit High Performance Router with Mesh

Model: MIGHTY EX1 Pro

- Interface: 1 × 1G WAN Port / 2 × 1G LAN Ports
- Wi-Fi Standards: Wi-Fi 6
- Wi-Fi Speed: 2.4G: 573Mbps / 5G: 2402Mbps
- LED: 2 × LAN, 1 × WAN, 1 × Wi-Fi, 1 × PWR, 1 × SYS
- Power Supply: DC 12V/1A
- Special: Everything Mesh

Wi-Fi 7 Outdoor Remote Connectivity

Omni & Directional AP for Starlink Networks



AERIAL AO5



AERIAL AO6



AERIAL AO3



Starlink Source



AERIAL AO4



IP68 Weatherproof



PoE Powered



Mesh Roaming



Long-Range Coverage



Wi-Fi 7 BE7200 Dual Band 2.5G Outdoor AP

Model: AERIAL AO6

- Interface: 1 × 2.5G WAN/LAN(PoE), 1 × 2.5G LAN
- Wi-Fi Standards: Wi-Fi 7
- Wi-Fi Speed: 2.4G: 1376Mbps, 5G: 5765Mbps
- Antenna Type: Omni-Directional: 5dBi×1 + 8dBi×8, Directional: 10dBi×1
- Power Supply: 100-240V/50-60Hz, 54V Passive PoE, 802.3at Active PoE
- Everything Mesh: ✓
- Mounting: Wall-Mounted, Pole-Mounted



Wi-Fi 7 BE7200 Dual Band 2.5G Outdoor AP

Model: AERIAL AO5

- Interface: 1 × 2.5G WAN/LAN(PoE), 1 × 2.5G LAN
- Wi-Fi Standards: Wi-Fi 7
- Wi-Fi Speed: 2.4G: 1376Mbps, 5G: 5765Mbps
- Antenna Type: Omni-Directional: 5dBi×9, Directional: 10dBi×2
- Power Supply: 100-240V/50-60Hz, 54V Passive PoE, 802.3at Active PoE
- Everything Mesh: ✓
- Mounting: Wall-Mounted, Pole-Mounted



Wi-Fi 7 BE5100 Outdoor Mesh Router

Model: AERIAL AO4

- Interface: 1 × 2.5G WAN/LAN(PoE), 1 × 2.5G LAN
- Wi-Fi Standards: Wi-Fi 7
- Wi-Fi Speed: 2.4G: 688Mbps, 5G: 4323Mbps
- Antenna Type: Omni-Directional 8dBi×5
- Power Supply: 100-240V/50-60Hz, 54V Passive PoE, 802.3at Active PoE
- Everything Mesh: ✓
- Mounting: Wall-Mounted, Pole-Mounted




Wi-Fi 7 BE5100 Outdoor Mesh Router

Model: AERIAL AO3

- Interface: 1 × 2.5G WAN/LAN(PoE), 1 × 2.5G LAN
- Wi-Fi Standards: Wi-Fi 7
- Wi-Fi Speed: 2.4G: 688Mbps, 5G: 4323Mbps
- Antenna Type: 120° Directional, 5dBi×2 + 17dBi×3
- Power Supply: 100-240V/50-60Hz, 54V Passive PoE, 802.3at Active PoE
- Everything Mesh: ✓
- Mounting: Wall-Mounted, Pole-Mounted

Long-Range Outdoor Wi-Fi Expansion For Starlink



 **Farm**
Wi-Fi 6 AX3000
AERIAL HD9S

 Long-Range Coverage
 Lightning Protection
 Pole/Wall Mount

 **Resort**
Wi-Fi 7 BE5100
AERIAL BE51

 Mesh Roaming
 IP67 Weatherproof
 Dual Band Support

 **Public**
Wi-Fi 5 AC1200
WING 12M

 PoE Powered
 Remote Management
 Low Power Consumption



BE5100 Wi-Fi 7 Outdoor AP

Model: AERIAL BE51

- Interface: 1 × 2.5G WAN/LAN Port
- Wi-Fi Standards: Wi-Fi 7
- Wi-Fi Speed: 2.4G: 688Mbps, 5G: 4323Mbps
- Antenna Type: Omni-Directional, 8dBi×4 + 5dBi×1
- Power Supply: 40-54V Passive PoE & 802.3at/af/bt PoE
- Everything Mesh: ✓
- Mounting: Wall-Mounted, Pole-Mounted



AX3000 Wi-Fi 6 Outdoor Access Point

Model: AERIAL HD9S

- Interface: 1 × 2.5G WAN/LAN Port
- Wi-Fi Standards: Wi-Fi 6
- Wi-Fi Speed: 2.4G: 574Mbps, 5G: 2402Mbps
- Antenna Type: Omni-Directional 7dBi×6
- Power Supply: 40-54V Passive PoE & 802.3at/af/bt PoE
- Everything Mesh: ✓
- Mounting: Wall-Mounted, Pole-Mounted



AC1200 Dual Band Outdoor Access Point

Model: WING 12M

- Interface: 1 × 1G WAN Port, 1 × 1G LAN Port
- Wi-Fi Standards: Wi-Fi 5
- Wi-Fi Speed: 2.4G: 300Mbps, 5G: 867Mbps
- Antenna Type: Omni-Directional 7dBi×4
- Power Supply: 40-54V Passive PoE & 802.3at PoE
- Everything Mesh: ✓
- Mounting: Wall-Mounted, Pole-Mounted

Bridge Distances, Expand Starlink Reach








Digital Display



Plug & Palay



Fast Pairing





3km 5GHz 867Mbps Outdoor PoE Wireless Bridge

Model: TRANSIT B2

- Distance: 3km
- Interface: 1 × 100M Active PoE WAN, 1 × 100M LAN, 1 × DC 12V
- Wi-Fi Speed: 5G 876Mbps
- Antenna Type: Directional, 14dBi
- Power Supply: Passive PoE & DC
- LED: 1× PWR, 1× WAN, 1× LAN, 1× Wi-Fi, 1× 1-Digit Digital Display, 3× Signal Lights



1km 5GHz 867Mbps Outdoor PoE Wireless Bridge

Model: TRANSIT B1

- Distance: 1km
- Interface: 1 × 100M Active PoE WAN, 1 × 100M LAN, 1 × DC 12V
- Wi-Fi Speed: 5G 876Mbps
- Antenna Type: Directional, 14dBi
- Power Supply: Passive PoE & DC
- LED: 1× PWR, 1× WAN, 1× LAN, 1× Wi-Fi, 1× 1-Digit Digital Display, 3× Signal Lights

Wi-Fi Anywhere On The Road

Pair With Starlink To Get Reliable Wi-Fi For Campsite & Mobile Journeys

VPN Security Router



Multiple VPNs Supported

OpenVPN and WireGuard are pre-installed, compatible with 30+ VPN service providers.



Palm-Sized Portability

Fits easily in bags for RV trips and outdoor camping adventures.



USB-C Fast Charging

Enjoy uninterrupted Wi-Fi connectivity with USB-C PD technology.



Wi-Fi 7 Dual-Band BE5100 VPN Security Router

Model: VIATOR R1

- Interface: 1 × 2.5G WAN Port, 1 × 2.5G LAN Port, 1 × USB 3.0 Port
- Wi-Fi Standards: Wi-Fi 7
- Wi-Fi Speed: 2.4G: 688Mbps, 5G: 4323Mbps
- Antennas: 3 × 3dBi Omnidirectional
- Power Supply: Type-C 5V/9V/12V
- Special: Multi-WAN, AdGuard Home, VPNs, SSH and luci for Developer

Compatible With:

Starlink Gen 3



Starlink Gen3 Pipe Mount Adapter

Model: StarMount Apex

-  Spec Version: Fixed (16.8in) / Telescopic (21.7–37.4in)
-  Unit Dimension: 16.65 × 6 × 3 in
-  Net Weight: 3 KG
-  Waterproof Coated Black Finish
-  Hardened PBT Contact Surface
-  Complete Mounting Fasteners Included



Compatible With:

Starlink Mini



Starlink Power Bank Tripod Mount

Model: StarMount Power

-  Size: Total Height 35.5cm(13.98in); Folded Height 8.5cm(3.35in)
-  Total Weight: 0.66kg
-  Aluminum Alloy Material
-  Battery Capacity & Life: 30000mAh; 3.9H
-  Input Voltage & Current: Type-C, 5V/9V/15V/20V, PD 100W
-  Operate -10 °C ~ +45C Wide Temp



Mounting Kits

Starlink Mini Suction Cup Mount

Model: StarMount Sky

- Unit Dimension: 15 × 13 × 1.5 in
- UV-Resistant Silicone Suction Cups
- Rust-Proof Coated Carbon Steel
- Multi-Material Composite Structure
- Built-in Shock Adsorption Gaskets
- All Accessories In One Set

Compatible With:
Starlink Mini



Starlink Router Wall Mount

Model: StarMount Slim

- Heat-Resistant Solid ABS Plastic
- Weatherproof Against Mild Dampness
- Max Bearing Weight Up To 3.3lbs
- Integrated Dual-Compartment Design
- Fix Router And Power Adapter Firmly
- Built-in Heat Dissipation Structure

Compatible With:
Starlink Gen 3



Compatible With:
Starlink Mini



Hard Shell Travel Case for Starlink Mini

Model: Star Case Vault

- Aluminum Alloy Build and PP Material
- Fully Sealed IP65 Waterproof Structure
- Anti-Salt-fog & UV-Resistant Finish
- Operates -40 °C ~ +65 °C Wide Temp
- Resists 160mph Heavy Strong Winds
- Load Bearing Capacity Up To 100kg



Compatible With:
Starlink Mini



Silicone Protective Case for Starlink Mini

Model: StarCase Skin

- 3-Layer Composite Silicone Structure
- IP67 Dustproof & Waterproof Protection
- Works From -20 °C To 100 °C
- Honeycomb Shock-Absorbing Inner Layer
- Anti-UV Coating Against Aging
- Matte Anti-Slip & Anti-Scratch Surface



Starlink Mini Power Adapter

Model: StarPower 2

- Supports 100~240V 50/60Hz AC Input
- Constant 56V 195W DC Power Supply
- Fits US Type A & Type B Outlets
- 10FT/3M Ultra-Long DC Power Cable
- 18AWG Thick Pure Copper Conductor
- Low Voltage Fluctuation, No Signal Drop

Compatible With:
Starlink Mini



Starlink Mini Car Charger

Model: StarPower Go

- 12V~48V Wide Voltage Input Range
- Constant 30V 72W DC Power Supply
- USB-C PD 30W For iPhone 15/16
- USB-A QC 30W For Phones/Tablets
- Anti-Slip Car Cigarette Lighter Plug
- Low Voltage Fluctuation, No Signal Drop

Compatible With:
Starlink Mini



Note: No integrated boost board; output limited by vehicle cigarette lighter port.

Compatible With:

Starlink Gen 3



Starlink Gen 3 Cable

Model: StarCable 1

- 150FT / 46M Extended Network Cable
- Cat5e-Certified, Support Up To 2000Mbps
- Gold-Plated Waterproof RJ45 Plugs
- PoE Delivers Data And Power Together
- Reliable Long-Range Signal Delivery
- Effortless Installation, Just Plug And Play



Compatible With:

Starlink Mini



Starlink Mini Cable


Model: StarCable 2

- Cat6-Certified, Support Up to 1200Mbps
- PoE Delivers Data And Power Together
- Custom Sealed Waterproof PoE Plug
- 24AWG Oxygen-Free Copper Conductor
- UL Dual Flame-Retardant Certification
- Effortless Installation, Just Plug And Play



Starlink Gen 3 IP68 Waterproof Cable Coupler

Model: StarCable 3

-  IP68 Fully Sealed Waterproof & Dustproof
-  Built-In Double Metal Shielding Layer
-  Thread Lock With Multiple O-ring Seals
-  Ground Lead For Lightning Protection
-  Wide Temperature Range For Harsh Climates
-  Gold-Plated Contacts For Stable PoE

Compatible With:
Starlink Gen3



Starlink Mini Ethernet Adapter

Model: StarNet 1

-  10/100/1000Mbps Gigabit Auto-Negotiation
-  Single Standard RJ45 Gigabit Port
-  Pass-Through Forwarding, Zero Bandwidth Loss
-  Low Latency, No Data Compression Loss
-  IP67 Dustproof & Waterproof Housing
-  Powered Via Composite PoE Cable

Compatible With:
Starlink Mini



Compatible With:

Starlink Gen 3, Starlink Mini



Ethernet Adapter for Starlink Gen 3/Mini

Model: StarNet 3

- 10/100/1000Mbps Gigabit Auto-Negotiation
- Four Independent RJ45 Gigabit Ports
- Upgraded Gigabit Switching Chip
- Low Latency, No Data Compression Loss
- Passed 72-Hour Continuous Load Testing
- Powered Via Composite PoE Cable

